

# **Application of the BATHTUB Model to Selected Southeastern Reservoirs**

by Robert H. Kennedy

Approved For Public Release; Distribution Is Unlimited

19950522 044

The contents of this report are not to be used for advertising, publication, or promotional purposes. Citation of trade names does not constitute an official endorsement or approval of the use of such commercial products.

# Application of the BATHTUB Model to Selected Southeastern Reservoirs


by Robert H. Kennedy

U.S. Army Corps of Engineers Waterways Experiment Station 3909 Halls Ferry Road Vicksburg, MS 39180-6199

Acces	on F <b>or</b>	)	
•	CRA&I	Ŋ	
DTIC	TAB		
Unannounced			
Justification			
By Distribution /			
Availability Codes			
Dist	Avail and Specia		
A-1			

Final report

Approved for public release; distribution is unlimited



# Waterways Experiment Station Cataloging-in-Publication Data

Kennedy, Robert H.

Application of the BATHTUB model to selected southeastern reservoirs / by Robert H. Kennedy; prepared for U.S. Army Engineer District, Mobile.

129 p.: ill.; 27 cm.— (Technical report; EL-95-14) Includes bibliographic references.

1. Reservoirs. 2. Eutrophication — Models. 3. Water quality management. I. United States. Army. Corps of Engineers. Mobile District. II. U.S. Army Engineer Waterways Experiment Station. III. Environmental Laboratory (U.S. Army Engineer Waterways Experiment Station) IV. Title. V. Series: Technical report (U.S. Army Engineer Waterways Experiment Station); EL-95-14. TA7 W34 no.EL-95-14

# **Contents**

Preface	V
1—Introduction	1
2—Site Description	3
River Basins	3
Chattahoochee River basin	3
Coosa River basin	3
Reservoirs	4
Lake Sidney Lanier	4
West Point Lake	4
Walter F. George Lake	5
Allatoona Lake	5
3—Modeling Approach	7
4—Data Compilation and Analysis	9
Introduction	9
Results	10
Allatoona Lake	10
Walter F. George Lake	12
Lake Sidney Lanier	12
West Point Lake	13
5—Model Application	16
Introduction	16
Results	16
Allatoona Lake	16
Walter F. George Lake	18
Lake Sidney Lanier	19
West Point Lake	20
	22
Introduction	22
Results	22

Allatoona Lake	. 22
Walter F. George Lake	23
Lake Sidney Lanier	24
West Point Lake	24
7—Summary	26
References	27
Figures 1-31	
Tables 1-22	
Appendix A: Model Input Files for Allatoona Lake	A1
Appendix B: Model Input Files for Walter F. George Lake	
Appendix C: Model Input Files for Lake Sidney Lanier	
Appendix D: Model Input Files for West Point Lake	
SF 298	

# **Preface**

The work described herein was conducted under a Military Interdepartmental Purchase Request by the U.S. Army Engineer Waterways Experiment Station (WES), Vicksburg, MS, for the U.S. Army Engineer District, Mobile.

This report was prepared by Dr. Robert H. Kennedy of the Environmental Processes and Effects Division (EPED), Environmental Laboratory (EL), WES. Ms. Kelly Johnson and Ms. Laura Scott, AScI Corporation, Alexandria, VA, and Ms. Katherine Long, EPED, assisted with site descriptions, data compilation, and selected analyses.

The work was performed under the general supervision of Dr. Richard E. Price, Acting Chief, Ecosystem Processes and Effects Branch, EPED; Mr. Donald L. Robey, Chief, EPED; and Dr. John W. Keeley, Director, EL.

At the time of publication of this report, Director of WES was Dr. Robert W. Whalin. Commander was COL Bruce K. Howard, EN.

This report should be cited as follows:

Kennedy, R. H. (1995). "Application of the BATHTUB model to selected southeastern reservoirs," Technical Report EL-95-14, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.

# 1 Introduction

Eutrophication is the natural, long-term process by which lakes become enriched with nutrients, organic matter, and sediment. Symptomatic of the occurrence of this process are decreased water clarity, excessive algal production, reduced dissolved oxygen in bottom waters during stratified periods, and decreased volume. For lakes impacted by human activity in the watershed, this process is often greatly accelerated. Since reservoirs are commonly constructed on rivers and streams draining relatively large and often extensively developed watersheds, they receive elevated loads of nutrients and sediment and are, therefore, highly susceptible to accelerated eutrophication (Kennedy, Thornton, and Ford 1985).

The U.S. Army Corps of Engineers has erected dams in the Chatta-hoochee and Coosa river basins creating a series of large impoundments. These include Lake Sidney Lanier, West Point Lake, Walter F. George Lake (Chattahoochee River basin), and Allatoona Lake (Coosa River basin). The Chattahoochee River basin includes Atlanta, a large and growing population center, as well as extensive agricultural lands, both of which contribute significantly to accelerated eutrophication of these impoundments. Further, urban centers now place high demand on water, power, and recreation resources. The Coosa River basin above Allatoona Lake, while still relatively rural, has undergone significant development in recent years. This trend is expected to continue as increases in population associated with growth in and around Atlanta result in a northward expansion of metropolitan and residential areas.

Reallocating water in the Chattahoochee and Coosa river basins has been proposed as a means to better meet water demands of the area. Since such reallocations would impact water quantity, concerns over the potential for impacts to water quality have been raised. Water quality concerns related to population growth and resultant increases in the potential material loadings to both rivers have also been the subject of great debate.

Results of applying the empirical model BATHTUB to predict eutrophication responses of Lake Sidney Lanier, West Point Lake, Walter F. George Lake, and Allatoona Lake to a variety of conditions thought to affect nutrient levels and corresponding algal growth are summarized herein. Included are estimates of responses to changes in nutrient loading

and water residence time. These responses to prescribed conditions could serve as decision-making aids to managers charged with optimizing the use of these valuable resources.

# 2 Site Description

# **River Basins**

#### Chattahoochee River basin

The Chattahoochee River flows approximately 400 km from its headwaters in the Blue Ridge Mountains in northeast Georgia, to its confluence with the Flint River to form the Appalachicola River at Lake Seminole near Chattahoochee, FL. Draining approximately 19,500 km<sup>2</sup>, the river flows southwest past Atlanta, to the Georgia-Alabama border before turning south. Along this course, waters are impounded by a total of 14 dams constructed to meet a variety of water uses. Included among these are Buford Dam (Lake Sidney Lanier), West Point Dam (West Point Lake), and Walter F. George Lock and Dam (Walter F. George Lake; Figure 1), all of which are operated by the U.S. Army Corps of Engineers (CE).

The drainage basin crosses three distinct physiographic regions. The Mountain region slopes steeply from the crest of the Blue Ridge Mountains (ca. 1,220 m NGVD) to the vicinity of Atlanta (ca. 305 m NGVD). The Piedmont Plateau region extends from the foothills of the Blue Ridge Mountains near Atlanta to the fall line just north of Columbus, GA. The remainder of the basin is located in the Upper Coastal Plain, a region characterized by low-lying and gently rolling topography. Average precipitation across the basin is high, ranging from 1.27 to 1.37 m. The underlying bedrock is igneous and metamorphic, and the waters of the Chattahoochee River are typically soft with low mineral content.

#### Coosa River basin

The Coosa River, a tributary of the Alabama River, arises in northeast Georgia with the confluence of the Etowah and Oostamaula rivers near Rome. Headwater areas are in the Appalachian Plateau and Valley physiographic regions (Wharton 1977), which exhibit steeply to moderately sloping topography. The area is currently sparsely populated, and

natural areas are dominated by a mix of hardwood and coniferous forests. The CE has constructed two reservoirs in this portion of the basin; Carters Lake on the Coosawattee River and Allatoona Lake to the south on the Etowah River (Figure 1).

# Reservoirs

## Lake Sidney Lanier

Buford Dam and Lake Sidney Lanier is the uppermost CE water resource project on the Chattahoochee and Chestatee rivers. Authorized project purposes include flood control, hydropower, recreation, wildlife development, and streamflow regulation. Buford Dam, completed in 1957, is a 720-m-long, rolled, earth-filled structure with a top elevation of 337 m NGVD. The lake has an average surface area of 156 km<sup>2</sup> and a volume of 2,411 hm<sup>3</sup>.

Watershed land uses include woodland (71 percent), pasture (12 percent), water (6 percent), crop (3 percent), and urban and developed land (9 percent). Potential direct sources of pollution are discharges from municipal sewage treatment plants on Flat Creek, animal food processing plants located to the north, and erosion from shorelines, haul forest roads, and construction sites. The soils are iron-stained clays, which make suspended sediments highly visible.

### **West Point Lake**

Authorized project purposes for West Point Dam and Lake include flood control, hydropower, recreation, fish and wildlife development, and streamflow regulation for downstream navigation. West Point Dam is located nearly 8 miles north of West Point, GA; Walter F. George Lock and Dam is located 121 km downstream.

West Point Dam, a gravity-type structure 2,211 m long and 29.6 m high, combines a penstock intake section and powerhouse, a concrete overflow section, and earthen embankments. The maximum power pool elevation is 194 m NGVD in the summer and 191 m NGVD during winter. During summer, the surface area and volume average 104.8 km<sup>2</sup> and 746 hm<sup>3</sup>, respectively; shoreline length averages 840 km (Georgia Department of Natural Resources 1991).

Water loads from the Chattahoochee River account for over 90 percent of the water budget. Other tributaries include Yellowjacket, Wehadkee, Whitewater, Potato, and Maple creeks, and New River. Impoundment resulted in the creation of several large embayments, particularly in the floodplains of Yellowjacket and Wehadkee creeks.

Land uses in the West Point Lake drainage basin include forest (79 percent), rural (17 percent), and urban (4 percent). Original vegetation was mainly oak-hickory forest, little of which is left. At the time of the construction of West Point Dam, 50 percent of the city of Atlanta's effluent was being discharged into the Chattahoochee River between Lake Sidney Lanier and the West Point dam site. In the mid to late 1980s, there was an increase of phosphorus in point source discharges. In 1989, a regional phosphorus detergent ban reduced the phosphorus concentration of effluent by 50 percent. In 1991, a statewide phosphorus detergent ban was instituted (Georgia Department of Natural Resources 1991).

## Walter F. George Lake

The Walter F. George Lock and Dam project was developed by the CE to provide or improve flood control, navigation, and hydroelectric power. It has become an important recreation resource as well, with some 7 million visitors annually.

The project, fully operational since May 1963, impounds a lake along the reach of the Chattahoochee River from the dam site near Columbus, GA, upstream to Phoenix City, AL. The average slope from the upper reaches of the pool to the dam is 0.19 m/km. The area acquired by the CE for project construction consists of level to undulating floodplain characterized by alluvial soils. The mean annual temperature of the region is 18.9 °C, while summer temperatures range from 30 to 40 °C. Average annual evaporation is 0.97 m/year, and average annual precipitation is 1.27 m/year, much of which occurs in winter and spring.

Walter F. George Lock and Dam is 4,141 m in length and has a maximum height of 34.7 m. The outlet structure consists of 14 tainter gates, with dimensions of 12.8 by 8.8 m, and four generating units. Each unit has the capacity of 32,500 kW, with the average annual production of 436 million kilowatts. The lock section has a total width of 50 m with inside chamber dimensions of 25 by 137 m, and its maximum lift is 26.8 m. The area of the lake at normal pool level (57.9 m NGVD) is 182.8 km<sup>2</sup>; the volume at this elevation is 1,152.6 hm<sup>3</sup>.

#### Allatoona Lake

Allatoona Dam and Lake, the oldest CE multipurpose reservoir in the southeast, provides flood control, power, and recreation in the Coosa River drainage basin. Allatoona Dam is located approximately 78 km upstream from Rome, GA, and 8 km due east of Cartersville, GA. The area of the drainage basin upstream of the impoundment is 2,845 km<sup>2</sup>. The dam is a concrete gravity-type structure on a curved axis with an overall length of 311 m and a height of 58 m. The spillway is controlled by 11 tainter gates, 9 of which measure 12.2 by 7.9 m and 2 of which measure 6 by 7.9 m. Structures associated with power generation, which allow

release of hypolimnetic water, are located on the left bank. Two units have a 36,000-kW capacity each, and one unit has a 2,000-kW capacity. Because of the relatively small size of the lake, power generation can cause lake surface levels to fluctuate widely; daily fluctuations of 1 m or more are not uncommon.

At normal pool elevation (256 m msl), the reservoir has a surface area of 48 km<sup>2</sup> and a volume of 453.4 hm<sup>3</sup>. Mean and maximum depths are 9.4 and 44.2 m, respectively. A shoreline development ratio of 17.7 reflects the irregularity of the 432-km shoreline, which includes many coves and embayments. Allatoona Lake has two main arms, the streambeds of the Etowah River and Allatoona Creek, respectively. Bethany Bridge near the dam across the Allatoona Creek embayment and Knox Bridge across the Etowah River at the upper reach of the lake, with their associated abutments, somewhat constrict the reservoir at these locations.

Land uses in the 2,845-km<sup>2</sup> drainage area above Allatoona Dam include cropland and pasture, woodland, and forest. The closest large urban center is Atlanta, GA, 24 km outside the basin and about 72 km from the dam. Small urban areas within the basin include the towns of Canton, Jasper, Dawsonville, and Acworth, GA.

# 3 Modeling Approach

The empirical reservoir water quality model BATHTUB (Walker 1987) was used to address water quality concerns at the lakes in this study. Although based on theoretical concepts, such as mass balance and nutrient limitation of algal growth, the model does not attempt to simulate explicitly the dynamics of a reservoir in either space or time. Instead, BATHTUB produces spatially and temporally averaged estimates of reservoir water quality conditions.

BATHTUB, developed from a CE-wide database, models water quality conditions in a two-stage procedure involving two model types. First, nutrient concentrations are estimated based on nutrient loads, morphometry, and hydrology. Second, a eutrophication response model is executed to relate pool nutrient concentrations to chlorophyll concentrations and transparency. These models produce estimates of steady-state, long-term (growing season or annual), water quality conditions in the epilimnion and are not intended to predict or describe short-term, event-related dynamics in reservoirs or to generate vertical profiles of water quality conditions.

Three phases are involved in applying BATHTUB:

- a. Analysis and reduction of tributary water quality data.
- b. Analysis and reduction of pool water quality data.
- c. Model implementation.

The first phase can be performed using the data reduction routine FLUX (Walker 1987). This program uses tributary flow and nutrient concentration data to estimate nutrient loadings. The second phase can be carried out using either PROFILE (Walker 1987), a data reduction routine for pool water quality data, or any statistical analysis software package. In the third phase, implementation of the BATHTUB model, descriptions of nutrient loads, and expected lake responses are evaluated and compared with observed data. Resulting model descriptions, appropriately calibrated and verified against an independent data set, can then be used to evaluate expected responses to selected management decisions. Further

details of the development, assumptions, and use of these programs and empirical models can be found in Walker (1981, 1982, 1985, 1987).

# 4 Data Compilation and Analysis

# Introduction

Data describing eutrophication response and nutrient loads were compiled, assessed, and summarized for each lake and its tributaries, respectively. Nutrient and water loads for major tributaries were, in general, determined using data describing daily flow conditions and water chemistry. Variables sought when compiling water chemistry data included total nitrogen, total phosphorus, soluble reactive phosphorus, nitrate and nitrite nitrogen, and ammonium nitrogen. Paired observations of flow and nutrient concentration and continuous flow measurements were assessed to identify a calculation method providing the best estimate of average load over the summer-growing season. In most cases, this was accomplished using the FLUX program (Walker 1987), which allows the user to address variability associated with changes in concentration, flow, and season. For tributaries lacking continuous flow data, simple flow-weighted averages were computed. In the absence of original data, loading estimates from other sources were evaluated and adopted.

Nutrient loads from nonpoint sources were estimated based on average concentrations determined for gauged tributaries, runoff coefficients, and drainage areas. Runoff from ungauged watershed areas was estimated from water export rates from gauged tributaries or published values. Drainage areas were delineated on maps, measured planimetrically, and proportionalized to reported drainage area data. In several instances, published nutrient export rates were evaluated and adopted.

Eutrophication response data were summarized for the upper, mixedlayer for the growing season (generally, April-October). Mixed-layer depths were determined based on review of temperature profiles. Independent summary values were obtained for individual model segments. For segments containing two or more sample stations, data were averaged. The location and size of segments were determined based on number and location of sampling sites, physical constrictions, location of streams, and longitudinal patterns in water chemistry. Eutrophication response variables included total phosphorus, total nitrogen, chlorophyll a, and Secchi disk depth.

# Results

#### Allatoona Lake

Allatoona Lake water quality data were obtained for 1973 and 1992. Sources for these data were, respectively, the U.S. Environmental Protection Agency's (USEPA) National Eutrophication Survey (NES) (USEPA 1978) and the USEPA-sponsored Clean Lake Phase I - Diagnostic/Feasibility Study (CLDFS) conducted for the State of Georgia by Kennesaw State College (Dirnburger, Rascati, and Msimanga 1993). NES data were retrieved from the USEPA's STORET database, while the CLDFS data were provided by Kennesaw State College. Station descriptions and their designated association with particular model segments (see Chapter 5) are presented in Table 1. NES data were collected on three occasions during the period June-November 1973; CLDFS data were collected approximately bimonthly during 1992.

Mean, mixed-layer, growing-season total phosphorus and nitrogen concentrations, chlorophyll a concentrations, and Secchi disk transparency values were computed for all model segments for which data were available. In cases where two or more stations were located in a single segment, data were averaged across stations. Data summaries (mean and coefficient of variation or CV) for 1973 and 1992 are presented in Tables 2 and 3. With the exception of total nitrogen concentrations, which were considerably higher in 1992, values obtained were similar for both years.

Given the lack of marked change in other water quality variables, observed differences in total nitrogen concentrations between years were unexpectedly large. Results of a review of water quality characteristics for other Georgia impoundments, as well as data for other CE reservoirs included in this study (Table 4), support the suggestion that reported total nitrogen concentrations for 1992 may be erroneous.

Mean flow and nutrient concentrations for selected tributaries to the lake and for contiguous land-use areas were computed for both study years. Seven tributary streams, including the Etowah River and the discharge from Lake Acworth, were sampled during the NES study in 1973. Flow and nutrient concentration data for these streams were adopted from NES (USEPA 1978) and are presented in Table 5. Data needed to compute

Personal Communication, 1993, Harold McGinnis, Director, A. L. Burruss Institute of Public Service, Kennesaw State College, Marietta, GA.

CV values were not available. Noonday Creek and Little River, both of which were potentially impacted by discharges from sewage treatment facilities, exhibited the highest nutrient concentrations for inflowing streams.

Mean flow and nutrient concentrations for eleven tributary streams were computed for 1992 (Table 6). In addition to those identified in the 1973 study, tributary streams sampled in 1992 included Tanyard Creek, Kellog Creek, Owl Creek, and Rowland Creek. Since daily flow values were not available, nutrient concentrations for the modeling period were computed as flow-weighted means based on paired observations of concentration and flow.

Mean flows for contributing land-use areas for 1973 were calculated using a runoff coefficient of 0.31 m/year. This value was based on discharge and drainage area relationships for gauged tributary streams. In the absence of information describing land-use patterns in 1973, nutrient concentrations for contributing land-use areas were set equal to the average value for Allatoona Creek and Shoal Creek (Table 7). Conditions in these subbasins were assumed to be representative of conditions in ungauged portions of the basin. Computed values for total phosphorus and nitrogen were 36  $\mu$ g P/L and 544  $\mu$ g N/L, respectively.

Mean flows for contributing land-use areas for 1992 were calculated using a runoff coefficient of 0.26 m/year and the same computational approach discussed above for 1973. Estimated flows from contributing areas to each segment are presented in Table 8. Also presented in Table 8 are mean total phosphorus concentrations for contributing land-use areas. Because of considerations discussed above, total nitrogen concentrations were not computed.

Total phosphorus concentrations were estimated for four assumed land-use types in 1992. Land-use types were defined based on differences in tributary stream concentrations and the location of gauged streams. For areas assumed to be relatively unimpacted, the average of flow-weighted mean concentrations for Tanyard Creek, Allatoona Creek, and Shoal Creek was applied. Since marked differences were observed for Owl Creek and Kellog Creek (see Table 6), the total phosphorus concentration for contributing areas to model segment 7 was computed as the average of mean concentrations for each creek. Mean total phosphorus concentrations for Tanyard Creek and Rowland Creek were used for model segments 2 and 5, respectively. It was assumed that concentrations for these tributary streams were representative for concentrations in runoff from these subbasins.

## Walter F. George Lake

Water quality data for Walter F. George Lake were collected as part of an USEPA-sponsored Clean Lakes Phase I -Diagnostic/Feasibility Study (CLDFS) performed by Auburn University. Data included selected nutrient concentrations, in situ values, and chlorophyll concentrations for multiple stations for the period May-October 1992. Station names and locations are presented in Table 9. Because of the limited number of stations sampled during other years and the lack of reasonable information for the estimation of nutrient loads (see below), additional water quality descriptions sufficiently detailed for model evaluation were not available.

The existence of backwater areas upstream from Walter F. George Lake precluded computation of nutrient loads for the Chattahoochee River using paired observations of nutrient concentration and gauged flow. Instead time-weighted mean nutrient concentrations for the lake water quality sampling station located near Bluff Creek Park were used to estimate inflow nutrient concentrations. Mean flow was estimated from operations records<sup>2</sup> as the mean of differences in daily pool volume and discharge. Since a majority of the water load to Walter F. George Lake is associated with the Chattahoochee River, and since information required for estimating land-use nutrient contributions from contiguous areas was lacking, the Chattahoochee River inflow was assumed to be the sole source of water and nutrient loads.

Mean, mixed-layer total phosphorus and nitrogen concentrations, chlorophyll a concentrations, and Secchi disk transparency values were computed for the growing season for all model segments (Table 10). In general, nutrient concentrations declined with distance downstream. Chlorophyll a concentrations, however, were relatively unchanged across segments.

# Lake Sidney Lanier

Water quality data for Lake Sidney Lanier were obtained only for 1973. Efforts to include data collected more recently were complicated by the limited number of stations sampled (often a single near-dam station), infrequent sample collection, or the lack of appropriate eutrophication response variables. Data collected as part of a USEPA-sponsored CLDFS performed by the University of Georgia<sup>3</sup> were not available at the time this study was conducted.

Personal Communication, 1993, David Bayne, Department of Fisheries and Allied Aquaculture, Auburn University, Auburn, AL.

Personal Communication, 1993, Diane Findley, Planning Division, U.S. Army Engineer District, Mobile, Mobile, AL.

Personal Communication, 1993, Kathryn J. Hatcher, Institute of Natural Resources, University of Georgia, Athens, GA.

Data for 1973 were collected as part of the USEPA NES study (USEPA 1978). Stations for which data were available and the segments with which they were associated for the purpose of this study are listed in Table 11. Mean concentrations and associated CV values for total phosphorus, total nitrogen and chlorophyll a concentrations, and Secchi depths are presented in Table 12.

Low nutrient and chlorophyll a concentrations indicate that at the time of sample collection, Lake Sidney Lanier was oligotrophic to mesotrophic. A notable exception was segment 14, which was clearly influenced by excessive nutrient inputs from waste treatment facilities located on Flat Creek, a major tributary to this portion of the lake (see also below). Nutrient concentrations were also higher in the upstream portions of the Chattahoochee River arm (segment 16) and the Chestatee River arm (segment 4).

Mean streamflows and total phosphorus and nitrogen concentrations for major tributaries, also obtained from the NES study, are listed in Table 13. While similarities were apparent for most streams, Limestone Creek and, especially, Flat Creek exhibited markedly elevated total phosphorus concentrations. Total nitrogen concentrations for Flat Creek were also elevated. These observations were related to the existence of significant point and nonpoint nutrient sources. Values for nonpoint source inputs from contiguous watershed areas were based averaged values for selected gauged streams. Resulting values for total phosphorus and total nitrogen concentrations were 52 µg P/L and 850 µg N/L, respectively.

### West Point Lake

Water quality data for West Point Lake were obtained for 1990 and 1991. Data describing water quality conditions at six stations located along the major axis of the Chattahoochee River portion of the lake were collected by the Georgia Department of Natural Resources (GDNR) (GDNR 1991). These data were collected as part of a GDNR intensive monitoring program conducted during the period April through October 1990.

Water quality data collected as part of an extensive survey conducted for the U.S. Army Engineer District, Mobile, by the U.S. Army Engineer Waterways Experiment Station (Kennedy et al. 1994) were used to estimate conditions during 1991. This study involved the collection of selected water quality data for 56 stations distributed throughout major portions of the lake, including embayments and large coves. Names of stations identified in the original data sets for each year and the model segment with which they were associated are presented in Table 14.

Mean, mixed-layer summaries of total nitrogen, total phosphorus, and chlorophyll a concentrations, and Secchi disk transparency were computed for each model segment for the growing season of each year. Station means were averaged for segments having multiple stations. Data

summaries (mean and CV) for 1990 and 1991 are presented in Tables 15 and 16, respectively.

Nutrient and water loads for 1990 were computed based on information for the Chattahoochee River reported by the U.S. Geological Survey (USGS) (Stokes, McFarlane, and Buell 1990). Similar data for secondary tributaries were not available. Unfortunately, nutrient-loading information was limited to total phosphorus; appropriate data for computing total nitrogen loads were not collected for sites located reasonable distances upstream from the lake. Total phosphorus loads were computed using FLUX and total phosphorus concentrations observed at the USGS gauge site located at Franklin, GA. Since this area is frequently influenced by fluctuating lake levels, the USGS does not collect coincident discharge data. Therefore, flows were estimated based on observed flows at the USGS gauge at Whitesburg, GA. This was accomplished by estimating the rate of increase in flow between successive gauge sites and extrapolating observed flows at Whitesburg to Franklin. Mean flow and total phosphorus concentration determined for the growing season for 1990 were 3,926 hm³/year (106 m³/year) and 17 $\bar{8}$ .8  $\mu g$   $\bar{P}/L$ , respectively.

In addition to flow and total phosphorus concentration data for 1991 for the Chattahoochee River at Franklin, GA, which were summarized using methods described above for 1990, data were also collected for selected secondary tributaries to the lake (Kennedy et al. 1994). Staff gauges were installed on Yellowjacket, Shoal, and Beech creeks, and observed weekly coincident with water sample collection. Stage-discharge relations, based on periodic measurement of streamflow, channel cross section, and stage by the USGS, were used to estimate flow from stage elevation. Continuous (daily) flow records were established by comparing observed flows with those recorded at the USGS gauge located on New River; resulting relations were used to generate daily records for each tributary based on daily flows in New River.

Estimates of discharge for Whitewater Creek were obtained using a small rotating bucket flowmeter. Multiple measurements were area-averaged using cross-section geometry (Kennedy et al. 1994). Flow measurements and the collection of water samples occurred weekly. Total phosphorus load for this tributary was computed as the product of the flow-weighted average total phosphorus concentration and average flow.

Nutrient load estimates were obtained from estimated flows and observed nutrient concentrations using FLUX. While nitrogen loads were computed for each of the sampled secondary tributaries, a similar estimate was not computed for the Chattahoochee River for reasons discussed above. Mean tributary flows and total phosphorus concentrations for 1991 are presented in Table 17.

The contribution of water and total phosphorus from ungauged areas contiguous with the lake for both 1990 and 1991 were based on estimated runoff and tributary nutrient data for 1991. In doing so, it was assumed

(a) that data for tributaries selected for sampling in 1991 were representative of land-use contributions and (b) that land use was unchanged. Resultant estimates and the model segment with which they are associated are presented in Table 18.

# 5 Model Application

# Introduction

The empirical model BATHTUB (Walker 1987) was employed to describe eutrophication-related characteristics and to assess potential trophic responses to selected changes in loading. Data summarizing growing-season conditions were used to calibrate the model for each reservoir. Since these reservoirs exhibited marked spatial heterogeneity, calibration was based on regional groupings of model segments. In general, main stem segments were grouped to best describe longitudinal gradients in nutrient and chlorophyll a concentrations. Additionally, descriptions of segments located in major embayments were improved by regional calibration. Default model coefficients were applied to segments lacking observed data and a logical association with other regional groupings.

Calibrated models were verified by comparison of predicted and observed responses following application to an independent data set. As mentioned in Chapter 4, appropriate verification data sets were not available for Lake Sidney Lanier and Walter F. George Lake. Evaluations of model performance are presented in the following section.

# Results

### Allatoona Lake

A total of 10 model segments distributed across four regions were identified for Allatoona Lake based on morphometric, land-use, and water quality considerations (Figure 2, Table 19). Major regions included Allatoona Creek embayment (region 1), Little River embayment (region 2), Stamp Creek embayment (region 3), and the main portion of the pool extending from the Etowah River inflow to the dam (region 4). While region 2 and 3 consisted of a single segment each, region 1 and 4 consisted of 3 and 5 segments, respectively. The assignment of sampling stations and associated water quality summaries to model segments and regions were presented previously in Tables 1-3.

BATHTUB input files were constructed for 1973 and 1992 (see Appendix A). Since a greater number of stations were sampled during 1992, this year was used for model calibration. However, the lack of reasonable total nitrogen data in 1992 (see Chapter 4) precluded the use of a chlorophyll response model based on composite nutrient (sensu Walker 1985) concentration. Instead, a model incorporating the effects of phosphorus concentration, light, and flushing rate was used to describe chlorophyll response. Changes in pool total phosphorus concentration were described as a second-order reaction.

Comparisons of observed water quality conditions in 1992 and those predicted based on application of BATHTUB employing default coefficients are presented in Figure 3. While reasonable patterns of change in total phosphorus concentration were obtained, concentrations were poorly predicted for segments 1, 4, 6, and 7 (underpredicted) and segment 5 (overpredicted). Despite this, predictions of chlorophyll and Secchi disk responses were reasonable.

Model calibration by region greatly improved model prediction for all response variables (Figure 4). This process involved computation of calibration coefficients providing minimum differences between predicted and observed values across segments within each region. Resulting calibration factors are presented in Table 19.

It was noted that calibration factors for total phosphorus for regions 2 (factor = 6.912) and 3 (factor = 0.123) were unusually distant from a value of 1.0. These extreme deviations resulted from differences in concentration between tributary streams and the receiving lake segment. For Stamp Creek embayment, calculated mean inflow total phosphorus concentration was 24.4  $\mu$ g P/L, while the mean mixed-layer total phosphorus concentration for segment 5, the segment into which Stamp Creek flows, was 33.8  $\mu$ g P/L. Assuming both concentrations to be correct, such differences would suggest that other, unsampled sources of total phosphorus led to the observed total phosphorus concentration in Stamp Creek embayment. Thus, predictions for Stamp Creek embayment may be unreliable.

Differences between the mean total phosphorus concentrations for Noonday Creek and Little River (150.0  $\mu$ g P/L and 50.0  $\mu$ g P/L, respectively), and Noonday Creek embayment (segment 4) suggest that phosphorus losses because of sedimentation were high for this region of the lake. Alternatively, failure to use a sedimentation model addressing partitioning of phosphorus between particulate and dissolved forms inflated the calibration factor. However, assuming that conditions in this portion of the lake and basin remain relatively unchanged, reasonable predictions for this segment should be possible.

Applicability of the calibrated BATHTUB model for Allatoona Lake was verified by application using loading information for 1973. Comparisons between predicted and observed response variables (Figure 5) indicate that the model performs relatively well. While total phosphorus

concentration was underpredicted for segments 6 and 8, water quality predictions for other segments and those for chlorophyll and Secchi disk were not significantly different from observed conditions. Performance of the model for regions 2 and 3 could not be evaluated because of lack of observed data (see Appendix A for BATHTUB input files).

## Walter F. George Lake

Seven model segments were defined for Walter F. George Lake (Figure 6). These segments were associated as a single, linear region extending from a point near Bluff Creek Park to the dam. As indicated above, water quality data for the lake station at Bluff Creek Park were used for estimation of inflow conditions and were not included with observed lake water quality data for this application.

Since both nitrogen and phosphorus data were available for 1992, model options involving the prediction of chlorophyll response based on changes in composite nutrient concentration were evaluated. Comparison with model results in which chlorophyll responses were estimated based solely on total phosphorus concentration led to a decision to include both nutrients in subsequent model applications. The model estimated changes in chlorophyll based on the combined effects of composite nutrient concentration, light, and flushing. In the absence of information concerning nutrient partitioning, the availability factors for total nitrogen and phosphorus were set to a value of 1.0. Changes in total nitrogen and phosphorus were described as a second-order reaction.

Comparisons of observed and predicted water quality responses for 1992 based on application of BATHTUB employing default coefficients and the above model assumptions are presented in Figures 7 and 8. Total nitrogen and phosphorus concentrations were estimated reasonably well in mid and uplake segments, but underestimated in downstream segments. Chlorophyll concentrations and Secchi disk transparency were poorly estimated by the uncalibrated model.

Model calibration against observed data for 1992 greatly improved model predictions (Figures 9 and 10). During initial calibration attempts, accounting for the shape of longitudinal changes in water quality resulted in improved predictions for downstream segments but poor predictions for segment 1. This result was due to similarities in water quality conditions in segment 1 and those at the station used for describing inflow conditions. To compensate for this shortcoming, calibration factors for segment 1 were set to default values for all response variables. Resultant calibration factors are presented in Table 20 (see Appendix B for BATHTUB input files).

## Lake Sidney Lanier

Morphologic and water quality features for Lake Sidney Lanier were addressed by delineating 21 model segments (Figure 11). Features addressed included embayments associated with the inflow of the Chestatee and Chattahoochee rivers, both of which exhibited longitudinal gradients; embayments associated with Wahoo Creek and neighboring tributaries; a series of small embayments associated with the main portion of the lake but receiving inflows from several secondary tributaries; and the area proximal to the confluence of the lake with Flat Creek, a tributary with markedly higher nutrient concentrations because of the influence of point sources.

Water quality and loading data collected in 1973 as part of an NES study were used for model evaluation and calibration. Since both nitrogen and phosphorus data were available, a response model incorporating the effects of composite nutrient concentration was applied (see Appendix C for BATHTUB input files). Initial application of the model using default coefficients indicated a reasonable correspondence between predicted and observed values (Figures 12 and 13).

Large differences were apparent, however, for nutrient concentrations for selected segments (Figure 12). Total nitrogen concentration was greatly overpredicted for segments 11 and 12. This observation may be related to overestimation of inflow nitrogen concentrations, which were based on a basin-wide summary, or the potentially long retention time in Young Deer and Bald Ridge embayments. Predicted total phosphorus concentrations were markedly below observed concentrations for segment 4 (Yellow Creek) and segment 9 (Four Mile Creek and Six Mile Creek embayment). While loading data were available for Four Mile Creek, potentially inaccurate estimates for Yellow Creek and Six Mile Creek may have led to poor predictions for these two segments. Reasonable predictions of chlorophyll concentration were obtained for most segments (Figure 13). Noteworthy is the two-fold overprediction for segment 16, located immediately downstream from the inflow of the Chattahoochee River.

Regional calibration greatly improved performance of the model (Figures 14 and 15). Segment associations for calibration were based on review of observed water quality data and iterative evaluation of model performance using alternative associations. Regional calibration groups and corresponding calibration factors are presented in Table 21. As discussed in Chapter 4, shortcomings in other data sets precluded verification of calibration values based on 1973 data.

#### **West Point Lake**

Twenty-two model segments were delineated for the application of BATHTUB to West Point Lake (Figure 16). The number and location of segments were based on recent assessments of patterns in water quality (Kennedy et al. 1994) and lake geometry. The Chattahoochee River portion of the lake was represented by 13 segments, while the two major embayments, Yellowjacket and Wehadkee Creek embayments, were each represented by a single segment each. Additional segments were added for major coves and other important embayment areas. These include Potato, Wolf, and Brush Creek embayments, New River and Maple Creek embayments, and Whitewater and Thompson Creek embayment.

Data for 1991 were used for initial model evaluation and for subsequent model calibration; verification of model calibration was performed using data for 1990 (see Appendix D for BATHTUB input files). As indicated in Chapter 4, the absence of adequate data describing total nitrogen loads to the lake from the Chattahoochee River precluded consideration of nitrogen in evaluations of models for describing or predicting chlorophyll a concentration. While this shortcoming could impact predictions in upstream reaches of the Chattahoochee River portion of the lake, where nitrogen to phosphorus ratios indicate the potential for limitation by phosphorus (Kennedy et al. 1994), highly turbid conditions and excessive nutrient concentrations suggest that other factors would control algal responses here.

Mixed-layer total phosphorus concentrations in 1991 decreased with increasing distance from the Chattahoochee River inflow (segments 12, 13, and 15), but were relatively unchanged in downstream portions of the lake (segments 17, 18, and 20-23). In general, total phosphorus concentrations for selected coves and embayments (segments 2, 5, and 7-9) were similar to or less than those observed in the downstream portion of the lake. Initial model application using default calibration resulted in overprediction of concentrations throughout the Chattahoochee River portion of the lake; predictions for cove and embayment sites were similar to those observed (Figure 17).

While predicted chlorophyll a concentrations were in reasonable agreement with those observed for the downstream portion of the lake and for coves and embayments, those for upstream segments were nearly double those observed (Figure 17). This latter difference was potentially related to the effects of nonalgal turbidity and inflow processes on expected relations between nutrient concentration and algal response.

Despite the above differences in chlorophyll a concentrations, marked differences between observed and predicted Secchi depth were not apparent for most upstream segments (Figure 17). Exceptions were segments 15 and 16, both of which are located near the region of transition from riverine to lake-like conditions. Since prediction of Secchi disk depth is based on the combined effects of predicted chlorophyll a concentrations

and observed nonalgal turbidity, predicted values would be determined to a great extent by the presence of nonalgal particulates.

Model calibration greatly improved model performance (Figure 18). Longitudinal gradients in the main stem were well described, as were responses for major tributary embayments. Model calibration values and the assignment of model segments to regions are presented in Table 22.

Subsequent application of BATHTUB to observed data for 1990 provides independent evidence of model performance (Figure 19). As was noted for 1991, longitudinal gradients in the main stem were well described. Since data were not available for segments located in tributary embayments, verification of model performance in these areas of the lake was not possible.

# 6 Water Quality Response Assessment

# Introduction

Two different loading scenarios, both of which are relevant to current management issues, were evaluated for each reservoir. In the first, observed inflow nutrient concentrations were increased and decreased by 50 percent while holding average water loads constant. Such changes would be expected if processes controlling nutrient contributions alone were affected by watershed activities. These would include, for example, decreased nutrient contributions from point sources following management efforts to increase wastewater treatment efficiencies or increases because of increased demands on existing waste treatment facilities. The second evaluation scenario involved similar changes in water inflow rates while holding nutrient concentrations constant. Although such changes result in 50-percent changes in nutrient mass loads (i.e., mass of nutrient delivered to the lake during the summary period), model assumptions are based on inflow nutrient concentrations; therefore, this scenario allows evaluation of changes in flushing rate. Such changes could occur if processes affecting change in the quantity of water delivered to the lake were modified. While other scenarios could be developed, these two provide a reasonable evaluation of the possible direction and magnitude of lake response given changes in nutrient concentration or water loading. Results of these evaluations are presented in the following sections.

# Results

# Aliatoona Lake

Changes in the average inflow total phosphorus concentration from the Etowah River markedly impacted mixed-layer total phosphorus concentrations in the upstream portion of the main stem of the lake (Figure 20). However, concentration changes in more downstream segments and, in

particular, near the dam were proportionally smaller (± 15 percent). Sedimentary losses in upper to midlake regions would account for such differences. Increases in water retention time (i.e., decreased water inflow rate), while reducing total phosphorus concentrations throughout, did not result in marked longitudinal changes.

Trophic response to changes in inflow total phosphorus concentrations were pronounced in upstream segments because of increased nutrient availability (Figure 21). Like changes in mixed-layer nutrient concentrations, the magnitude of changes in chlorophyll concentration decreased with increasing distance downstream. Changes in Secchi depth, which are determined in the model by the combined effects of fixed values of nonalgal turbidity and predicted changes in chlorophyll concentration, were less pronounced. Changes in trophic response following changes in water inflow rate were minimal (Figure 22). Such a result would be expected given the small changes in nutrient levels and the fact that retention times are long relative to algal growth rates.

### Walter F. George Lake

Changes in nutrient and trophic responses reflect the narrow morphometry and advective characteristics of Walter F. George Lake. As was noted from observed data, this impoundment exhibits marked gradients in water quality. Nutrient concentrations decrease dramatically through the transition from riverine to lake-like conditions in the upstream half of the lake, but are relatively unchanged in downstream areas. A similar pattern is predicted for potential changes in nutrient levels following changes in inflow nutrient concentrations (Figure 23). Because of the advective nature of the upstream reaches of the lake, changes in mixed-layer nutrient levels because of selected changes in water inflow rate are predicted only for downstream segments (Figure 23).

Predicted trophic responses (Figure 24) reflect the combined influences of longitudinal changes in mixed-layer nutrient concentrations and in-lake flow regime. Changes in chlorophyll concentration were greatest in upstream segments; concentrations declined sharply in midlake. It is interesting to note the possible downstream shift in chlorophyll maximum when inflow nutrient concentration was reduced by 50 percent. Changes in chlorophyll concentration in upstream areas were unchanged by changes in flow evaluated in this study. This would be expected since algal standing crop here is likely controlled by flushing rate. Secchi depths, while relatively unchanged at upstream locations, were greatly increased in downstream areas with a 50-percent decline in inflow nutrient concentrations.

## Lake Sidney Lanier

Observed and predicted mixed-layer nutrient concentrations for model segments for the two major tributary arms of Lake Sidney Lanier are presented in Figure 25. Sharp declines in mixed-layer nutrient levels reflect sedimentary losses as channel dimensions and water residence increase. As a result, little change was predicted for downstream areas of the lake. Similar conclusions follow assessment of nutrient changes in response to changes in water inflow rates.

Few changes in trophic response are predicted for selected ( $\pm 50$  percent) changes in either inflow nutrient concentration or water load (Figure 26). This outcome is related, in part, to the small ratio of water load to lake volume. With the exception of the riverine-dominated portions of the lake, chlorophyll concentrations are low and nearly uniform across model segments.

Since Lake Sidney Lanier is morphologically complex, lake trophic responses were summarized for individual lake regions (Figure 27). Downstream regions of the lake and associated embayments (region 1) would be expected to change little following the changes in nutrient or water inputs chosen for this evaluation. However, moderate changes would be expected for the Chattahoochee and Chestatee River arms (region 3 and 4, respectively). Changes would be minimal for the Flat Creek area (region 2) and the Wahoo Creek embayment (region 5). Such a result would be expected since these areas are relatively isolated from inflows from the major tributaries. While data availability precluded realistic assessments of the Wahoo Creek embayment, manipulations of nutrient concentrations for Flat Creek markedly influenced trophic response in the Flat and Balus Creek embayment.

#### **West Point Lake**

West Point Lake exhibits strong longitudinal gradients in water quality. As documented by Kennedy, Thornton, and Gunkel (1982) and Kennedy et al. (1994), these gradients are related to mixing and flow regimes, high nutrient levels, and the influence of nonalgal turbidity on algal productivity. In general, nutrient and nonalgal turbidity levels decline sharply as riverine influences lessen with increased distance from the Chattahoochee River inflow. As nonalgal turbidity levels decrease (and light levels increase) because of sedimentation, algal production increases. This often results in a mid-lake maxima in the region immediately upstream from the Yellowjacket Creek confluence.

Nutrient and trophic responses predicted here are consistent with past observations of water quality patterns. While changes in inflow rate (±50 percent) had little effect on in-pool total phosphorus levels, marked changes followed changes in inflow total phosphorus concentration

(Figure 28). However, relative differences decreased with increased distance, and nutrient conditions near the dam changed little.

Changes in inflow nutrient concentration greatly influenced trophic response in mid and downlake regions (Figure 29). While the location of the chlorophyll maxima was unchanged, expected concentrations were markedly impacted. However, increases and decreases in inflow rate shifted the location of the chlorophyll maxima downstream and upstream, respectively (Figure 30). This result is anticipated since algal standing crop in this region of the lake is controlled in large part by flushing rate. Since the BATHTUB model does not predict nonalgal turbidity, such changes could not be directly assessed. However, it is possible that changes could accompany efforts to reduce loading from nonpoint sources. Such changes would change the light regime, thus dramatically influencing the distribution and quantity of algal biomass, particularly in the upper reaches of the lake. Kennedy et al. (1994) reached a similar conclusion after evaluating algal and nutrient data for the lake. Lakewide trophic responses to the combined effects of incremental changes in inflow rate and nutrient concentration are presented in Figure 31.

# 7 Summary

The BATHTUB model provides a means for assessing the potential effects of a variety of management alternatives involving changes in nutrient and/or water inputs to reservoirs. This report documents efforts to apply the model to Allatoona Lake, Walter F. George Lake, Lake Sidney Lanier, and West Point Lake. Underlying assumptions are discussed in the context of data reduction and model application.

Changes discussed here were limited to 50-percent increases and decreases in inflow nutrient concentration and discharge rate. The intent was to demonstrate application of the model and to delineate general directions of potential change in lake trophic response. Calibrated models developed here (see model input data sets in Appendices A-D) provide lake managers with the opportunity to assess additional or future management alternatives.

# References

- Dirnberger, J. H., Rascati, R., and Msimanga, H. (1993). "A Clean Lakes Phase I Diagnostic/Feasibility Study of Lake Allatoona: A preliminary report." *Proceedings of the 1993 Georgia Water Resources Conference*. K. J. Hatcher, ed., Institute of Natural Resources, University of Georgia, 89-92.
- Georgia Department of Natural Resources. (1991). "Water quality investigation of West Point Lake, 1990," Report of the Environmental Protection Division, Atlanta, GA.
- Kennedy, R. H., Hains, J. J., Ashby, S. L., Jabour, W., Naugle, B., and Speziale, B. (1994). "Limnological assessment of West Point Lake, Georgia," Technical Report EL-94-6, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.
- Kennedy, R. H., Thornton, K. W., and Ford, D. E. (1985). "Characterization of the reservoir ecosystem." *Microbial processes in reservoirs*. D. Gunnison, ed., Junk Publishing, Boston, 27-38.
- Kennedy, R. H., Thornton, K. W., and Gunkel, R. C. (1982). "The establishment of water quality gradients in reservoirs," *Canadian Water Resources Journal* 7(1), 71-86.
- Stokes, W. R., McFarlane, R. D., and Buell, G. R. (1990). "Water resource data Georgia, water year 1990," Water-Data Report GA-90-1, U.S. Geological Survey, Doraville, GA.
- U.S. Environmental Protection Agency. (1993). "Guidelines for assessing and predicting eutrophication status of small southeastern Piedmont impoundments," Environmental Services Division, Ecological Support Branch, Athens, GA.
- . (1978). "A compendium of lake and reservoir data collected by the National Eutrophication Survey in Eastern North-Central, and Southeastern United States," Working Paper Series, Working Paper No. 475, Corvallis Environmental Research Laboratory, Corvallis, OR.

- Walker, W. W. (1981). "Empirical methods for predicting eutrophication in impoundments, Report 1, Phase I: Data base development,"
  Technical Report E-81-9, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.

  \_\_\_\_\_\_\_. (1982). "Empirical methods for predicting eutrophication in impoundments, Report 2, Phase II: Model testing," Technical Report E-81-9, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.

  \_\_\_\_\_\_. (1985). "Empirical methods for predicting eutrophication in impoundments, Report 3, Phase III: Model refinements," Technical Report E-81-9, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.

  \_\_\_\_\_. (1987). "Empirical methods for predicting eutrophication in impoundments, Report 4, Phase III: Applications manual,"
- Wharton, C. H. (1977). "The natural environments of Georgia," Georgia Department of Natural Resources, Office of Planning and Research, Atlanta, GA.

Station, Vicksburg, MS.

Technical Report E-81-9, U.S. Army Engineer Waterways Experiment




Figure 1. Map of study area indicating the locations of Allatoona Lake (Coosa River basin) and Lake Sidney Lanier, West Point Lake, and Walter F. George Lake (Chattahoochee River basin)




Figure 2. Map of Allatoona Lake (top) and assigned locations of model segments (bottom). Contiguous segments are hydraulically linked




Figure 3. Observed (solid circles) and predicted (open circles) total phosphorus concentrations, chlorophyll a concentrations, and Secchi depths for modeled segments of Allatoona Lake for 1992. Predicted values based on default calibration factors. Vertical bars represent observed and predicted variability. Segment 11 represents the lakewide, weighted average




Figure 4. Observed (solid circles) and predicted (open circles) total phosphorus concentrations, chlorophyll a concentrations, and Secchi depths for modeled segments of Allatoona Lake for 1992. Predicted values based on computed calibration factors. Vertical bars represent observed and predicted variability. Segment 11 represents the lakewide, weighted average




Figure 5. Observed (solid circles) and predicted (open circles) total phosphorus concentrations, chlorophyll a concentrations, and Secchi depths for modeled segments of Aliatoona Lake for 1973. Predicted values based on computed calibration factors for 1992. Vertical bars represent observed and predicted variability. Segment 11 represents the lakewide, weighted average




Figure 6. Map of Walter F. George Lake (left) and assigned locations of model segments (right). Contiguous segments are hydraulically linked




Figure 7. Observed (solid circles) and predicted (open circles) total phosphorus and total nitrogen concentrations for modeled segments of Walter F. George Lake for 1992. Predicted values based on default calibration factors. Vertical bars represent observed and predicted variability. Segment 8 represents the lakewide, weighted average




Figure 8. Observed (solid circles) and predicted (open circles) chlorophyll a concentrations and Secchi depths for modeled segments of Walter F. George Lake for 1992. Predicted values based on default calibration factors. Vertical bars represent observed and predicted variability. Segment 8 represents the lakewide, weighted average




Figure 9. Observed (solid circles) and predicted (open circles) total phosphorus and total nitrogen concentrations for modeled segments of Walter F. George Lake for 1992. Predicted values based on computed calibration factors. Vertical bars represent observed and predicted variability. Segment 8 represents the lakewide, weighted average





Figure 10. Observed (solid circles) and predicted (open circles) chlorophyll a concentrations and Secchi depths for modeled segments of Walter F. George Lake for 1992. Predicted values based on computed calibration factors. Vertical bars represent observed and predicted variability. Segment 8 represents the lakewide, weighted average



Map of Lake Sidney Lanier (left) and assigned locations of model segments (right). Contiguous segments are hydraulically linked Figure 11.




Figure 12. Observed (solid circles) and predicted (open circles) total phosphorus and total nitrogen concentrations for modeled segments of Lake Sidney Lanier for 1973. Predicted values based on default calibration factors. Vertical bars represent observed and predicted variability. Segment 22 represents the lakewide, weighted average




Figure 13. Observed (solid circles) and predicted (open circles) chlorophyll a concentrations and Secchi depths for modeled segments of Lake Sidney Lanier for 1973. Predicted values based on default calibration factors. Vertical bars represent observed and predicted variability. Segment 22 represents the lakewide, weighted average




Figure 14. Observed (solid circles) and predicted (open circles) total phosphorus and total nitrogen concentrations for modeled segments of Lake Sidney Lanier for 1973. Predicted values based on computed calibration factors. Vertical bars represent observed and predicted variability. Segment 22 represents the lakewide, weighted average





Figure 15. Observed (solid circles) and predicted (open circles) chlorophyll a concentrations and Secchi depths for modeled segments of Lake Sidney Lanier for 1973. Predicted values based on computed calibration factors. Vertical bars represent observed and predicted variability. Segment 22 represents the lakewide, weighted average



Map of West Point Lake (left) and assigned locations of model segments (right). Contiguous segments are hydraulically linked Figure 16.




Figure 17. Observed (solid circles) and predicted (open circles) total phosphorus concentrations, chlorophyll a concentrations, and Secchi depths for modeled segments of West Point Lake for 1991. Predicted values based on default calibration factors. Vertical bars represent observed and predicted variability. Segment 23 represents the lakewide, weighted average




Figure 18. Observed (solid circles) and predicted (open circles) total phosphorus concentrations, chlorophyll a concentrations, and Secchi depths for modeled segments of West Point Lake for 1991. Predicted values based on computed calibration factors. Vertical bars represent observed and predicted variability. Segment 23 represents the lakewide, weighted average




Figure 19. Observed (solid circles) and predicted (open circles) total phosphorus concentrations, chlorophyll a concentrations, and Secchi depths for modeled segments of West Point Lake for 1990. Predicted values based on computed calibration factors for 1991. Vertical bars represent observed and predicted variability. Segment 23 represents the lakewide, weighted average




Figure 20. Predicted changes in total phosphorus concentrations in Allatoona Lake associated with changes in inflow nutrient concentration (upper) and inflow volume (lower). Predictions for increases of 50 percent (open circles) and decreases of 50 percent (closed circles) are compared with observed data (solid line)




Figure 21. Predicted changes in chlorophyll a concentrations (upper) and Secchi depths (lower) in Allatoona Lake associated with changes in inflow nutrient concentration. Predictions for increases of 50 percent (open circles) and decreases of 50 percent (closed circles) are compared with observed data (solid line)







Figure 22. Predicted changes in chlorophyll a concentrations (upper) and Secchi depths (lower) in Allatoona Lake associated with changes in inflow volume. Predictions for increases of 50 percent (open circles) and decreases of 50 percent (closed circles) are compared with observed data (solid line)




Predicted changes in phosphorus (left) and nitrogen (right) concentrations in Walter F. George Lake associated with changes in inflow nutrient concentration (upper) and inflow volume (lower). Predictions for increases of 50 percent (open circles) and decreases of 50 percent (closed circles) are compared with observed data Figure 23.



Predicted changes in chlorophyll a (left) and Secchi depth (right) in Walter F. George Lake associated with changes in inflow nutrient concentration (upper) and inflow volume (lower). Predictions for increases of 50 percent (open circles) and decreases of 50 percent (closed circles) are compared with observed data Figure 24.



Predicted changes in phosphorus (upper) and nitrogen (lower) concentrations in Lake Sidney Lanier associated with changes in inflow nutrient concentration (left) and inflow volume (right). Predictions for increases of 50 percent (open circles) and decreases of 50 percent (closed circles) are compared with observed data Figure 25.



for increases of 50 percent (open circles) and decreases of 50 percent (closed circles) are compared with observed data associated with changes in inflow nutrient concentration (left) and inflow volume (right). Predictions Predicted changes in chlorophyll a (upper) and Secchi depths (lower) in Lake Sidney Lanier Figure 26.




Figure 27. Trophic responses (i.e., changes in chlorophyll a concentrations) of major limnological regions (1-5) of Lake Sidney Lanier to changes in nutrient inflow concentrations and inflow volume. Region 6 is a lakewide summary of predicted responses




Figure 28. Predicted changes in total phosphorus concentrations in West Point Lake associated with changes in inflow nutrient concentration (upper) and inflow volume (lower). Predictions for increases of 50 percent (open circles) and decreases of 50 percent (closed circles) are compared with observed data (solid line)




Figure 29. Predicted changes in chlorophyll a concentrations (upper) and Secchi depths (lower) in West Point Lake associated with changes in inflow nutrient concentration. Predictions for increases of 50 percent (open circles) and decreases of 50 percent (closed circles) are compared with observed data (solid line)




Figure 30. Predicted changes in chlorophyll a concentrations (upper) and Secchi depths (lower) in West Point Lake associated with changes in inflow volume. Predictions for increases of 50 percent (open circles) and decreases of 50 percent (closed circles) are compared with observed data (solid line)




Figure 31. Predicted lakewide trophic response (i.e., changes in chlorophyll a concentrations and Secchi depths) of West Point Lake relative to changes in inflow nutrient concentration and inflow volume

Table 1
Water Quality Sampling Stations Associated with BATHTUB Model
Segments for Allatoona Lake for Calibration (1992) and Verification
(1973) Years (Station descriptions are those identified in the
original data)

	Station Descriptions			
Segment	1973	1992		
1	313	28A Marker		
2	-	Tanyard Creek Embayment		
3	_	8A-10A Marker		
4		Little River Embayment		
5	-	Carter Creek Embayment Stamp Creek Embayment		
6	315 316	44E-45E Marker		
7	-	Kellog/Owl Creek Embaymen 39E Marker		
8	314	9E Marker 13E Marker 18E-19E Marker		
9	312	-		
10	311	1E Marker		

Table 2
Mean, Mixed-Layer (i.e., depth < 6 m) Water Quality Conditions,
Including Associated CV Values, for Allatoona Lake, May-October
1973 (CV values calculated as the standard error divided by the
mean)

Segment		Total Phosphorus μg P/L	Total Nitrogen μg N/L	Chlorophyll a μg/L	Secchi, m
1	Mean CV	22.9 0.12	648.5 0.14	7.5 0.17	1.3 0.15
2	Mean CV	_	_	_	_
3	Mean CV	_		_	_
4	Mean CV	_	_	_	_
5	Mean CV	_	_	_	_
6	Mean CV	33.7 0.13	561.6 0.12	6.3 0.27	1.3 0.08
7	Mean CV	_		_	_
8	Mean CV	15.4 0.09	490.0 0.18	12.5 0.34	1.7 0.14
9	Mean CV	20.4 0.10	677.0 0.23	8.0 0.20	1.4 0.16
10	Mean CV	17.5 0.04	547.3 0.27	4.3 0.06	1.7 0.18

\_\_\_

Table 3
Mean Mixed-Layer Water Quality Conditions and Associated CV
Values for Allatoona Lake, May-October 1992 (CV values calculated as the standard error divided by the mean)

Segment		Total Phosphorus μg P/L	Total Nitrogen μg N/L	Chlorophyll <i>a</i> μg/L	Secchi, m
1	Mean	18.5	1,346.7	9.4	1.5
	CV	0.13	0.10	0.15	0.08
2	Mean	24.9	1,560.0	10.7	1.4
	CV	0.12	0.18	0.11	0.08
3	Mean	23.2	2,007.1	7.8	2.1
	CV	0.14	0.21	0.17	0.04
4	Mean	34.8	1,871.1	18.1	1.2
	CV	0.19	0.12	0.10	0.08
5	Mean	33.8	1,617.5	9.2	1.8
	CV	0.13	0.19	0.09	0.04
6	Mean	28.9	1,711.4	11.2	1.7
	CV	0.15	0.29	0.07	0.08
7	Mean	24.9	2,497.9	9.9	1.9
	CV	0.08	0.29	0.05	0.04
8	Mean	25.1	1,653.8	8.3	2.1
	CV	0.09	0.19	0.05	0.03
9	Mean CV	_	_	_	_
10	Mean	26.5	2,425.0	7.8	2.3
	CV	0.18	0.25	0.12	0.06

Table 4 Median Water Quality Characteristics of Selected Georgia Impoundments and of Those Included in This Study

Impoundment	Total Phosphorus μg P/L	Total Nitrogen μg N/L	Chiorophyil <i>a</i>	Secchi, m	Source
Clobert	30	440	15.3	0.9	USEPA
Commerce	70	785	29.3	0.4	USEPA
Chapman	20	470	10.8	1.4	USEPA
Olgethorpe	20	430	10.0	1.5	USEPA
Union Point	30	560	11.1	1.1	USEPA
Bialock	40	1,320	22.9	1.1	USEPA
Shamrock	50	1,020	29.8	1.0	USEPA
Brantley	35	800	22.6	0.6	USEPA
Clarks Hill	24	430	6.7	1.5	NES
Chatuge	14	330	6.3	3.0	NES
Burton	7	270	2.7	3.4	NES
Blackshear	35	690	1.9	0.8	NES
Blue Ridge	10	240	3.1	2.7	NES
Harding	114	880	7.4	0.8	NES
High Falls	47	830	15.1	1.0	NES
Jackson	94	980	14.6	1.0	NES
Nottely	15	325	6.7	2.4	NES
Allatoona 1973 1992	22 25	585 1,682	7.7 10.3	1.5 1.8	NES KSC
W. F. George 1992	39	573	17.9	1.3	AU
Lanier 1973	16	460	5.4	2.6	NES
West Point 1990 1991	52 39	734 797		1.1 1.1	GDNR USAEWES

Note: The following codes indicate data source: USEPA -U.S. Environmental Protection Agency (1993), Region IV, Environmental Services USEPA -U.S. Environmental Protection Agency (1993), Hegion IV, Environmental Division, Athens, GA.

NES -USEPA National Eutrophication Survey.

KSC - Kennesaw State College, Marietta, GA.

AU - Auburn University, Auburn, AL.

GDNR - Georgia Department of Natural Resources (1991), Atlanta, GA.

USAEWES - U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.

Table 5
Mean Flows and Flow-Weighted Mean Total Phosphorus and Total
Nitrogen Concentrations for 1973 for Selected Tributary Streams
Entering Allatoona Lake (Based on data collected during the
National Eutrophication Survey (U.S. Environmental Protection
Agency 1978), May-October 1973)

Tributary Name	Flow, m <sup>3</sup> /sec	Total Phosphorus μg P/L	Total Nitrogen μg N/L	
Etowah River	34.59	51.0	587.0	
Allatoona Creek	0.713	35.0	572.0	
Acworth Lake Discharge	0.700	49.0	537.0	
Noonday Creek	1.800	244.0	1,105.0	
Little River	5.000	88.0	1,020.0	
Shoal Creek	2.600	36.0	515.0	
Stamp Creek	0.458	24.0	401.0	

Table 6
Mean Flows and Flow-Weighted Mean Total Phosphorus
Concentrations, Including Associated CV Values, for 1992 for
Selected Tributary Streams Entering Allatoona Lake (Based on
data collected by Kennesaw State College, May-October 1992. CV
values were calculated as the standard error divided by the mean)

		, , , , , , , , , , , , , , , , , , , ,			
Tributary Name		Flow, m <sup>3</sup> /sec	Total Phosphorus μg P/L		
Etowah River	Mean	27.65	65.6		
	CV	0.123	0.328		
Allatoona Creek	Mean	0.305	44.5		
	CV	0.187	0.219		
Acworth Lake Discharge	Mean	0.131	22.4		
	CV	0.123	0.089		
Tanyard Creek	Mean	0.432	44.6		
	CV	0.969	0.961		
Kellog Creek	Mean	0.014	59.5		
	CV	0.297	0.410		
Owl Creek	Mean	0.025	133.8		
	CV	0.156	0.275		
Noonday Creek	Mean	1.577	150.0		
	CV	0.194	0.205		
Little River	Mean	4.068	50.0		
	CV	0.184	0.200		
Shoal Creek	Mean	1.518	37.9		
	CV	0.130	0.127		
Stamp Creek	Mean	0.346	24.4		
	CV	0.087	0.190		
Rowland Creek	Mean	0.026	65.0		
	CV	0.265	0.285		

Table 7
Contributing Area and Estimated Flow and Total Phosphorus and Nitrogen Concentrations for Ungauged Local Land-Use Areas for Allatoona Lake for 1973

Model Segment	Contributing Land-use Area km <sup>2</sup>	Estimated Mean Flow <sup>1</sup> hm <sup>3</sup> /year	Total Phosphorus <sup>2</sup> μg P/L	Total Nitrogen <sup>2</sup> μg N/L
1	46.18	14.32	36.0	544.0
2	95.18	29.51	36.0	544.0
3	11.65	3.61	36.0	544.0
4	62.65	19.42	36.0	544.0
5	29.72	9.21	36.0	544.0
6	36.14	11.20	36.0	544.0
7	62.65	19.30	36.0	544.0
8	39.76	12.33	36.0	544.0
9	11.65	3.61	36.0	544.0
10	96.38	29.88	36.0	544.0

Estimated discharge for ungauged land-use areas based on an estimated runoff of 0.31 m/year.
 Total phosphorus and total nitrogen concentration estimated as the average of 1992 flow-weighted concentrations for Allatoona Creek and Shoal Creek.

Table 8 **Contributing Areas and Estimated Flow and Total Phosphorus** Concentrations for Ungauged Local Land-Use Areas for Allatoona Lake for 1992

Model Segment	Contributing Land-use Area km <sup>2</sup>	Estimated Mean Flow <sup>1</sup> hm <sup>3</sup> /year	Mean Total Phosphorus μg P/L	Remark <sup>2</sup>
1	46.18	12.01	42.3	1
2	95.18	24.75	44.6	2
3	11.65	3.03	42.3	1
4	62.65	16.29	42.3	1
5	29.72	7.73	65.0	3
6	36.14	9.40	42.3	1
7	62.65	16.29	52.0	4
8	39.76	10.34	42.3	1
9	11.65	3.03	42.3	1
10	96.38	26.06	42.3	1

Estimated discharge for ungauged land-use areas based on an estimated runoff of 0.26 m/year.
Estimates of total phosphorus concentration obtained from the following sources and/or methods:

<sup>1.</sup>Average of 1992 flow-weighted concentrations for Tanyard Creek, Allatoona Creek, and Shoal Creek.

<sup>2.</sup>Flow-weighted concentration for Tanyard Creek for 1992.
3.Flow-weighted concentration for Rowland Creek for 1992.
4.Average of 1992 flow-weighted concentrations for Owl Creek and Kellog Creek.

Table 9 Water Quality Sampling Stations Associated with BATHTUB Model Segments for Walter F. George Lake for 1992 (Station descriptions are those identified in the original data)

Segment	Station	Station Descriptions			
1	7	Railroad Bridge near Omaha, GA (RM 120.3) <sup>1</sup>		Railroad Bridge near Omaha, GA (RM 120.3) <sup>1</sup>	
2	6	Off Florence Marina State Park (RM 112.7)			
3	5	Near Confluence of Cowikee Creek (RM 101.7)			
4	4	Upstream from Highway 82 (RM 94.9)			
5	3	Off Cheneyhatchee Creek embayment (RM 89.5)			
6	2	Off Pataula Creek embayment (RM 82.3)			
7	1	Walter F. George Forebay (RM 75.4)			

RM indicates approximate river mile.

Table 10
Mean Mixed-Layer Water Quality Conditions and Associated CV
Values for Walter F. George Lake, May-October 1992 (CV values
calculated as the standard error divided by the mean)

Segment		Total Phosphorus μg P/L	Total Nitrogen μg N/L	Chlorophyll <i>a</i> μg/L	Secchi, m
1	Mean	56.7	889.0	16.5	0.9
	CV	0.05	0.06	0.27	0.08
2	Mean	53.7	858.0	18.3	0.9
	CV	0.04	0.09	0.08	0.08
3	Mean	42.8	742.0	19.6	1.1
	CV	0.06	0.04	0.04	0.05
4	Mean	38.7	624.0	19.6	1.3
	CV	0.06	0.07	0.10	0.04
5	Mean	31.3	521.0	16.3	1.6
	CV	0.05	0.07	0.08	0.02
6	Mean	26.2	479.0	18.5	1.7
	CV	0.08	0.05	0.19	0.08
7	Mean	22.8	475.0	16.7	1.8
	CV	0.09	0.03	0.15	0.07

Table 11
Water Quality Sampling Stations Associated with BATHTUB Model
Segments for Lake Sidney Lanier for 1973 (Station names and
descriptions are those identified in the original data)

Segment	Station	Description
4	320	Wilkie Bridge
7	319	Boiling Bridge
9	316	Middle Six Mile Creek Arm
11	314	Mary Alice Park
12	313	Lanier Islands Beach
14	318	Near Buoy FC6
16	322	Thompson Bridge
17	321	Near Gainesville Marina
19	317	Main Channel Old Federal
20	315	Open Channel Tidwell Access
21	312	Buford Dam

Table 12
Mean Mixed-Layer Water Quality Conditions and Associated CV
Values for Lake Sidney Lanier, May-October 1973 (CV values
calculated as the standard error divided by the mean)

Segment		Total Phosphorus μg P/L	Total Nitrogen μg N/L	Chlorophyli a μg/L	Secchi, m
4	Mean	21.3	486.0	6.7	2.0
	CV	0.20	0.08	0.08	0.04
7	Mean	12.5	485.6	5.2	2.1
	CV	0.05	0.07	0.03	0.09
9	Mean	17.3	286.0	5.0	3.0
	CV	0.18	0.14	0.19	0.03
11	Mean	19.1	457.0	4.7	3.0
	CV	0.14	0.28	0.00	0.00
12	Mean	8.6	480.0	3.4	2.9
	CV	0.07	0.36	0.03	0.03
14	Mean	44.0	657.0	11.3	1.9
	CV	0.04	0.10	0.08	0.21
16	Mean	17.2	543.0	11.4	2.1
	CV	0.10	0.05	0.18	0.04
17	Mean	13.1	457.0	5.0	2.4
	CV	0.07	0.15	0.07	0.00
19	Mean CV	8.7 0.19	300.0 0.14		3.0 0.12
20	Mean CV	14.8 0.20	359.8 0.19		3.2 0.02
21	Mean CV	7.0 0.11	256.9 0.14		3.2 0.03

Table 13
Mean Flows and Flow-Weighted Mean Total Phosphorus and Total
Nitrogen Concentrations for 1973 for Selected Tributary Streams
Entering Lake Sidney Lanier (Based on data collected during the
National Eutrophication Survey (U.S. Environmental Protection
Agency 1978), May-October 1973)

Tributary Name	Flow, m <sup>3</sup> /sec	Total Phosphorus μg P/L	Total Nitrogen μg N/L
Chattahoochee River	28.4	50	717
Chestatee River	15.8	69	623
Wahoo Creek	1.8	72	931
West Fork Little River	0.9	55	1,072
East Fork Little River	0.8	62	1,295
Flat Creek (F1)	0.3	2,234	10,324
Flat Creek (H1)	1.0	41	739
Limestone Creek	0.2	158	1,036
Four Mile Creek	0.3	52	1,293

Table 14
Water Quality Sampling Stations Associated with BATHTUB Model Segments for Calibration (1990) and Verification (1991) Years for West Point Lake (Station descriptions are those identified in the original data)

		Station Descriptions
Segment	1990 <sup>1</sup>	1991 <sup>2</sup>
1	_	-
2	_	NR3
3		_
4	_	_
5	_	BEC1, YC10, YC13JC, YC17, YC27BEC, YC29, YC2HC, YC7
6		TC2, WWC2TC, WWC6, WWC9
7	_	_
8	_	SC2, VC3, WEC10, WEC18, WEC26, WEC29CC, WEC5VC, WEC6
9	_	MC2, MC2EC, MC7
10	CH-12	123
11	_	113, 110, 106
12	_	104, 101
13	CH-10	96, 89
14		84, 74, 71
15	CH-7	65, 60
16	_	56YC
17		50, 45
18	CH-5	41, 39
19	_	36AWIC, 29
20	CH-4	15IC, 16, 18BC, 21AC, 25WEC, IC2
21		WES1, WES2, 8
22	СН-3	1, 2MC, EC2

<sup>&</sup>lt;sup>1</sup> Stations monitored by Georgia Department of Natural Resources (Georgia Department of Natural Resources 1991).

Stations included in the water quality study conducted by U.S. Army Engineer Waterways
 Experiment Station for the U.S. Army Engineer District, Mobile (Kennedy et al. 1994).

Table 15
Mean Mixed-Layer Water Quality Conditions and Associated CV
Values for West Point Lake, May-October 1990 (CV values
calculated as the standard error divided by the mean)

			· · · · · · · · · · · · · · · · · · ·		
Segment		Total Phosphorus μg P/L	Total Nitrogen μg N/L	Chlorophyll a μg/L	Secchi, m
10	Mean CV	132.0 0.21	1,526.0 0.17	_	_
13	Mean	74.0	1,060.0	23.2	0.7
	CV	0.11	0.11	0.25	0.00
15	Mean	62.0	716.0	24.2	0.9
	CV	0.06	0.25	0.23	0.10
18	Mean	42.0	752.0	19.8	1.10
	CV	0.09	0.08	0.14	0.08
20	Mean	26.0	630.0	14.4	1.3
	CV	0.09	0.15	0.05	0.10
22	Mean	17.5	517.0	11.2	1.6
	CV	0.06	0.14	0.17	0.08

Table 16
Mean Mixed-Layer Water Quality Conditions and Associated CV
Values for West Point Lake, May-October 1991 (CV values
calculated as the standard error divided by the mean)

Segment		Total Phosphorus μg P/L	Total Nitrogen μg N/L	Chlorophyll a	Secchi, m
2	Mean CV	51.5 0.06	652.0 0.17	19.4 0.09	0.6 0.00
5	Mean CV	27.5 0.12	595.0 0.14	15.5 0.11	1.3
6	Mean CV	_	_	19.2 0.09	1.1
7	Mean CV	38.6 0.07	926.0 0.02	17.5 0.08	1.4
8	Mean CV	20.6 0.04	471.0 0.24	12.3 0.12	1.4 0.07
9	Mean CV	22.3 0.10	605.0 0.05	12.4 0.16	1.6 0.10
10	Mean CV	_	_	3.3 0.37	0.5 0.19
11	Mean CV	_	_	6.0 0.29	0.4 0.18
12	Mean CV	91.8 0.08	1,085.0 0.09	8.0 0.24	0.5 0.12
13	Mean CV	_	_	16.8 0.30	0.6 0.14
14	Mean CV	77.2 0.12	1,087.0 0.05	17.5 0.20	0.8 0.13
5	Mean CV	66.0 0.17	856.0 0.22	20.1	1.0 0.10
6	Mean CV	_	<del>-</del>	21.9 0.08	1.2 0.10
7	Mean CV	47.5 0.10	965.0 0.07	22.0 0.10	1.1 0.06
8	Mean CV	41.4 0.08	932.0 0.05	20.0	1.4 0.05
9	Mean CV			19.7	1.4 0.05
)	Mean CV	33.5 0.12	797.0 0.10	16.4	1.5 0.08
	Mean CV	25.8 0.06	722.0 0.06	13.6	1.6 0.10
	Mean CV	23.0	675.0 0.07	14.9	1.6 0.10

Table 17
Mean Flows and Flow-Weighted Mean Total Phosphorus
Concentrations for 1991 for Selected Tributary Streams Entering
West Point Lake (Based on data collected by USGS
(Chattahoochee River only) and the U.S. Army Engineer Waterways
Experiment Station, May-October 1991)

Tributary Name	Flow, m <sup>3</sup> /sec	Total Phosphorus, μg P/L
Chattahoochee River	160.8	198.8
Yellowjacket Creek	3.2	48.0
Shoal Creek	0.4	32.0
Beech Creek	0.5	39.0
Whitewater Creek	0.2	19.0

Table 18 Contributing Area and Estimated Flow and Total Phosphorus Concentrations for Ungauged Local Land-Use Areas for West Point Lake, 1990 and 1991

	· · · · · · · · · · · · · · · · · · ·			
Segment	Contributing Land Area, km <sup>2</sup>	1991 Estimated Flow <sup>1</sup> hm <sup>3</sup> /year	1990 Estimated Flow <sup>2</sup> hm³/year	Total Phosphorus <sup>3</sup> μg P/L
1	69.1	16.1	10.4	34.5
2	119.4	28.3	17.9	34.5
3	235.0	55.7	35.3	34.5
4	50.2	11.9	7.5	34.5
5	130.9	31.0	19.6	34.5
6	64.2	15.2	9.6	34.5
7	38.9	9.2	5.8	34.5
8	606.6	143.8	91.0	34.5
9	64.2	15.2	9.6	34.5
10	114.7	27.2	17.2	34.5
11	52.5	12.4	7.9	34.5
12	31.1	7.4	4.7	34.5
13	19.5	4.6	2.9	34.5
14	5.8	1.4	0.9	34.5
15	33.1	7.8	5.0	34.5
16	18.1	4.3	2.7	34.5
17	8.4	2.0	1.3	34.5
18	7.8	1.8	1.2	34.5
19	18.1	4.3	2.7	34.5
20	44.7	10.6	6.7	34.5
21	22.4	5.3	3.4	34.5
22	14.6	3.5	2.2	34.5
				_

Estimated discharge for ungauged land-use areas for 1991 based on an estimated runoff of 0.237 m/year.
 Estimated discharge for ungauged land-use areas for 1990 based on an estimated runoff of 0.150 m/year.

<sup>&</sup>lt;sup>3</sup> Estimated total phosphorus concentration computed as the average of mean concentrations for Yellowjacket, Beech, Shoal, and Whitewater creeks for 1991.

Table 19 Regional Model Calibration Factors for BATHTUB for Allatoona Lake (Based on water quality data for 1992)

Region	Segments	Lake Region or Embayment	Total Phosphorus	Chlorophyll a
1	1-3	Allatoona Creek	1.105	1.140
2	4	Little River	6.912	1.277
3	5	Stamp Creek	0.123	0.893
4	6-10	Etowah River	1.442	0.976

Table 20
Regional Model Calibration Factors for BATHTUB for Walter F.
George Lake (Based on water quality data for 1992)

Segments	Region	Phosphorus	Nitrogen	Chlorophyll a
1	Upper George Lake	1.00	1.00	1.00
2-7	Mid and Lower George Lake	1.31	1.56	2.10

Table 21
Regional and Local Model Calibration Factors for BATHTUB for Lake Sidney Lanier (Based on water quality data for 1973)

Region	Segment	Lake Region or Embayment	Total Phosphorus	Total Nitrogen	Chlorophyll <i>a</i>
1	1-3 9-11 12-13 17-21	Wahoo Creek North Embayments South Embayments Lower Chattahoochee	0.42	0.39	1.14
2	14	Flat Creek	1.43	0.94	0.91
3	15-16	Upper Chattahoochee	4.01	0.84	2.50
4	4-8	Chestatee River	6.94	1.25	1.18

Table 22
Regional and Local Model Calibration Factors for BATHTUB for West Point Lake (Based on water quality data for 1991)

Region	Segments	Lake Region or Embayment	Total Phosphorus	Chlorophyll <i>a</i>
1	7	Wilson Creek	0.29	1.37
2	5	Yellowjacket Creek	1.11	1.49
3	6	Whitewater Creek	1.00	1.76
4	8	Wehadkee Creek	1.05	1.81
5	10	Upper Chattahoochee	2.24	0.27
5	11	Upper Chattahoochee	2.24	0.85
5	12	Upper Chattahoochee	2.24	1.46
5	13	Upper Chattahoochee	2.24	2.82
5	14	Upper Chattahoochee	2.24	3.02
5	15	Upper Chattahoochee	2.24	3.10
5	16	Upper Chattahoochee	2.24	2.61
6	17-22	Lower Chattahoochee	9.25	2.07
7	9	Maple Creek	3.28	1.69
8	1-4	Upper Embayments	1.73	1.02

# Appendix A Model Input Files for Allatoona Lake

```
ALLATOONA LAKE 1992 (TP MODEL - UNCALIBRATED)
INPUT GROUP 2 - PRINT OPTIONS
 1 LIST INPUTS
                                      O NO
2 HYDRAULICS & DISPERSION
                                      1 YES
3 GROSS WATER & MASS BALANCES
                                      2 ESTIMATED CONCS
 4 DETAILED BALANCES BY SEGMENT
                                      2 ESTIMATED CONCS
5 SUMMARIZE BALANCES BY SEGMENT
                                      1 OBSERVED CONCS
6 COMPARE OBS & PREDICTED CONCS
                                      1 ALL SEGMENTS
7 DIAGNOSTICS
                                      1 ALL SEGMENTS
                                      2 ESTIMATED & OBSERVED CONCS
8 PROFILES
                                      2 GEOMETRIC SCALE
9 PLOTS
10 SENSITIVITY ANALYSIS
INPUT GROUP 3 - MODEL OPTIONS
1 CONSERVATIVE SUBSTANCE
                                      0 NOT COMPUTED
2 PHOSPHORUS BALANCE
                                      1 2ND ORDER, AVAIL P
3 NITROGEN BALANCE
                                      O NOT COMPUTED
                                     2 P, LIGHT, T
1 VS. CHLA & TURBIDITY
4 CHLOROPHYLL-A
5 SECCH! DEPTH
                                      1 FISCHER-NUMERIC
6 DISPERSION
7 PHOSPHORUS CALIBRATION
                                      1 DECAY RATES
                                     1 DECAY RATES
8 NITROGEN CALIBRATION
                                      1 MODEL & DATA
9 ERROR ANALYSIS
10 AVAILABILITY FACTORS
                                      0 MODEL 1 ONLY
INPUT GROUP 4 - VARIABLES
            ATMOSPHERIC LOADINGS AVAILABILITY
VARIABLE
             KG/KM2-YR
                   .00
                            .00
                                        -00
 1 CONSERV
2 TOTAL P
                            .50
                                       1.00
                            .50
                                       1.00
3 TOTAL N
                500.00
                                       .00
4 ORTHO P
                   .00
                            -00
                                        .00
5 INORG N
                   .00
                            .00
INPUT GROUP 5 - GLOBAL PARAMETERS
PARAMETER
                                    MEAN
                                             CV
                                           .000
                                    .586
 1 PERIOD LENGTH
                     YRS
2 PRECIPITATION M
                                    .746
                                           .200
                                           .300
3 EVAPORATION
                                    .759
                                           .000
 4 INCREASE IN STORAGE M
                                   -.070
5 FLOW FACTOR
                                   1.000
                                           .000
 6 DISPERSION FACTOR
                                   1.000
                                           .700
                     KM2
                                    .000
                                           .000
 7 TOTAL AREA
                                    .000
                                           .000
 8 TOTAL VOLUME
                     HM3
```

INPUT GROUP 6 - TRIBUTARY DRAINAGE AREAS AND FLOWS

10	lire v	SEG NAM	ME KM2	DRAINAGE AREA HM3/YR	A ME/	AN FLOW	CV OF	MEAN	
1 2	1		owah River	1675.700		872.046		.123	
3	4	10 ALL	atoona Disch			304.810		. 194	
	.1	1 LK	Acworth Disc		)	4.132		.123	
4	1	1 ALL	atoona Creek	72.500	)	9.626		.187	
5	2		nd Seg1	46.180	)	12.007		.000	
6	2	2 Lan	nd Seg2	95.180		24.747		.000	
7	2	3 Land	d Seg3	11.650		3.029		.000	
8	•	- LIC	rie Kivet	354.800	1	128.298		.184	
9	1	4 Noor	nday Creek	126.900	1	49.735		. 194	
10	1	6 Shoa	al Creek	173.500		47.862		.130	
11	2	7 Lanc	d Seg7	62.650		16.185		.000	
12	2	8 Lanc	d Seg8	39.760		10.338		.000	
13	2	9 Lanc	d Seg9	11.650		3.029			
14	1	5 Stan	mp Creek	46.600		10.916		.000	
15	2	5 Lanc	d Seg5	29.720				.087	
16	2 1	10 Land	d Seg10	96.380		7.727		.000	
17	2 '	4 Lanc	d Seg4	62.650		25.059		.000	
18			d Seg6	36.140		16.286 9.396		.000	
INPU				ONCENTRATIONS (		MEAN/CV			
		CONSERV		TOTAL N	ORT	НО Р	INOR	G N	
1	_	.00	65.6/.33	.0/.00	.0/.	-00	.0/.00	n	
2		.00	49.2/.38	.0/.00	.0/.		.0/.00		
3		.00	22.4/.09	.0/.00	.0/.		.0/.00		
4		.00	44.5/.22	.0/.00	.0/.		.0/.00		-
5		.00	42.3/.00	.0/.00	.0/.		.0/.00		
6		.00	44.6/.00	.0/.00	.0/.		.0/.00		
7	.0,	.00	42.3/.00	.0/.00	.0/.		.0/.00		
8		.00	50.0/.20		.0/.		.0/.00		
9		/ .00	150.0/.20	.0/.00	.0/.		.0/.00		
10	.0,	/ .00	37.8/.13	.0/.00	.0/.		.0/.00		
11	.0,	/ .00	52.0/.00	.0/.00	.0/.				
12		/ .00	42.3/.00	.0/.00	.0/.		.0/.00		
13	.0/	/ .00	42.3/.00	.0/.00			.0/.00		
14			<b></b>	.0/.00	.0/.		.0/.00		
15		/ .00	24.4/.19 65.0/.00	.0/.00 .0/.00	.0/.		.0/.00		
16		/ .00	42.3/.00	.0/.00	.0/.		.0/.00		
17	_	/ .00	42.3/.00	.0/.00	.0/.		.0/.00		
18		/ .00	42.3/.00	.0/.00	-0/-0		.0/.00		
			MODEL SEGMENT	-	.0/.0	ÜÜ	.0/.00		
					CAI	TODATIO	acto		
		/ GROUP	P SEGMENT NAM	ME P SED	N SED	IBRATION CHL-A		HOD	DISP
1	2	1	Segment 1.1		1.00	1.00	1.00	1.00	1.000
2	3	1			1.00	1.00	1.00	1.00	
3	10	1	Segment 3.1		1.00	1.00	1.00	1.00	1.000
-	6	2	Segment 4.2	1.00	1.00	1.00	1.00		1.000
4	9	3	Segment 5.3		1.00	1.00		1.00	1.000
4 5		4	Segment 6.4		1.00		1.00	1.00	1.000
4 5 6	7	-	~ - S		1.00	1.00 1.00	1.00	1.00	1.000
4 5	7 8	4		מח י	Y	7 /	1.00	1.00	1.000
4 5 6 7 8		4	Segment 7.4						
4 5 6 7 8	8 9	4	Segment 7.4 Segment 8.4	1.00	1.00	1.00	1.00	1.00	1.000
4 5 6 7	8	4	Segment 7.4	1.00				1.00 1.00	1.000 1.000 1.000

1 2 3 4 5 6				KM	K							
2 3 4 5 6		mame 4 4				42	M		M		M	PPB
3 4 5 6	Sea	ment 1.1		6.10	4.45	50 2.	.03	2.03	/ .12	.00	/ .00	.0
4 5 6		ment 2.1		5.00	3.66		.10		/ .12		.00	.0
5 6		ment 3.1		5.50	6.63		. 15	7.28	/ .12	.00	/ .00	.0
6		ment 4.2 ment 5.3		10.50 7.60	4.570	00 2. 10 10.	.03		.12		.00	.0
		ment 6.4		10.00		10 10. 20 4.		3 07	/ .12 / .12	.00	/ .00 / .00	.0
•	_	ment 7.4		9.70			10		1.12		/ .00	
8	Seg	ment 8.4		8.20 2.80	6.40	10 16.	19	7.89	/ .12	.00	/ .00	.0
		ment 9.4				10 24.	.29	8.36	/ .12	.00	/ .00	.0
10	Seg	ment 10.4		1.20	.692	20 29.	35	8.39	.12	.00	/ .00	.0
INP	TU	GROUP 10 -	OBSI	ERVED W	ATER QUA	ALITY						
SEG	ì	TURBID CO					SEC	CHI (	DRG-N	TP-OP	HODV	MODV
		1/H	?	MG/M3	MG/M3	MG/M3		M MC	G/M3	MG/M3	MG/M3-D	MG/M3-
	MN:	.46	.0		1346.7	9.4		1.5	.0	.0		.0
	CV:	-13	.00	.13		.15		.08	.00	.00		
	MN: CV:	.53 .12	0. 00.	.12	1560.0 .18	10.7		1.4	.0	.0		
	MN:	.33	.00		2007.1	.11 7.8		.08 2.1	.00	.00. 0.		
	CV:	.10	.00	.14	.21	.17		.04	.00	.00		
	MN:	.49	.0		1871.1	18.1		1.2	.0	.0		
	CV:	.16	.00	.19	.12	.10		.08	.00	.00		
	MN:	.37	.0		1617.5	9.2		1.8	.0	.0	.0	.0
	CV:	.08 .38	.00	.13	.19	.09		.04	.00	.00		
	MN: CV:	.13	0. 00.	.15	1711.4	11.2 .07		1.7 .08	.0	.0		
	MN:	.32	.0		2497.9			.08 1.9	.00	.00		
	CV:	.07	.00	.08	.29			04	.00	.00		
	MN:		.0		1653.8	8.3	7	2.1	.0	.0		
	CV:	.05	.00	.09		.05		.03	.00	.00		
	MN: CV:	.30 .00	.00	0. 00.	.0	.0		.0	.0	.0		
	MN:	.29	.00		.00 2425.0			.00 2.3	.00	.00		
	CV:	.11	.00	.18	.25	.12		.06	.00			
NP	UT 6	ROUP 11 -	NON-	POINT N	/ATERSHE	D AREA	s (KA	(2)				
D (	COD	NAME	Ge	neral	Stamp	N/A	N/A	Row	land	Kellog	g Owl	Tanyard
5		Land Seg1		6.18	.00	.00	.00	-	00	.00		.00
		Land Seg2		.00	.00	.00	.00		00	.00	.00	95.18
7  1		Land Seg3 Land Seg7	7	1.65 .00	.00 .00	.00	.00		00	.00		.00
2		Land Seg/	7	.00 9.76	.00	.00	.00		00 00	31.13	.00	.00
3		Land Seg9		1.65	.00	.00	.00		00	.00	.00	.00
5		Land Seg5	·	.00	.00	.00	.00			.00	.00	.00
6		Land Seg10		6.38	.00	.00	.00		00	.00	.00	.00
7		Land Seg4		2.64	.00	-00	.00		00	.00	.00	.00
8	2	Land Seg6	3	6.14	.00	.00	.00	•	00	.00	.00	.00

INPUT GROUP 12 - NON-POINT EXPORT CONCENTRATIONS

IC LAND USE	RUNOFF M/YR	CONSERV PPB	TOTAL P PPB	TOTAL N	ORTHO P PPB	INORG N PPB
1 General	.26	.0	42.3	.0	^	^
CV:	.00	.00	.00	.00	.0	.0
CV:	.00	.00	.00	.00	.00	
2 Stamp Creek	.26	.0	24.4	.0	.0	.0
CV:	.00	.00	.00	.00	.00	.0
CV:	.00	•••	•••	.00	.00	
3 N/A	.00	.0	.0	.0	.0	.0
CV:	.00	.00	.00	.00	.00	.0
CV:	.00			.00	.00	
4 N/A	.00	.0	.0	.0	.0	.0
CV:	.00	.00	.00	.00	.00	.0
CV:	.00		•••		.00	
5 Rowland Spr	.26	.0	65.0	.0	.0	.0
CV:	.00	.00	.00	.00	.00	.0
cv:	.00		•••	.00	.00	
6 Kellog Cr.	.26	.0	59.5	.0	.0	•
cv:	.00	.00	.00	.00	.00	.0
CV:	.00			.00	.00	
7 Owl Cr.	.26	.0	133.8	.0	.0	•
CV:	.00	.00	.00	.00	.00	.0
CV:	.00	• • •		.00	.00	
8 Tanyard Cr.	.26	.0	44.6	.0	.0	^
CV:	.00	.00	.00	.00	.00	.0
CV:	.00	,,,,	.00	.00	.00	

10	COEFFICIENT	MEAN	CV
2 3 4 5 6 7 8 9 10	P DECAY RATE N DECAY RATE CHL-A MODEL SECCHI MODEL ORGANIC N MODEL TP-OP MODEL HODV MODEL MODV MODEL BETA M2/MG MINIMUM QS FLUSHING EFFECT	1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000 .020 .100	.45 .55 .26 .10 .12 .15 .15 .22 .00
	CHLOROPHYLL-A CV	.620	.00

### INPUT GROUP 14 - CASE NOTES

Observed WQ data from Clean Lakes/Kennesaw State College P, Light, Flushing Model

### ALLATOONA LAKE 1992 (TP MODEL - CALIBRATED)

### INPUT GROUP 2 - PRINT OPTIONS

1 LIST INPUTS	0 NO
2 HYDRAULICS & DISPERSION	1 YES
3 GROSS WATER & MASS BALANCES	2 ESTIMATED CONCS
4 DETAILED BALANCES BY SEGMENT	2 ESTIMATED CONCS
5 SUMMARIZE BALANCES BY SEGMENT	1 OBSERVED CONCS
6 COMPARE OBS & PREDICTED CONCS	1 ALL SEGMENTS
7 DIAGNOSTICS	1 ALL SEGMENTS
8 PROFILES	2 ESTIMATED & OBSERVED CONCS
9 PLOTS	2 GEOMETRIC SCALE
10 SENSITIVITY ANALYSIS	O NO

### INPUT GROUP 3 - MODEL OPTIONS

1	CONSERVATIVE SUBSTANCE	O NOT COMPUTED
	PHOSPHORUS BALANCE	1 2ND ORDER, AVAIL P
3	NITROGEN BALANCE	O NOT COMPUTED
4	CHLOROPHYLL-A	2 P, LIGHT, T
5	SECCHI DEPTH	1 VS. CHLA & TURBIDITY
6	DISPERSION	1 FISCHER-NUMERIC
7	PHOSPHORUS CALIBRATION	1 DECAY RATES
8	NITROGEN CALIBRATION	1 DECAY RATES
9	ERROR ANALYSIS	1 MODEL & DATA
10	AVAILABILITY FACTORS	0 MODEL 1 ONLY

### INPUT GROUP 4 - VARIABLES

VARIABLE	ATMOSPHERIC KG/KM2-YR	LOAD INGS CV	AVAILABILITY FACTOR
1 CONSERV	.00	.00	.00
2 TOTAL P	30.00	.50	1.00
3 TOTAL N	500.00	.50	1.00
4 ORTHO P	.00	.00	.00
5 THORG N	.00	.00	ດດ

### INPUT GROUP 5 - GLOBAL PARAMETERS

PARAMETER		MEAN	CV
1 PERIOD LENGTH	YRS	.586	.000
2 PRECIPITATION M	1	.746	.200
3 EVAPORATION M	.759	.300	
4 INCREASE IN STO	4 INCREASE IN STORAGE M		
5 FLOW FACTOR		1.000	.000
6 DISPERSION FACT	OR	1.000	.700
7 TOTAL AREA	KM2	.000	.000
8 TOTAL VOLUME	HM3	.000	.000

INPUT GROUP 6 - TRIBUTARY DRAINAGE AREAS AND FLOWS ID TYPE SEG NAME DRAINAGE AREA MEAN FLOW CV OF MEAN FLOW KH2 HM3/YR 6 Etowah River 1675.700 872.046 .123 2 10 Allatoona Disch 2900.800 1304.810 .194 3 1 Lk Acworth Disch 49.200 4.132 .123 4 1 Allatoona Creek 72.500 9.626 .187 2 1 Land Seg1 46.180 12.007 .000 6 7 2 Land Seg2 95.180 24.747 .000 3 Land Seg3 11.650 3.029 .000 8 1 4 Little River 354.800 128.298 .184 9 1 4 Noonday Creek 126.900 49.735 .194 10 6 Shoal Creek 173.500 47.862 .130 7 Land Seg7 11 62.650 16.185 .000 12 2 8 Land Seg8 39.760 10.338 .000 13 9 Land Seg9 11.650 3.029 .000 14 1 5 Stamp Creek 46.600 10.916 .087 15 2 5 Land Seg5 29.720 7.727 .000 16 10 Land Seg10 96.380 25.059 .000 17 4 Land Seg4 62,650 16.286 .000 18 6 Land Seg6 36.140 9.396 .000 INPUT GROUP 7 - TRIBUTARY CONCENTRATIONS (PPB): MEAN/CV ID CONSERV TOTAL P TOTAL N ORTHO P INORG N ECORG P .0/ .00 .0/ .00 65.6/ .33 .0/ .00 .0/ .00 .0/ .00 .0 2 49.2/ .38 .0/ .00 .0/ .00 .0/ .00 .0 3 .0/ .00 22.4/ .09 .0/ .00 .0/ .00 .0/ .00 .0 .0/ .00 44.5/ .22 .0/ .00 .0/ .00 .0/ .00 .0 .0/ .00 42.3/ .00 .0/ .00 .0/ .00 .0/ .00 .0 6 .0/ .00 44.6/ .00 .0/ .00 .0/ .00 .0/ .00 .0 7 .0/ .00 42.3/ .00 .0/ .00 .0/ .00 .0/ .00 .0 .0/ .00 8 50.0/ .20 .0/ .00 .0/ .00 .0/ .00 .0 9 .0/ .00 150.0/ .20 .0/ .00 .0/ .00 .0/ .00 .0 37.8/ .13 52.0/ .00 10 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0 11 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0 12 .0/ .00 42.3/ .00 .0/ .00 .0/ .00 ٠0 13 .0/ .00 42.3/ .00 .0/ .00 .0/ .00 .0/ .00 .0 14 .0/ .00 24.4/ .19 .0/ .00 .0/ .00 .0/ .00 .0 15 .0/ .00 65.0/ .00 .0/ .00 .0/ .00 .0/ .00 ٠0 16 .0/ .00 42.3/ .00 .0/ .00 .0/ .00 .0/ .00 .0 17 .0/ .00 42.3/ .00 .0/ .00 .0/ .00 .0/ .00 .0 18 .0/ .00 42.3/ .00 .0/ .00 .0/ .00 .0/ .00 .0 INPUT GROUP 8 - MODEL SEGMENTS ----- CALIBRATION FACTORS -----SEG OUTFLOW GROUP SEGMENT NAME P SED N SED CHL-A SECCHI HOD DISP Segment 1.1 1.05 1.00 1.14 1.00 1.00 1.000 2 3 Segment 2.1 1.05 1.00 1.14 1.00 1.00 3 1.000 10 Segment 3.1 1.05 1.00 1.14 1.00 1.00 1.000 4 6 Segment 4.2 6.91 1.00 1.28 1.00 1.00 1.000 Segment 5.3 .12 1.00 .89 1.00 1.00 6 1.000 7 Segment 6.4 1.47 1.00 .98 1.00 1.00 1.000 7 8 Segment 7.4 1.47 1.00 .98 1.00 1.00 1.000 8 Segment 8.4 1.47 1.00 .98 1.00 1.00 1.000 10 Segment 9.4 1.47 1.00 .98 1.00 1.00 1.000 10 0 4 Segment 10.4 1.47 1.00 .98 1.00 1.00 1.000

ın	LAB	EI		1	LENGTH KM	ARE KA		AN M		ZMIX M	ZH	YP TAR	GET P PPB
10	LAD	LL			K.FI	Kr	14	М		п		п	rru
	_	ment 1			6.10	4.455		03		3/ .12		.00	.0
		ment 2			5.00	3.662		10		3/ .12		.00	.0
	_	ment 3			5.50	6.632				8/ .12		.00	.0
		ment 4			10.50	4.570		03		3/ .12		/ .00	.0
		ment 5 ment 6			7.60 10.00	3.431 7.439		12		10/ .12 17/ .12		/ .00 / .00	.0 .0
		ment 7			9.70	6.978		10		3/ .12		.00	.0
	_	ment 8			8.20	6.401				9/ .12		.00	.0
		ment 9			2.80	3.201				6/ .12	-	.00	.0
	_	ment 1			1.20	.692				9/ .12		.00	.0
IN	PUT	GROUP	10 -	OBSE	ERVED W	ATER QUA	LITY						
SE	G	TURBI		NSER	TOTALP	TOTALN MG/M3	CHL-A MG/M3			ORG-N MG/M3	TP-OP	HODV	MODV MG/M3-E
		1/17	ļ	•	HG/HJ	nu/nJ	mu/mo	,	п	MG/MJ	MU/MJ F	1G/ M3-D	MU/MJ-I
1	MN:	.4	-	.0		1346.7	9.4		1.5	.0	.0	.0	.0
_	CV:	.1		.00	.13	.10	.15		.08	.00	.00	.00	.00
2	MN:	.5		.0		1560.0	10.7		1.4	.0	.0	.0	.0
7	CV:	.1		.00	.12	.18	.11 7.8		.08	-00	.00	.00	.00
J	CV:	.1		.00	.14	.21	.17		2.1 .04	.00	.00	.0 .00	.0 .00
4	MN:	.4		.0		1871.1	18.1		1.2	.0	.0	.0	.0
•	CV:	.1		.00	.19	.12	.10		.08	.00	.00	.00	.00
5	MN:	.3		.0		1617.5	9.2		1.8	.0	.0	.0	.0
	CV:	.0	8	.00	.13	.19	.09		.04	.00	.00	.00	.00
6	MN:	.3		.0	28.9	1711.4	11.2	•	1.7	.0	.0	.0	0.
_	CV:	.1		.00	.15	.29	.07		.08	.00	.00	.00	.00
1	MN:	.3		.0		2497.9	9.9		1.9	.0	.0	.0	.0
	CV:	.0		.00	.08	.29	.05		.04	.00	.00	.00	.00
0	CV:	.3 .0		.00	.09	1653.8	8.3		2.1	.0	.0	.0	.0
o	MN:	.3		.00	.09	.0	.05		.03 .0	.00	.00	.00	.00
•	CV:	.0		.00	.00	.00	.00		.00	.00	.00	.0 .00	.0 00.
10	MN:	.2		.0		2425.0	7.8		2.3	.0	.0	.0	.0
	CV:	.1		.00	.18	.25	.12		.06	.00	.00	.00	.00
NP	י זטי	GROUP	11 -	NON-	POINT N	IATERSHE	D AREAS	S (K)	12)				
		NAME			neral	Stamp	N/A	N/A	R	owland	Kellog		Tanyard
5		Land :		4	6.18	-00	-00	.00		.00	.00	.00	.00
6 7		Land :		•	.00 1.65	.00 .00	.00 .00	.00		.00	-00	.00	95.18
11		Land			.00	.00	.00	.00		.00	.00 31.13	.00. 31 13	.00
12		Land :		7	9.76	.00	.00	.00		.00	.00	.00	.00
13		Land S			1.65	.00	.00	.00		.00	-00	.00	.00
5		Land		•	.00	.00	.00	.00	2	9.72	.00	.00	.00
6		Land 9		9	6.38	.00	.00	.00	_	.00	.00	.00	.00
7		Land :		6	2.64	.00	.00	.00		.00	.00	.00	.00
8	2	Land 9	Seg6	3	6.14	.00	.00	.00		.00	.00	.00	.00

INPUT GROUP 12 - NON-POINT EXPORT CONCENTRATIONS

IC	LAND USE		RUNOFF M/YR	CONSERV	TOTAL P	TOTAL N	ORTHO P	INORG N
			***	.,,	FFD	FFD	FFB	FFD
1	General		.26	.0	42.3	.0	.0	.0
		CV:	.00	.00	.00	.00	.00	••
		CV:	.00	•••			•••	
2	Stamp Creek		.26	.0	24.4	.0	.0	.0
		CV:	.00	.00	.00	.00	.00	
		CV:	.00					
3	N/A		.00	.0	.0	.0	.0	.0
		CV:	.00	.00	.00	.00	.00	
		CV:	.00					
4	N/A		.00	.0	.0	.0	.0	.0
		CV:	.00	.00	.00	.00	.00	
		CV:	.00					
5	Rowland Spr		.26	.0	65.0	.0	.0	.0
		CV:	.00	.00	.00	.00	.00	
		CV:	.00					
6	Kellog cr.		.26	.0	59.5	.0	.0	.0
		CV:	.00	.00	.00	.00	.00	
		CV:	.00					
7	Owl Cr.		.26	.0	133.8	.0	.0	.0
	-	CV:	.00	.00	.00	.00	.00	.0
		CV:	.00		.00		.00	
8	Tanyard Cr.		.26	.0	44.6	.0	.0	.0
		CV:	.00	.00	.00	.00	.00	
		CV:	.00					

IC	COEFFICIENT	MEAN	£V
1	P DECAY RATE	1.000	.45
2	N DECAY RATE	1.000	.55
3	CHL-A MODEL	1.000	.26
4	SECCHI MODEL	1.000	.10
	ORGANIC N MODEL	1.000	.12
6	TP-OP MODEL	1.000	. 15
	HODY MODEL	1.000	.15
8	MODY MODEL	1.000	.22
	BETA M2/MG	.020	.00
	MINIMUM QS	.100	.00
11	FLUSHING EFFECT	1.000	.00
12	CHLOROPHYLL-A CV	.620	.00

INPUT GROUP 14 - CASE NOTES

Observed WQ data from Clean Lakes/Kennesaw State College P, Light, Flush Model Regional calibration

### ALLATOONA LAKE 1973 (TP MODEL- VERIFICATION)

### INPUT GROUP 2 - PRINT OPTIONS

1 LIST INPUTS	0 NO
2 HYDRAULICS & DISPERSION	1 YES
3 GROSS WATER & MASS BALANCES	2 ESTIMATED CONCS
4 DETAILED BALANCES BY SEGMENT	2 ESTIMATED CONCS
5 SUMMARIZE BALANCES BY SEGMENT	1 OBSERVED CONCS
6 COMPARE OBS & PREDICTED CONCS	1 ALL SEGMENTS
7 DIAGNOSTICS	1 ALL SEGMENTS
8 PROFILES	2 ESTIMATED & OBSERVED CONCS
9 PLOTS	2 GEOMETRIC SCALE
10 SENSITIVITY ANALYSIS	O NO

#### INPUT GROUP 3 - MODEL OPTIONS

1 CONSERVATIVE SUBSTANCE	O NOT COMPUTED
2 PHOSPHORUS BALANCE	1 2ND ORDER, AVAIL P
3 NITROGEN BALANCE	0 NOT COMPUTED
4 CHLOROPHYLL-A	2 P, LIGHT, T
5 SECCHI DEPTH	1 VS. CHLA & TURBIDITY
6 DISPERSION	1 FISCHER-NUMERIC
7 PHOSPHORUS CALIBRATION	1 DECAY RATES
8 NITROGEN CALIBRATION	1 DECAY RATES
9 ERROR ANALYSIS	1 MODEL & DATA
10 AVAILABILITY FACTORS	0 MODEL 1 ONLY
•	

### INPUT GROUP 4 - VARIABLES

VARIABLE	ATMOSPHERIC KG/KM2-YR	LOAD INGS CV	AVAILABILITY FACTOR
1 CONSERV	.00	.00	.00
2 TOTAL P	30.00	.50	1.00
3 TOTAL N	500.00	.50	1.00
4 ORTHO P	.00	.00	.00
5 INORG N	.00	.00	.00

### INPUT GROUP 5 - GLOBAL PARAMETERS

PARAMETER	MEAN	CV
1 PERIOD LENGTH Y	rs .586	.000
2 PRECIPITATION M	.900	.200
3 EVAPORATION M	.808	.300
4 INCREASE IN STORAGE	M -2.230	.000
5 FLOW FACTOR	1.000	.000
6 DISPERSION FACTOR	1.000	.700
7 TOTAL AREA KI	12 .000	.000
8 TOTAL VOLUME HI	13 .000	.000

Ιυ	TYPE :	EG NAP	4E	DRAINAGE AREA		CV OF MEAN	FLOW
1	1	6 Etc	wah River	1675.700	1091.280	.000	
2	4	40 411					
3	1	1 Lk	Acworth Disc	ch 49.200	22.070		
4	1	1 All	atoona Creel	2900.800 ch 49.200 ck 31.540 46.180 95.180 11.650 354.800 126.900 173.500	22.475		
5	2	1 Lan	xd Seg1	46.180	14.316		
6	2	2 Lan	rd Seg2	95.180	29.506		
′	2	3 Lan	d Seg3	11.650	3.612		
8	1	4 Lit	tle River	354.800	157.700	.000	
•	1	4 Noo	nday Creek	126.900	56.770		
10	1	6 Sho	al Creek	173.500	82.000	.000	
11 12	2	/ Lan	d Seg7	62.650	19.298	.000	
13	2	8 Lan	d Seg8	39.760	12.326 3.612	.000	
14	1	y Lan	a Segy	11.650	3.612	.000	
15	2	5 5 ta	mp Creek	46.600	14.446	.000	
16	5	J Lan	d Sego	29.720	9.213	.000	
17	5	4 Lan	d Segio	96.380	29.878	.000	
18	2	6 Lan	d Seg4	62.650	19.418	.000	
TAIDU	-			173.500 62.650 39.760 11.650 46.600 96.380 62.650 36.140	11.203	.000	
				ONCENTRATIONS (			
ID		CONSER		P TOTAL F			,
1	.0	/ .00	51.0/ .19	5 587.0/ .00	-07 00	0/ 00	0
2	.0	/ .00	32.0/ .19	9 .0/ .00	.0/ .00 .0/ .00	0/ 00	.0 .0
3	.0	.00	49.0/ .00	537.0/ .00	.0/ .00	.0/ .00	.0
4	.0	/ .00	35.0/ .00	572.0/ .00	.0/ .00	-0/ .00	.0
5	.0	/ .00	36.0/ .00	544.0/ .00	.0/ .00	.0/ .00	.0
6	.0	/ .00	36.0/ .00	544.0/ .00	.0/ .00	.0/ .00 .0/ .00	.0
7	.0	/ .00	36.0/ .00	544.0/ .00	.0/ .00	.0/ .00	.0
8	.0	/ .00	88.0/ .00	1020.0/ .00	.0/ .00	.0/ .00	.0
9 10	.0	/ .00	244.0/ .00	1105.0/ .00	.0/ .00	.0/ .00	.0
11	.0	/ .00	36.0/ .00	515.0/ .00	.0/ .00	.0/ .00	.0
12	.0	/ .00	36.0/ .00	544.0/.00	.0/ .00	.0/ .00	.0
13	.0	/ .00	36.0/ .00	544.0/.00	.0/ .00	.0/ .00	.0
14	.0	/ .00	30.0/ .00	544.0/ .00	.0/ .00	.0/ .00	.0
15	.0	/ 100	34.07.00	401.0/ .00	.0/ .00	.0/ .00	.0
16	. O	/ .00	36.0/ .00	244.0/ .00	.0/ .00	.0/ .00	.0
17	.0.	/ _00	36.0/ .00	544.0/.00	.0/ .00	.0/ .00	.0
18	.0,	.00	36.0/ .00	544.0/ .00	.U/ .00 .0/ .00	.0/ .00	.0
INPUT	GROUE	· 8 - 1	MODEL SEGMEN	5 587.0/.00 9 .0/.00 0 537.0/.00 0 572.0/.00 0 572.0/.00 0 544.0/.00 0 544.0/.00 0 1020.0/.00 0 1105.0/.00 0 544.0/.00 0 544.0/.00 0 544.0/.00 0 544.0/.00 0 544.0/.00 0 544.0/.00 0 544.0/.00 0 544.0/.00 0 544.0/.00	.0/ .00	.0/ .00	.0
			SEGMENT NA		CALIBRATIO	N FACTORS	
1	2	1	Segment 1.	1 1.05	N SED CHL-A 1.00 1.14		
2	3	i	Segment 2.		1.00 1.14	1.00 1.00	
3	10	1	Segment 3.		1.00 1.14	1.00 1.00 1.00 1.00	
4	. 6	2	Segment 4.		1.00 1.28	1.00 1.00	
5	9	3	Segment 5.	3 .12	1.00 .89	1.00 1.00	
6	7	4	Segment 6.4		1.00 .98	1.00 1.00	
7	8	4	Segment 7.4		1.00 .98		
8	9	4	Segment 8.4		1.00 .98	1.00 1.00 1.00 1.00	
9	.10	4	Segment 9.4	4 1.47	1.00 .98	1.00 1.00	
10	0	4	Segment 10.		1.00 .98		
					70	1.00 1.00	1.000

					405				=		
ID	LAE	EL		LENGTH KM	ARE KM			ZMIX M	ZHY	P IAR M	GET P PPB
1	Sac	ment 1.	1	6.10	4.455	0 2.03		03/ .12	.00/	00	.0
		ment 2.		5.00	3.662			13/ .12	.00/		.0
_	-	ment 3.		5.50	6.632			28/ .12	.00/		.0
	_	ment 4.		10.50	4.570			03/ .12	-	.00	
	-	ment 5.		7.60	3.431			80/ .12			.0
	_	ment 6.		10.00	7.439			97/ .12	.00/		.0
		ment 7.		9.70				13/ .12			.0
		ment 8.		8.20				89/ .12			.0
	•	ment 9.		2.80		0 24.29		36/ .12			.0
	_	ment 10		1.20	.692			39/ .12	-		.0
IN	PUT	GROUP 1	0 - <b>0</b> BSI	ERVED W	ATER QUA	LITY					
SE	G	TURBID	CONSER	TOTALP	TOTALN	CHL-A S	ECCHI	ORG-N	TP-OP	HODV	MOC
		1/M	?	MG/M3	MG/M3	MG/M3	M	MG/M3	MG/M3 MG	/M3-D	MG/M3
1	MN:			22.3	.0	7.5	1.3	.0	.0	.0	
_	CV:			.39	.00	.46	. 13	.00	.00	.00	.(
2	MN:	.37		.0	.0	.0	.0		.0	.0	
_	CV:	.20		.00	.00	.00	.00		.00	.00	.(
3	MN:	.43	.0	.0	.0	.0	.0			.0	
,	CV:	.05		.00	.00	.00	.00	.00	.00	.00	.(
4	MN:	.68	-	.0	.0	.0	.0	.0	.0	.0	•
_	CV:	.71	.00	.00	.00	.00	.00	.00	.00	.00	.0
7	MN: CV:	.65 .20	.0	.0	.0	.0	.0	.0	.0	.0	:
4	MN:	.63	.00.	.00 26.6	.00 .0	.00	.00	.00	.00	.00	.0
٠	CV:	.46	.00	.30	.00	6.3 .75	1.3	.0	.0	.0	:
7	MN:	.29	.0	.0	.0	.0	.0	.00	.00 4.0	.00	.0
•	CV:	.36	.00	.00	.00	.00	.00	.00	.00	.0 .00	
8	MN:	.34	.0	14.3	.0	12.5	1.7	.0	.0	.0	
	CV:	.45	.00	.13	.00	.59	.07	.00	.00	.00	.0
9	MN:	.55	.0	19.6	.0	8.0	1.4	.0	.0	.0	•
	CV:	.29	.00	.20	.00	.64	.17	.00	.00	.00	.0
10	MN:	.52	.0	19.3	.0	4.3	1.7	.0		.0	
	CV:	.23	.00	.19	.00	.35	.19	.00	-00	.00	.0
INF	O TU	ROUP 11	- NON-	POINT W	ATERSHED	AREAS	(KM2)				
ID	COD	NAME		landuse	1 landu	use2 lar	nduse3	landu	se4		
5		Land Se		46.18		.00	.00		00		
6		Land Se		95.18	_	.00	.00		00		
7		Land Se	_	11.65		.00	.00		00		
11		Land Se		62.25		.00	.00	•			
12		Land Se		39.76		.00	.00		00		
13		Land Se	-	11.65		.00	.00		00		
15		Land Se		29.72	_	.00	.00		00		
16		Land Se		96.38	_	.00	.00		00		
17 18		Land Se		62.64 36.14	-	.00 .00	.00		00		

## INPUT GROUP 12 - NON-POINT EXPORT CONCENTRATIONS

IC	LAND USE		RUNOFF M/YR	CONSERV PPB	TOTAL P PPB	TOTAL N	ORTHO P	INORG N
1	landuse1		.31	.0	36.0	544.0	.0	.0
		CV:	.00	.00	.00	.00	.00	.0
2	landuse2	CV:	.00	_	_			
-	Calidusez		.00	.0	.0	.0	.0	.0
		CV:	.00	.00	.00	.00	.00	
		CV:	.00					
3	l anduse3		.00	.0	.0	.0	.0	.0
		CV:	.00	.00	.00	-00	.00	
		CV:	.00				•••	
4	landuse4		.00	.0	.0	.0	.0	.0
		CV:	.00	.00	.00	.00	.00	
		CV:	-00			.00	.00	

### INPUT GROUP 13 - MODEL COEFFICIENTS

IC	COEFFICIENT	MEAN	CV
1	P DECAY RATE	1.000	.45
2	N DECAY RATE	1.000	.55
3	CHL-A MODEL	1.000	.26
4	SECCHI MODEL	1.000	.10
5	ORGANIC N MODEL	1.000	-12
	TP-OP MODEL	1.000	.15
7	HODY MODEL	1.000	.15
	MODY MODEL	1.000	.22
	BETA MZ/MG	-020	.00
	MINIMUM QS	.100	
	FLUSHING EFFECT	1.000	.00
	CHLOROPHYLL-A CV		.00
	AUFOVOLILIEF-Y CA	.620	- 00

INPUT GROUP 14 - CASE NOTES

Observed WQ data from NES P, Light, Flush Model Stream loads from NES Regional calibration from 1992 Landuse from NES

# Appendix B Model Input Files For Walter F. George Lake

```
W. F. GEORGE 1992 (P&N MODEL - UNCALIBRATED)
 INPUT GROUP 2 - PRINT OPTIONS
  1 LIST INPUTS
                                       O NO
  2 HYDRAULICS & DISPERSION
                                       1 YES
  3 GROSS WATER & MASS BALANCES
                                       2 ESTIMATED CONCS
  4 DETAILED BALANCES BY SEGMENT
                                       2 ESTIMATED CONCS
  5 SUMMARIZE BALANCES BY SEGMENT
                                       2 ESTIMATED CONCS
  6 COMPARE OBS & PREDICTED CONCS
                                       1 ALL SEGMENTS
  7 DIAGNOSTICS
                                       1 ALL SEGMENTS
  8 PROFILES
                                       1 ESTIMATED CONCENTRATIONS
 9 PLOTS
                                       0 NO
 10 SENSITIVITY ANALYSIS
                                       0 NO
INPUT GROUP 3 - MODEL OPTIONS
1 CONSERVATIVE SUBSTANCE
                                       O NOT COMPUTED
2 PHOSPHORUS BALANCE
                                     1 2ND ORDER, AVAIL P
1 2ND ORDER, AVAIL N
3 NITROGEN BALANCE
                                     1 P. N. LIGHT, T
1 VS. CHLA & TURBIDITY
4 CHLOROPHYLL-A
5 SECCHI DEPTH
6 DISPERSION
                                     1 FISCHER-NUMERIC
7 PHOSPHORUS CALIBRATION
                                     1 DECAY RATES
8 NITROGEN CALIBRATION
                                     1 DECAY RATES
9 ERROR ANALYSIS
                                     1 MODEL & DATA
10 AVAILABILITY FACTORS
                                     0 MODEL 1 ONLY
INPUT GROUP 4 - VARIABLES
             ATMOSPHERIC LOADINGS AVAILABILITY
VARIABLE
              KG/KM2-YR
                            CV
                                     FACTOR
 1 CONSERV
                    .00
                             .00
                                         .00
 2 TOTAL P
                  30.00
                                        1.00
                            .50
                                        1.00
 3 TOTAL N
                1000.00
 4 ORTHO P
                 15.00
                            .50
                                        .00
                 500.00
 5 INORG N
                                         .00
INPUT GROUP 5 - GLOBAL PARAMETERS
PARAMETER
                                     MEAN
                                              CV
                      YRS
                                     .583
 1 PERIOD LENGTH
                                            .000
 2 PRECIPITATION M
                                     .000
                                            .000
 3 EVAPORATION M
                                    .000
                                            .000
 4 INCREASE IN STORAGE M
                                   -.384
                                            .000
 5 FLOW FACTOR
                                   1.000
                                            .000
 6 DISPERSION FACTOR
                                   1.000
                                            .000
                      KH2
                                 182.000
                                            .000
 7 TOTAL AREA
 8 TOTAL VOLUME
                      HM3
                                1152.600
                                            .000
```

INPUT GROUP 6 - TRIBUTARY DRAINAGE AREAS AND FLOWS

ID TYPE SEG NAM	E	DRAINAGE /		FLOW CV S/YR	OF MEAN FLOW
	e Inflow	15731.	.590 5245	.800	.034
2 4 7 Lak	e Outflow	19321.		.766	.038
INPUT GROUP 7 -	TRIBUTARY CO	DICENTRATIO	ONS (PPB):	MEAN/CV	
ID CONSERV	TOTAL P	TOTAL N	ORTHO P	INORG N	ECORG P
1 .0/.00 2 .0/.00	59.7/.06 8 .0/.00	.0/.07 .0/.00	.0/.00 .0/.00	.0/.00 .0/.00	.0 .0
INPUT GROUP 8 -	MODEL SEGMEN	ITS			
CEC CHITTI OIL ODG	ID 020000		LIBRATION		
SEG OUTFLOW GROU	JP SEGMENT NAME	P SED N S	ED CHL-A	SECCHI HO	D DISP
	MARIE				
1 2 1	Upper Lake 1	.00 1.00	1.00 1.	00 1.00	1.000
2 3 1		.00 1.00	1.00 1.		1.000
3 4 1 4 5 1		.00 1.00			1.000
4 5 1 5 6 1		.00 1.00			1.000
6 7 1	Cheneyhtch 1 Pataula 1				1.000
7 0 1	•	.00 1.00 .00 1.00			1.000 1.000
	•			1.00	1.000
INPUT GROUP 9 -	SEGMENT MORP	HOMETRY: M	EAN/CV		
	NGTH AR	EA ZMEAN	ZMIX ZI	HYP TARG	ET P
ID LABEL	KM KI	M2 M	M	M To	PPB
1 Upper Lake	8.53 3.40	00 5.00	2 707 42	00'4 00	_
	2.55 5.00			.00/.00	.0
	4.32 11.50		6.34/.12		.0 .0
4 US82	9.81 27.50				.0
	0.14 28.40			.00/.00	.0
6 Pataula 1	1.58 46.300	00 8.00		.00/.00	.0
7 Forebay	5.95 28.600	00 8.70	7.75/.12		.0
INPUT GROUP 10 -	OBSERVED WAT	TER QUALITY	,		
SEG TURBID CO	NSER TOTAL	P TOTAL	N CHL-A	SECCHI	
1/M	? MG/M3	MG/M3		M	
1 MN: .65	.0 56.7	000 0		_	
	.0 56.7 .00 .05	889.0		.9	
	.0 53.7	.0 858.0		.08 .9	
	.00 .04	0.0			
3 MN: .43	.0 42.8	742.0		1.1	
	.00 .06	.0	4 .04		
	.0 38.7	624.0	19.6	1.3	
CV: .20	.00	.0	7.10		
	0 31.3	521.0			
	.00 .05 0 26.2				
	0 26.2 00 .08	479.0 .0			
	0 22.8	475.0			
	00 .09	.0.		.07	
INPUT GROUP 11 -	NON-POINT WA			10,	
NONE		7110	(MIL)		
INPUT GROUP 12 -	NON-POINT EX	PORT CONCE	NTRATIONS		

NONE

10	COEFFICIENT	MEAN	CV
1	P DECAY RATE	1.000	.00
2	N DECAY RATE	1.000	.00
3	CHL-A MODEL	1.000	.00
4	SECCHI MODEL	1.000	.00
5	ORGANIC N MODEL	1.000	.12
6	TP-OP MODEL	1.000	.15
7	HODY MODEL	1.000	.15
-	MODY MODEL	1.000	.22
_	BETA M2/MG	.025	.00
-	MINIMUM QS	.100	.00
	FLUSHING EFFECT	1.000	.00
	CHLOROPHYLL-A CV	.620	.00

INPUT GROUP 14 - CASE NOTES

1992 Auburn Water Quality Data P and N Model TN and TP availability set to 1.0 Inflow = Station 8

### W. F. GEORGE 1992 (P&N MODEL - CALIBRATED)

#### INPUT GROUP 2 - PRINT OPTIONS

1 LIST INPUTS	O NO
2 HYDRAULICS & DISPERSION	1 YES
3 GROSS WATER & MASS BALANCES	2 ESTIMATED CONCS
4 DETAILED BALANCES BY SEGMENT	2 ESTIMATED CONCS
5 SUMMARIZE BALANCES BY SEGMENT	2 ESTIMATED CONCS
6 COMPARE OBS & PREDICTED CONCS	1 ALL SEGMENTS
7 DIAGNOSTICS	1 ALL SEGMENTS
8 PROFILES	1 ESTIMATED CONCENTRATIONS
9 PLOTS	0 NO
10 SENSITIVITY ANALYSIS	0 NO

### INPUT GROUP 3 - MODEL OPTIONS

1	CONSERVATIVE SUBSTANCE	O NOT DOUBLETS
		O NOT COMPUTED
2	PHOSPHORUS BALANCE	1 2ND ORDER, AVAIL P
3	NITROGEN BALANCE	1 2ND ORDER, AVAIL N
4	CHLOROPHYLL-A	
		1 P, N, LIGHT, T
7	SECCHI DEPTH	1 VS. CHLA & TURBIDITY
4	DISPERSION	
0	DISPERSION	1 FISCHER-NUMERIC
7	PHOSPHORUS CALIBRATION	
		1 DECAY RATES
8	NITROGEN CALIBRATION	1 DECAY RATES
y	ERROR ANALYSIS	1 MODEL & DATA
10	AVATI ADTI TTV CACTORS	
IU	AVAILABILITY FACTORS	0 MODEL 1 ONLY

### INPUT GROUP 4 - VARIABLES

VARIABLE	ATMOSPHERIC KG/KM2-YR	LOADINGS CV	AVAILABILITY FACTOR
1 CONSERV	.00	.00	.00
2 TOTAL P	30.00	.50	1.00
3 TOTAL N	1000.00	.50	1.00
4 ORTHO P	15.00	.50	.00
5 INORG N	500.00	-50	00

### INPUT GROUP 5 - GLOBAL PARAMETERS

PARAMETER		MEAN	CV	
1 PERIOD LENGTH	YRS	.583	.000	
2 PRECIPITATION M		.000	.000	
3 EVAPORATION M		.000	.000	
4 INCREASE IN STOR	RAGE M	384	.000	
5 FLOW FACTOR		1.000	.000	
6 DISPERSION FACTO	OR .	1.000	.000	
7 TOTAL AREA	KM2	182,000	.000	
8 TOTAL VOLUME	нмз	1152,600	-000	

## INPUT GROUP 6 - TRIBUTARY DRAINAGE AREAS AND FLOWS

ID	TYPE	SEG NAME	DRAINAGE AREA KM2	MEAN FLOW HM3/YR	
1	1	1 Lake Inflow 7 Lake Outflow	15731.590 19321.400	5245.800 5264.766	.034 .038

```
INPUT GROUP 7 - TRIBUTARY CONCENTRATIONS (PPB): MEAN/CV
                                                 INORG N ECORG P
      CONSERV
                TOTAL P
                            TOTAL N
                                       ORTHO P
ID
                          847.0/.07
                                                  .0/.00
                                                             .0
                59.7/.06
                                       .0/.00
      .0/ .0
 1
                                                  .0/.00
                                                             .0
 2
      .0/ .00
                  .0/.00
                              .0/.00
                                       .0/.00
INPUT GROUP 8 - MODEL SEGMENTS
                             ----- CALIBRATION FACTORS -----
SEG OUTFLOW GROUP SEGMENT
                            P SED N SED CHL-A SECCHI HOD DISP
                    NAME
                                           1.00 1.00 1.00 1.000
               1 Upper Lake 1.00 1.00
                  Florence
                             1.31
                                   1.56
                                           2.10
                                                 1.00
                                                        1.00 1.000
 3
                  Cowikee
                              1.31 1.56
                                           2.10
                                                 1.00
                                                       1.00 1.000
                                   1.56
                                                 1.00
                                                       1.00 1.000
         5
                  US82
                              1.31
                                           2.10
                                                       1.00 1.000
 5
                  Cheneyhtch 1.31
                                   1.56
                                           2.10
                                                 1.00
 6
                 Pataula
                             1.31 1.56
                                           2.10 1.00
                                                       1.00 1.000
               1 Forebay
                             1.31 1.56
                                           2.10 1.00 1.00 1.000
INPUT GROUP 9 - SEGMENT MORPHOMETRY: MEAN/CV
              LENGTH
                                                ZHYP TARGET P
                          AREA ZMEAN
                                         ZMIX
ID LABEL
                           KM2
                                                            PPB
                8.53
                        3.4000
                                  5.00
                                         2.39/.12 .00/.00
                                                             .0
 1 Upper Lake
                                  5.00
                        5.0000
                                                             .0
               12.55
                                         6.34/.12 .00/.00
 2 Florence
 3 Cowikee
               14.32
                        11.5000
                                  5.00
                                         6.34/.12 .00/.00
                                                             .0
                9.81
                       27.5000
                                  6.70
                                         7.15/.12 .00/.00
                                                            .0
 4 US82
                       28.4000
 5 Cheneyhtch 10.14
                                  7.30
                                         7.39/.12 .00/.00
                                                             .0
 6 Pataula
               11.58
                        46.3000
                                  8.00
                                         7.59/.12 .00/.00
                                                             .0
                5.95
                        28.6000
                                  8.70
                                         7.75/.12 .00/.00
                                                             .0
 7 Forebay
INPUT GROUP 10 - OBSERVED WATER QUALITY
       TURBID CONSER TOTALP TOTALN CHL-A SECCHI ORG-N
                                                         TP-OP
SEG
                      MG/M3 MG/M3 MG/M3
          1/H
                                                   MG/M3
                                                           MG/M3
1 MN:
         .65
                  .0
                       56.7 889.0
                                                             ٥.
                       .05
                                             .08
                                                            .00
  CV:
         .21
                .00
                               .06
                                      .27
2 MN:
         .61
                 .0
                       53.7
                             858.0
                                     18.3
                                              .9
                                                      .0
                                                             .0
         . 15
                .00
                        .04
                                      .08
                                              .08
                                                            .00
  CV:
                               -09
                                                     .00
                            742.0
3 MN:
         .43
                 .0
                      42.8
                                     19.6
                                             1.1
                                                      .0
                                                             .0
         .11
                               .04
                                      .04
                                             .05
                                                            .00
  CV:
                .00
                       .06
                                                     .00
4 MN:
         .31
                 .0
                      38.7
                             624.0
                                     19.6
                                             1.3
                                                     .0
                                                             .0
                                             .04
                                                     .00
                                                            .00
         .20
                .00
                        .06
                               -07
                                      .10
  CV:
5 MN:
         .22
                 .0
                      31.3
                             521.0
                                     16.3
                                             1.6
                                                      .0
                                                             .0
  CV:
         -16
                       .05
                               .07
                                      .08
                                             .02
                                                            .00
6 MN:
         .13
                 .0
                       26.2
                             479.0
                                     18.5
                                             1.7
                                                      .0
                                                             .0
                                      .19
                                                     .00
  CV:
                 .00
                        _08
                               .05
                                             -08
                                                            .00
         .78
                                             1.8
         .13
                       22.8
                            475.0
                                                             _0
7 MN:
                 .0
                                     16.7
                                                      .0
  CV:
         .58
                .00
                        .09
                               .03
                                      .15
                                             .07
                                                     .00
                                                            .00
INPUT GROUP 11 - NON-POINT WATERSHED AREAS (KM2)
 NONE
INPUT GROUP 12 - NON-POINT EXPORT CONCENTRATIONS
```

NONE

IC COEFFICIENT	MEAN	CV
1 P DECAY RATE	1.000	.00
2 N DECAY RATE	1.000	.00
3 CHL-A MODEL	1.000	.00
4 SECCHI MODEL	1.000	.00
5 ORGANIC N MODEL	1.000	.12
6 TP-OP MODEL	1.000	. 15
7 HODY MODEL	1.000	- 15
8 MODV MODEL	1.000	-22
9 BETA M2/MG	.025	.00
10 MINIMUM QS	.100	.00
11 FLUSHING EFFECT	1.000	.00
12 CHLOROPHYLL-A CV	.620	.00

### INPUT GROUP 14 - CASE NOTES

1992 Auburn Water Quality data P and N Model TN and TP availbility set to 1.0 Inflow = Station 8 Calibrated with 1992 data Segment 1 set to defaults (not calibrated)

## Appendix C Model Input Files for Lake Sidney Lanier

```
Lanier UNCALIBRATED 1973
 INPUT GROUP 2 - PRINT OPTIONS
  1 LIST INPUTS
                                      O NO
  2 HYDRAULICS & DISPERSION
                                      1 YES
  3 GROSS WATER & MASS BALANCES
                                      2 ESTIMATED CONCS
  4 DETAILED BALANCES BY SEGMENT
  5 SUMMARIZE BALANCES BY SEGMENT
                                      O NO
  6 COMPARE OBS & PREDICTED CONCS
                                      O NO
  7 DIAGNOSTICS
                                      1 ALL SEGMENTS
                                      1 ESTIMATED CONCENTRATIONS
  8 PROFILES
  9 PLOTS
                                      2 GEOMETRIC SCALE
 10 SENSITIVITY ANALYSIS
                                      O NO
 INPUT GROUP 3 - MODEL OPTIONS
  1 CONSERVATIVE SUBSTANCE
                                      0 NOT COMPUTED
                                      1 2ND ORDER, AVAIL P
  2 PHOSPHORUS BALANCE
  3 NITROGEN BALANCE
                                      1 2ND ORDER, AVAIL N
                                      1 P, N, LIGHT, T
1 VS. CHLA & TURBIDITY
  4 CHLOROPHYLL-A
 5 SECCHI DEPTH
                                      1 FISCHER-NUMERIC
  6 DISPERSION
  7 PHOSPHORUS CALIBRATION
                                      1 DECAY RATES
  8 NITROGEN CALIBRATION
                                      1 DECAY RATES
  9 ERROR ANALYSIS
                                      1 MODEL & DATA
                                      0 MODEL 1 ONLY
 10 AVAILABILITY FACTORS
INPUT GROUP 4 - VARIABLES
             ATMOSPHERIC LOADINGS AVAILABILITY
VARIABLE
              KG/KM2-YR
                            CV
                                     FACTOR
 1 CONSERV
                   -00
                 25.40
                            .50
                                       1.00
 2 TOTAL P
                 927.00
                                       1.00
 3 TOTAL N
                            .50
                                        .00
  4 ORTHO P
                 13.00
                            .50
                 450.00
                            .50
                                         .00
 5 INORG N
INPUT GROUP 5 - GLOBAL PARAMETERS
PARAMETER
                                    MEAN
 1 PERIOD LENGTH
                                    .583
                                    .932
                                            .200
 2 PRECIPITATION M
                                   1.148
 3 EVAPORATION M
                                            .300
  4 INCREASE IN STORAGE M
                                  -1.058
                                           .000
                                   1.000
                                            .000
 5 FLOW FACTOR
                                   1.000
                                           .700
  6 DISPERSION FACTOR
                      KM2
                                 155.979
 7 TOTAL AREA
                                            .000
                                2411.739
                                            .000
  8 TOTAL VOLUME
```

ID	TYPE SEG NAME	E IKIBULAKI DI	RAINAGE AREAS AI DRAINAGE AREA		CV OF MEAN	FLOW
1	1 15 CHA	TTAHOOCHEE RY	KM2	HM3/YR		
2	2 1 Run		V 11137.000 249.000	895.740 79.060	.000	
3	2 2 Rune	off 2	496.000	157.391	.000	
4	2 3 Rune	off 3	65.300	20.700	.000	
5	2 4 Runo	off 3 off 4 off 5	261.100	82.769	.000	
6	2 5 Runo	off 5	23.300	7.386	.000	
7 8	2 6 Runo	off 6	30.300	9.605	.000	
9	_ :	off 8	28.000	8.876	.000	
1Ó		off 9	37.300 74.600	11.824	.000	
11		off 10	35.000	23.648 11.095		
12	2 11 Runo	ff 11	207.400	65.746		
13	2 12 Runo	off 12 off 13	28.000		.000	
14	2 13 Runo	ff 13	42.000	13.314	.000	
15	2 14 Runo	ff 14	93.200	29.544	-000	
16 17	2 15 Runo 2 16 Runo	ff 15 ff 16	815.800	258.609		
18	2 17 Runo	ff 17	23.300 32.600	7.354	.000	
19	2 18 Runo	ff 17 ff 18	32.600	10.334 10.334	.000 .000	
20	2 19 Runo	ff 19	67.600	21.429		
21	2 20 Runo	ff 20	102.600	32.524		
22 23	2 21 Runo	ff 21	7.000	2.219	.000	
23 24	1 4 CHES 1 3 WAHO	TATEE RIVER		498.330		
25	1 2 W FO	O CREEK TRIB RK LITTLE RV	64.700 46.600	57.772		
26	1 2 E FO	RK LITTLE RV	41.400	28.386		
27	1 14 FLAT	CREEK (F1)	15.500	25.232 9.462		
28	1 15 LIME:	STONE CREFK	10 400	6.308		
29 70	1 14 FLAT	CREEK (H1) MILE CREEK	46.600	31.540		
30 31	1 9 FOUR 1 21 OUTF	MILE CREEK	20.700 689.900	9.462 2691.370	.000	
INPU ID	T GROUP 7 - 1 CONSERV	RIBUTARY CON	NCENTRATIONS (PE	B): MEAN/CV ORTHO P	INORG N	ECORG F
1	.0/ .00	50.0/ .00	717.0/ .00	.0/ .00	.0/ .00	.0
2 3	.0/ .00	52.0/ .00	850.0/ .00	.0/ .00	.0/ .00	.0
4	.0/ .00 .0/ .00	52.0/ .00	850.0/ .00 850.0/ .00	.0/ .00	.0/ .00	.0
5	.0/ .00	52.0/ .00	850.0/ .00 850.0/ .00 850.0/ .00 850.0/ .00	.0/ .00	.0/ .00	.0
6	.0/ .00	52.0/ .00	850.0/ .00	0/ .00	.0/ .00	.0
7	.0/ .00	52.0/ .00	850.0/ .00 850.0/ .00 850.0/ .00 850.0/ .00	.0/ .00	.0/ .00 .0/ .00	.0 .0
8	.0/ .00	52.0/ .00	850.0/ .00	.0/ .00	.0/ .00	.0
9	.0/ .00	52.0/ .00	850.0/ .00	.0/ .00	.0/ .00	.ŏ
0 1	.0/ .00	52.0/ .00	850.0/ .00	.0/ .00	.0/ .00	.0
2	.0/ .00 .0/ .00	52.0/ .00 52.0/ .00	850.0/ .00 850.0/ .00	.0/ .00	.0/ .00	.0
3	.0/ .00	52.0/ .00	850.0/ .00 850.0/ .00	.0/ .00 .0/ .00	.0/ .00	.0
4	.0/ .00	52.0/ .00	850.0/ .00	.0/ .00	.0/ .00 .0/ .00	.0 .0
5	.0/ .00	52.0/ .00	850.0/ .00	.0/ .00	.0/ .00	.0
6 7	.0/ .00	52.0/ .00	850.0/ .00	.0/ .00	.0/ .00	.0
7 8	.0/ .00	52.0/ .00	850.0/ .00	.0/ .00	.0/ .00	.0
9	.0/ .00 .0/ .00	52.0/ .00 52.0/ .00	850.0/ .00	.0/ .00	.0/ .00	.0
ó	.0/ .00	52.0/ .00	850.0/ .00 850.0/ .00	.0/ .00	.0/ .00	.0
1	.0/ .00	52.0/ .00	850.0/ .00	.0/ .00 .0/ .00	.0/ .00	.0
2	.0/ .00	52.0/ .00	850.0/ .00	.0/ .00	.0/ .00 .0/ .00	.0 .0
3	.0/ .00	69.0/ .00	623.0/ .00	.0/ .00	.0/ .00	.0
4	.0/ .00	72.0/ .00	931.0/ .00	.0/ .00	.0/ .00	.0
5 6	.0/ .00	55.0/ .00	1072.0/ .00	.0/ .00	.0/ .00	.0
7	.0/ .00 .0/ .00	62.0/ .00 00 /0 4755	1295.0/ .00	.0/ .00	.0/ .00	.0
В	.0/ .00	2234.0/ .00 <sup>(</sup> 158.0/ .00	1036.0/ .00	.0/ .00	.0/ .00	.0
_	.0/ .00	41.0/ .00	739.0/ .00	.0/ .00 .0/ .00	-0/ -00	.0
9 .					.0/ .00	.0
9 . ) 	.0/ .00	52.0/ .00	1293.0/ .00	.0/ .00	.0/ .00	.0

INPU	T GROUP 8	- M	ODEL SEGME	NTS		_				
erc /	WITEL (N.) .	00110	SEGMENT N					TION FAC		
1	2	1	WAHOO CRE		P SED 1.00	N SED		SECCHI	HOD	DIS
ż	3	i	WEST FORK		1.00	1.00 1.00	1.00	1.00 1.00	1.00	1.00
3	16	i			1.00	1.00	1.00		1.00	1.00
4	6							1.00	1.00	1.00
5	6		YELLOW CR THOMPSON		1.00	1.00	1.00	1.00	1.00	1.00
6	7		CHEST1	LREEK	1.00 1.00	1.00	1.00	1.00	1.00	1.00
7	8		TAYLOR CR	EEV			1.00	1.00	1.00	1.00
8	18		LATHAM CR		1.00	1.00	1.00	1.00	1.00	1.00
9	20		SIX-FOUR		1.00	1.00	1.00	1.00	1.00	1.00
10	21		YOUNG DEE		1.00	1.00	1.00	1.00	1.00	1.00
11	21		BALD BRID		1.00	1.00	1.00	1.00	1.00	1.00
12	21		SHOAL CRE		1.00	1.00	1.00	1.00	1.00	1.00
13	14		BALUS CRE		1.00 1.00	1.00	1.00	1.00	1.00	1.00
14	19		FLAT CREE		1.00	1.00	1.00	1.00	1.00	1.00
15	16		CHAT1	•		1.00	1.00	1.00	1.00	1.00
16	17		CHATZ-SARI	17C-ADA	1.00 1.00	1.00	1.00	1.00	1.00	1.00
17	18	1		112-MDA	1.00	1.00	1.00	1.00	1.00	1.00
18	19		CHAT4-CHES	T DAY		1.00	1.00	1.00	1.00	1.00
19	20		CHATS-2-M			1.00	1.00	1.00	1.00	1.00
20	21	i		ILC, MUU	1.00	1.00	1.00	1.00	1.00	1.00
21	0	1	CHATT-BUF	KI'BIG	1.00	1.00 1.00	1.00	1.00 1.00	1.00 1.00	1.00 1.00
ID LA			LENGTH KM	AREA KM2	M	_	XIM: M	ZHYF #		ET P PPB
	HOO CREE	(	3.80	2.3890			/ .12	.00/	.00	.0
	ST FORK		5.00	2.6550			/ .12	.00/		.0
	HOO-LITT			3.8570			/ .12	.00/	.00	.0
	LLOW CREE		11.30	5.8370		6.00	/ .12	.00/	.00	.0
	OMPSON C	REEK	5.00	3.3130		6.00	/ .00	.00/	.00	.0
	EST1		3.00	3.3740			/ .12	.00/		.0
	YLOR CREE		5.00	2.1580			/ .12	.00/		.0
	THAM CREE		5.00	10.7300			/ .00	.00/	.00	.0
	X-FOUR MI		6.30	7.6730		6.00	/ .00	.00/		.0
	UNG DEER		5.00	4.1130	16.31		/ .12	.00/		.0
	LD BRIDGE			7.1530			/ .00	.00/	.00	.0
	OAL CREEK		3.80	5.7880		6.00	/ .00	.00/		.0
	LUS CREEK	•	2.50	1.3850		6.00	/ .12	.00/		.0
14 FL. 15 CH.	AT CREEK		5.80	3.7410		6.00	/ .00	-00/		.0
		C A.	15.00	6.8800		6.00	/ .12	.00/		.0
17 CH	AT2-SARDI AT3	3-AD		8.9030			.00	.00/		.0
		DAY	6.30	9.6640		6.00	/ .00	.00/		.0
	AT4-CHEST			8.8780		6.00	/ .12			.0
17 CM	れょう こと でけん in	c,FU	D 6.20 G 5.00	22.8600	21.97		/ .00			.0
	AT7-BUFOR			25.2400 11.2700			/ .12 / .00	.00/ .00/		.0
	m : / "	11A	- 7 III	11 //111	11 17	A 110	, 1361	nn/	M	.0

	EG	GROUP 10 TURBID	CONSER	TOTALP	TOTALN	CHL-A	SECCHI	ORG-N	TP-OP	HODV	MODV
		1/M	?	MG/M3	MG/M3	MG/M3	М	MG/M3	MG/M3	MG/M3-D	
	1 MN:		.0	.0		.0	.0	.0	.0	.0	.0
	CV: 2 MN:		.00	.00	.00	.00	.00	.00	.00	.00	.00
•	CV:		.00	.0 .00	.0 .00	.0	.0	.0	.0	.0	.0
	3 MN:		.0	.0	.00	.00	.00.	.00. 0.	.00. 0.	.00	.00
	CV:		.00	.00	.00	.00	.00	.00	.00	.0 .00	.0 00.
4	4 MN:		.0	21.3	486.0	6.7	2.0	.0	6.8	.00	.0
	CV:		.00	.20	.08	.08	.04	.00	.22	.00	.00
-	5 MN:		.0	.0	.0	.0	.0	.0	.0	.0	.0
	CV:		.00	.00	.00	.00	.00	.00	.00	.00	.00
•	S MN:		.0	.0	.0	.0	.0	.0	.0	.0	.0
-	CV: 7 MN:	.00 .38	.00	.00	.00	.00	.00	.00	.00	.00	.00
•	CV:	.11	.0 00.	12.5 .05	485.6 .07	5.2	2.1	.0	9.0	.0	.0
٤	B MN:	.35	.0	.0	.07	.03 .0	.09	.00	.00	.00	.00
	CV:	.22	.00	.00	.00	.00	.00	.0 .00	.0 .00	.0 .00	.0 .00
9	MN:	.24	.0	17.3	286.0	5.0	3.0	.00	3.6	.00	.00
	CV:	.09	.00	.18	.14	.19	.03	.00	.18	.00	.00
10	MN:	.20	.0	.0	.0	.0	.0	.0	.0	.0	.0
	CV:	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
11	MN: CV:	.23 .00	.0	19.1	457.0	4.7	3.0	.0	5.4	.0	.0
12	CV:	.28	.00	.14 8.6	.28 480.0	-00	.00	.00	.20	.00	.00
	CV:	.04	.00	.07	.36	3.4 .03	2.9 .03	.0	3.8	.0	.0
13	MN:	.30	.0	.0	.0	.03	.03	.00 .0	.24	.00	.00
	CV:	.00	.00	.00	.00	.00	.00	.00	.00	.0 .00	.0 .00
14	MN:	.29	.0		657.0	11.3	1.9	.0	30.0	.0	.0
٠	CV:	.38	.00	.04	.10	.08	.21	.00	.00	.00	.00
15	MN:	.30	.0	.0	.0	.0	.0	.0	.0	.0	.0
14	CV:	.00 .26	.00	.00	.00	.00	.00	.00	.00	<b>.0</b> 0	.00
	CV:	.18	.0 .00	17.2 .10	543.0 .05	11.4	2.1	.0	2.4	.0	.0
17	MN:	.31	.0	13.1	457.0	.18 5.0	.04	.00	.16	.00	.00
	CV:	.02	.00	.07	.15	.07	2.4 .00	.0 .00	3.6 .10	.0 .00	.0
18	MN:	.20	.0	.0	.0	.0	.0	.0	.0	.00	.00 .0
	CV:	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
19	MN:	.24	.0	8.7	300.0	4.8	3.0	.0	6.0	.0	.0
20	CV:	.19	.00	.19	.14	.19	.12	.00	.26	.00	.00
20	MN: CV:	.23 .03	.0	14.8	359.8	4.2	3.2	.0	12.5	.0	.0.
21	MN:	.23	.00 .0	.20 7.0	.19 256.9	.05	.02	.00	.10	.00	.00
	CV:	.05	.00	.11	.14	4.2 .08	3.2 .03	.0	5.0	.0	.0
	•••	.03	.00	• 1 1	. 14	.00	.03	.00	.07	.00	.00
INF	PUT G	ROUP 11	- NON-P	OINT W	ATERSHED	AREAS	(KM2)				
ID	COD	NAME		l andı	use1 lan	duse2 la	anduse3	l andus	<b>e</b> 4		
2		Runoff 1		249	9.40	.00	.00		00		
3 4		Runoff 2 Runoff 3			5.50	.00	.00		00		
5		kunott 3 Runoff 4			5.30	.00	.00		00		
6		Runoff 5			1.10 3.30	.00 .00	.00		<b>0</b> 0		
7		Runoff 6			).30	.00	.00		00 <b>0</b> 0		
8		Runoff 7			3.00	.00	.00		00		
9		Runoff 8		37	<b>7.3</b> 0	.00	.00		00		
10		Runoff 9			.60	.00	.00		00		
11		Runoff 1			.00	.00	.00	.1	00		
12 13		Runoff 1 Runoff 1			7.40	.00	.00		00		
14		kunott 1. Runoff 1:			3.00	.00	.00		00		
15		Runoff 1			.00 .20	.00 .00	.00		00 00		
16		Runoff 1	-		.80	.00	.00 .00		00 no		
17		Runoff 1			.20	.00	.00		DO DO		
18	_	Runoff 1			.60	.00	.00		00		
19	_	Runoff 18			.60	.00	.00		00		
		Runoff 19			.60	.00	.00		00		
		Runoff 20	J	102	.60	.00	.00		00		
20 21 22		Runoff 2		_	.00	.00	.00		00		

					-			
IN	PUT GROUP 12	- NON	-POINT EXP	PORT CO	NCENTRAT	IONS		
IC	LAND USE		RUNOFF CO	DNSERV	TOTAL P	TOTAL N	ORTHO P	INORG N
			M/YR	PPB	PPB	PPB	PPB	PPB
1	landuse1		.32	.0	52.0	850.0	.0	.0
		CV:	.00	.00	.00	.00	.00	.00
2	landuse2		.00	.0	.0	.0	.0	.0
		CV:	.00	.00	.00	.00	.00	.00
3	landuse3		.00	.0	.0	.0	.0	.0
		CV:	.00	.00	.00	.00	.00	.00
4	landuse4		-00	.0	.0	.0	.0	.0
		CV:	.00	.00	.00	.00	.00	.00
INF	OUT GROUP 13	- MOD	EL COEFFIC	CIENTS				
IC	COEFFICIENT		MEAN	C	V			
1	P DECAY RAT	Ε	1.000	.4	5			
2	N DECAY RAT	E	1.000	.5	5			
3	CHL-A MODEL		1.000	.2	26			
4	SECCHI MODE	L	1.000	.1	10			
5	ORGANIC N M	ODEL	1.000	.1	12			
6	TP-OP MODEL		1.000	.1	15			
7	HODY MODEL		1.000	.1	-			
8	MODY MODEL		1.000	.2	22			
9	BETA M2/MG	i	.020	.0	00			
	MINIMUM QS		.100	.0	-			•
	FLUSHING EF		1.000	.0	-			
12	CHLOROPHYLL	-A CV	.620	.0	10			

```
Lanier CALIBRATION SET 1973
  INPUT GROUP 2 - PRINT OPTIONS
   1 LIST INPUTS
                                        O NO
   2 HYDRAULICS & DISPERSION
                                        1 YES
   3 GROSS WATER & MASS BALANCES
                                        2 ESTIMATED CONCS
   4 DETAILED BALANCES BY SEGMENT
                                        O NO
   5 SUMMARIZE BALANCES BY SEGMENT
                                        O NO
   6 COMPARE OBS & PREDICTED CONCS
                                        O NO
   7 DIAGNOSTICS
                                        1 ALL SEGMENTS
   8 PROFILES
                                        1 ESTIMATED CONCENTRATIONS
   9 PLOTS
                                        2 GEOMETRIC SCALE
  10 SENSITIVITY ANALYSIS
                                        0 NO
  INPUT GROUP 3 - MODEL OPTIONS
   1 CONSERVATIVE SUBSTANCE
                                        0 NOT COMPUTED
   2 PHOSPHORUS BALANCE
                                        1 2ND ORDER, AVAIL P
  3 NITROGEN BALANCE
                                        1 2ND ORDER, AVAIL N
   4 CHLOROPHYLL-A
                                        1 P, N, LIGHT, T
  5 SECCHI DEPTH
                                        1 VS. CHLA & TURBIDITY
  6 DISPERSION
                                        1 FISCHER-NUMERIC
  7 PHOSPHORUS CALIBRATION
                                        1 DECAY RATES
  8 NITROGEN CALIBRATION
                                        1 DECAY RATES
  9 ERROR ANALYSIS
                                        1 MODEL & DATA
 10 AVAILABILITY FACTORS
                                       0 MODEL 1 ONLY
 INPUT GROUP 4 - VARIABLES
              ATMOSPHERIC LOADINGS AVAILABILITY
 VARIABLE
              KG/KM2-YR
                              CV
  1 CONSERV
                     .00
                             .00
                                         .00
  2 TOTAL P
                   25.40
                             -50
                                        1.00
  3 TOTAL N
                 927.00
                             .50
                                        1.00
  4 ORTHO P
                  13.00
                             .50
                                         .00
  5 INORG N
                  450.00
                             .50
                                         -00
 INPUT GROUP 5 - GLOBAL PARAMETERS
 PARAMETER
                                     MEAN
                                              CV
  1 PERIOD LENGTH
                                     .583
                                            .000
  2 PRECIPITATION M
                                     .932
                                            .200
  3 EVAPORATION
                 M
                                    1.148
                                            .300
  4 INCREASE IN STORAGE M
                                   -1.058
                                            -000
  5 FLOW FACTOR
                                    1.000
                                            -000
  6 DISPERSION FACTOR
                                    1.000
                                            .700
  7 TOTAL AREA
                      KM2
                                  155.979
                                            .000
  8 TOTAL VOLUME
                                 2411.739
                                            .000
 INPUT GROUP 6 - TRIBUTARY DRAINAGE AREAS AND FLOWS
ID TYPE SEG NAME
                             DRAINAGE AREA
                                               MEAN FLOW CV OF MEAN FLOW
                                        KM2
                                                  HM3/YR
          15 CHATTAHOOCHEE RV
                                  11137.000
                                                 895.740
                                                                 .000
 2
     2
           1 Runoff 1
                                   249.000
                                                  79.060
                                                                 .000
 3
     2
           2 Runoff 2
                                   496.000
                                                 157.391
                                                                 .000
 4
          3 Runoff 3
                                    65.300
                                                  20.700
                                                                 -000
     2
           4 Runoff 4
                                   261.100
                                                  82.769
                                                                 .000
 6
     2
          5 Runoff 5
                                    23.300
                                                   7.386
                                                                 .000
 7
     2
          6 Runoff 6
                                    30.300
                                                   9.605
                                                                 -000
 8
     2
          7 Runoff 7
                                    28.000
                                                   8.876
                                                                 .000
 0
     2
          8 Runoff 8
                                    37.300
                                                  11.824
                                                                 .000
10
          9 Runoff 9
                                    74.600
                                                  23.648
                                                                 .000
11
     2
         10 Runoff 10
                                    35.000
                                                  11.095
                                                                 .000
12
         11 Runoff 11
                                   207.400
                                                  65.746
                                                                 .000
13
         12 Runoff 12
                                    28.000
                                                  8.876
                                                                 -000
14
         13 Runoff 13
                                    42.000
                                                  13.314
                                                                .000
15
         14 Runoff 14
                                    93.200
                                                 29.544
                                                                .000
16
         15 Runoff 15
                                   815.800
                                                 258.609
                                                                -000
17
         16 Runoff 16
                                    23.300
                                                  7.354
                                                                 .000
18
         17 Runoff 17
                                    32,600
                                                 10.334
                                                                .000
19
         18 Runoff 18
                                    32.600
                                                 10.334
                                                                .000
20
         19 Runoff 19
                                    67.600
                                                 21.429
                                                                -000
```

```
20 Runoff 20
                                      102.600
                                                    32.524
                                                                     .000
                                                      2.219
                                                                     .000
22
          21 Runoff 21
                                        7.000
23
24
                                                                    .000
           4 CHESTATEE RIVER
                                      613.800
                                                    498.330
                                                                     -000
           3 WAHOO CREEK TRIB
                                       64.700
                                                     57.772
25
           2 W FORK LITTLE RV
                                       46.600
                                                     28.386
                                                                     .000
                                                                    .000
26
                                                    25.232
           2 E FORK LITTLE RV
                                       41.400
                                                                     .000
27
          14 FLAT CREEK (F1)
                                       15,500
                                                      9.462
28
          15 LIMESTONE CREEK
                                       10.400
                                                      6.308
                                                                    -000
                                       46.600
                                                    31.540
                                                                    .000
29
          14 FLAT CREEK (H1)
30
           9 FOUR MILE CREEK
                                      20.700
                                                     9.462
                                                                    .000
      1
                                                  2691.370
31
          21 OUTFLOW
                                      689.900
                                                                    .000
INPUT GROUP 7 - TRIBUTARY CONCENTRATIONS (PPB): MEAN/CV
                                                                   INORG N
                                                                            ECORG P
ID
          CONSERV
                        TOTAL P
                                      TOTAL N
                                                    ORTHO P
         .0/ .00
                     50.0/ .00
                                  717.0/ .00
                                                    .0/ .00
                                                                  .0/ .00
                                                                                .0
 2
         .0/ .00
                     52.0/ .00
                                  850.0/ .00
                                                    .0/ .00
                                                                  .0/ .00
                                                                                .0
 3
                     52.0/ .00
                                  850.0/ .00
                                                                  .0/ .00
         .0/ .00
                                                    .0/ .00
                                                                                .0
         .0/ .00
                     52.0/ .00
                                  850.0/ .00
                                                    .0/ .00
                                                                  .0/ .00
                                                                                .0
 5
                                                    .0/ .00
                                                                  .0/ .00
         .0/ .00
                     52.0/ .00
                                  850.0/ .00
                                                                                .0
 6
         .0/ .00
                     52.0/ .00
                                  850.0/ .00
                                                   .0/ .00
                                                                  .0/ .00
                                                                                .0
                                                                  .0/ .00
 7
         .0/ .00
                     52.0/ .00
                                  850.0/ .00
                                                    .0/ .00
                                                                                .0
 8
         .0/ .00
                     52.0/ .00
                                  850.0/ .00
                                                    .0/ .00
                                                                  .0/ .00
                                                                                .0
         .0/ .00
                     52.0/ .00
                                  850.0/ .00
                                                   .0/ .00
                                                                  .0/ .00
                                                                                .0
                     52.0/ .00
10
         .0/ .00
                                  850.0/ .00
                                                    .0/ .00
                                                                  .0/ .00
                                                                                .0
11
         .0/ .00
                     52.0/ .00
                                  850.0/ .00
                                                    .0/ .00
                                                                  .0/ .00
                                                                                .0
12
         .0/ .00
                     52.0/ .00
                                  850.0/ .00
                                                   .0/ .00
                                                                  .0/ .00
13
         .0/ .00
                     52.0/ .00
                                  850.0/ .00
                                                   .0/ .00
                                                                  .0/ .00
                                                                                ٥.
                     52.0/ .00
14
                                  850.0/ .00
         .0/ .00
                                                    .0/ .00
                                                                  .0/ .00
                                                                                .0
15
         .0/ .00
                     52.0/ .00
                                  850.0/ .00
                                                    .0/ .00
                                                                  .0/ .00
                                                                                .0
16
         .0/ .00
                     52.0/ .00
                                  850.0/ .00
                                                    .0/ .00
                                                                  .0/ .00
                                                                                .0
17
         .0/ .00
                     52.0/ .00
                                  850.0/ .00
                                                   .0/ .00
                                                                  .0/ .00
                                                                                ٠0
18
         .0/ .00
                     52.0/ .00
                                  850.0/ .00
                                                    .0/ .00
                                                                  .0/ .00
                                                                                .0
19
         .0/ .00
                     52.0/ .00
                                  850.0/ .00
                                                   .0/ .00
                                                                  .0/ .00
                                                                                .0
20
                     52.0/ .00
                                  850.0/ .00
         .0/ .00
                                                   .0/ .00
                                                                  .0/ .00
                                                                                ٠0
21
22
         .0/ .00
                     52.0/ .00
                                  850.0/ .00
                                                    .0/ .00
                                                                  .0/ .00
                                                                                .0
                     52.0/ .00
         .0/ .00
                                  850.0/ .00
                                                    .0/ .00
                                                                  .0/ .00
                                                                                .0
23
         .0/ .00
                     69.0/ .00
                                  623.0/ .00
                                                   .0/ .00
                                                                  .0/ .00
24
         .0/ .00
                                  931.0/ .00
                     72.0/ .00
                                                   .0/ .00
                                                                  .0/ .00
                                                                                .0
25
                     55.0/ .00
         .0/ .00
                                 1072.0/ .00
                                                   .0/ .00
                                                                  .0/ .00
                                                                                ٠0
26
         .0/ .00
                     62.0/ .00
                                 1295.0/ .00
                                                   .0/ .00
                                                                  .0/ .00
                                                                                .0
27
         .0/ .00
                   2234.0/ .00
                                10324.0/ .00
                                                   .0/ .00
                                                                  .0/ .00
                                                                                .0
28
         .0/ .00
                    158.0/ .00
                                 1036.0/ .00
                                                                  .0/ .00
                                                   .0/ .00
                                                                                .0
                                  739.0/ .00
                                                   .0/ .00
                                                                  .0/ .00
29
         .0/ .00
                     41.0/ .00
                                                                                .0
30
             .00
                     52.0/ .00
                                 1293.0/ .00
         .0/
                                                   .0/
                                                       -00
                                                                  .0/ .00
                                                                                .0
31
         .0/ .00
                     14.8/ .00
                                  359.9/ .00
                                                   .0/ .00
                                                                  .0/ .00
                                                                                .0
INPUT GROUP 8 - MODEL SEGMENTS
                                        ----- CALIBRATION FACTORS -----
SEG OUTFLOW GROUP SEGMENT NAME
                                       P SED
                                              N SED
                                                      CHL-A SECCHI
                                                                        HOD
                                                                                  DISP
                    WAHOO CREEK
                                         .42
                                                 .39
                                                       1.14
                                                                       1.00
                                                                                 1.000
                                                               1.00
                                                 .39
                                                                                 1.000
                    WEST FORK
                                          .42
                                                        1.14
                                                               1.00
                                                                       1.00
 3
                    WAHOO-LITTLE RIV
                                         .42
                                                 .39
                                                        1.14
                                                               1.00
                                                                       1.00
                                                                                 1.000
         16
 4
5
                                                        1.18
          6
                    YELLOW CREEK
                                        6.94
                                                1.25
                                                               1.00
                                                                       1.00
                                                                                 1.000
                                                1.25
                                                               1.00
                                                                       1.00
                                                                                 1,000
                    THOMPSON CREEK
                                        6.94
          6
                                                        1.18
 6
          7
                4
                    CHEST1
                                        6.94
                                                1.25
                                                        1.18
                                                               1.00
                                                                       1.00
                                                                                 1.000
 7
                                        6.94
                                                1.25
                                                                                 1.000
                    TAYLOR CREEK
                                                        1.18
                                                               1.00
                                                                       1.00
                                                1.25
 8
         18
                   LATHAM CREEK
                                        6.94
                                                        1.18
                                                               1.00
                                                                       1.00
                                                                                 1,000
 9
         20
                                                 .39
                    SIX-FOUR MILE
                                          .42
                                                        1.14
                                                               1.00
                                                                       1.00
                                                                                 1.000
10
         21
                    YOUNG DEER CRK
                                                 .39
                                                        1.14
                                                               1.00
                                                                       1.00
                                                                                 1.000
                                          .42
11
         21
                    BALD BRIDGE CRK
                                          .42
                                                 .39
                                                        1.14
                                                               1.00
                                                                       1.00
                                                                                 1.000
                   SHOAL CREEK
         21
                                          .42
                                                  .39
                                                                                 1.000
12
                                                       1.14
                                                               1.00
                                                                       1.00
13
         14
                    BALUS CREEK
                                          .42
                                                 .39
                                                        1.14
                                                               1.00
                                                                       1.00
                                                                                 1.000
14
         19
                2
                    FLAT CREEK
                                        1.43
                                                 .94
                                                         .91
                                                               1.00
                                                                       1.00
                                                                                 1.000
15
                3
                                        4.01
                                                 .84
                                                       2.50
                    CHAT1
                                                               1.00
                                                                       1.00
                                                                                 1.000
         16
                                        4.01
                    CHAT2-SARDIS-ADA
                                                  .84
16
         17
                3
                                                       2.50
                                                               1.00
                                                                       1.00
                                                                                 1.000
17
         18
                    CHAT3
                                          .42
                                                 .39
                                                        1.14
                                                               1.00
                                                                       1.00
                                                                                 1.000
                                                       1.14
                    CHAT4-CHEST BAY
                                          .42
                                                 .39
                                                               1.00
                                                                       1.00
                                                                                 1.000
18
         19
                                                  .39
                                                               1.00
                                                                       1.00
                    CHATS-2-MILE, MUD
                                          .42
                                                                                 1.000
19
         20
                                                        1.14
20
         21
                    CHAT6-FLOWRY, BIG
                                          .42
                                                 .39
                                                        1.14
                                                               1.00
                                                                       1.00
                                                                                 1.000
```

21 INPUT	0 GROUP 9			FORD DAM			1.14	1.00	1.00	1.00
		- 350	LENGTH	RPHUMETR' ARI			ZMIX	ZHY	P TAR	GET P
ID LA	BEL HOO CREEI	,	KM	KI		M	M		M	PPB
	ST FORK	`	3.80 5.00	2.389 2.659			00/ .12 00/ .12		.00	.0
	HOO-LITTL		5.00	3.857			00/ .12		.00	.0 .0
	LLOW CREE Ompson cr		11.30	5.837		2 6.0	00/ .12		.00	.0
6 CHI		CEEK	5.00 3.00	3.313 3.374			00/ .00		-00	.0
7 TAY	LOR CREE	K	5.00	2.158			10/ .12	.00/	.00	.0 .0
	THAM CREE (-FOUR MI		5.00	10.730		6.0	00. \0	.00/	.00	.0
10 YOU	JNG DEER	CRK	6.30 5.00	7.673 4.113			00. \0	.00/		.0
11 BAL	D BRIDGE	CRK	7.50	7.153		2 6.0	0/ .12	.00/ .00/		.0 .0
12 SHC	AL CREEK		3.80	5.788	0 22.2	1 6.0	0/ .00	.00/		.0
	.US CREEK		2.50 5.80	1.385 3.741			0/ .12	-00/		.0
15 CHA	T1		15.00	6.880		_ ::::	0/ .00 0/ .12	.00/ .00/		.0 .0
16 CHA 17 CHA	T2-SARDI	S-ADA	5.00	8.903	0 14.74	6.0	0/ .00	.00/		.0
	T4-CHEST	RAY	6.30 5.00	9.664 8.878			0/ .00	.00/	.00	.0
19 CHA	T5-2-MIL	E,MUD	6.20	22.860			0/ .12 0/ .00	.00/ .00/		.0 .0
20 CHA	T6-FLOWR	Y,BIG	5.00	25.240	0 24.13	6.0	0/ .12	.00/	.00	.0
ZI CHA	I / -BUFUKI	UAM	5.00	11.270	0 27.72	6.0	0/ .00	.00/	.00	.0
INPUT	GROUP 10	- OBS	ERVED W	ATER QUA	LITY					
SEG	TURBID (	CONSER ?	TOTALP MG/M3		CHL-A S		ORG-N	TP-OP	HODV	MODV
1 MN:	.20	.0	.0	.0	MG/M3 .0	.0	MG/M3 .0	MG/M3 M	IG/M3-D .0	MG/M3-D .0
CV: 2 MN:	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
CV:	.20 .00	.00	0. 00.	.0 .00	.0 .00	.0	.0	.0	.0	.0
3 MN:	.20	.0	.0	.0	.0	.00 .0	.00 .0	.00 .0	.00 .0	.00 .0
CV: 4 MN:	.00 .37	.00	.00	.00	.00	.00	.00	.00	.00	.00
CV:	.06	0. 00.	21.3	486.0 .08	6.7 .08	2.0	.0 .00	6.8	.0	.0
5 MN:	.30	.0	.0	.0	.0	.0	.00	.22 .0	.00 .0	.00 .0
CV: 6 MN:	.00 .30	.00	.00	.00	.00	.00	.00	.00	.00	.00
CV:	.00	.00	.00	.0 .00	.0 .00	.0 .00	.0 .00	.0 .00	.0	.0
7 MN:	.38	.0	12.5	485.6	5.2	2.1	.0	9.0	.00 .0	.00 .0
CV: 8 MN:	.11 .35	.00	.05	.07	.03	.09	.00	.00	.00	.00
CV:	.22	.00	.0 .00	.0 .00	.0 .00	.0 .00	.0 .00	.0	.0	.0
9 MN:	.24	.0	17.3	286.0	5.0	3.0	.0	.00 3.6	.00 .0	.00 .0
CV: 10 MN:	.09 .20	.00	.18	.14	.19	.03	.00	.18	.00	.00
CV:	.00	.00	.0 .00	.0 .00	.0 .00	.0 .00	.0 .00	.0	.0	.0
11 MN:	.23	.0	19.1	457.0	4.7	3.0	.0	.00 5.4	.00 .0	.00 .0
CV: 12 MN:	.00 .28	.00 .0	.14	.28	.00	.00	.00	.20	.00	.00
CV:	.04	.00	8.6 .07	480.0 .36	3.4 .03	2.9 .03	.0 .00	3.8 .24	.0	.0
13 MN:	.30	.0	.0	.0	.0	.0	.0	.0	.00 .0	.00 .0
CV: 14 MN:	.00 .29	.00 .0	.00	-00	.00	-00	.00	.00	.00	.00
CV:	.38	.00	44.0 .04	657.0 .10	11.3 .08	1.9 .21	.0 .00.	30.0 .00	.0 .00	.0
15 MN:	.30	.0	.0	.0	.0	.0	.0	.0	.00	.00 .0
CV: 16 MN:	.00 .26	.00	.00 17.2	.00 543.0	.00 11.4	.00 2.1	.00	.00	.00	.00
CV:	.18	.00	.10	.05	.18	.04	.0 .00	2.4 .16	.0 .00	.0 .00
17 MN:	.31	.0	13.1	457.0	5.0	2.4	.0	3.6	.0	.00
CV: 18 mn:	.02 .20	.00 .0	.07 .0	.15 .0	.07	.00	.00	.10	.00	.00
CV:	.00	.00	.00	.00	.0 .00	.00	.0 .00	.0 .00	.0 .00	.0
19 MN:	.24	.0	8.7	300.0	4.8	3.0	.0	6.0	.00	.00 .0
CV:	.19 .23	.00 .0	.19 14.8		.19	.12	.00	.26	.00	.00
			17.0	JJ7.0	4.2	3.2	.0	12.5	.0	.0

```
CV:
            .03
                    .00
                            .20
                                   .19
                                           .05
                                                   .02
                                                           .00
                                                                  .10
                                                                          .00
                                                                                  .00
                                                                  5.0
            .23
                     .0
                                 256.9
                                           4.2
                                                                           .0
                                                                                   .0
21 MN:
                           7.0
                                                  3.2
                                                            -0
            .05
    CV:
                    .00
                           .11
                                   .14
                                           .08
                                                   .03
                                                           .00
                                                                  .07
                                                                          .00
                                                                                  .00
INPUT GROUP 11
                 - NON-POINT WATERSHED AREAS (KM2)
ID COD NAME
                           landuse1 landuse2 landuse3 landuse4
      2 Runoff 1
                             249.40
                                           .00
                                                     .00
                                                               .00
                             496.50
        Runoff 2
                                           .00
                                                     .00
                                                               .00
      2 Runoff 3
                              65.30
                                           .00
                                                     .00
                                                               .00
        Runoff 4
                             261.10
                                           .00
                                                     .00
                                                               .00
      2 Runoff 5
                              23.30
                                           .00
                                                     .00
                                                               .00
                              30.30
      2 Runoff 6
                                           .00
                                                     .00
                                                               .00
 8
        Runoff
                              28.00
                                           .00
                                                     .00
                                                               .00
      2 Runoff 8
                              37.30
                                           .00
                                                     -00
                                                               .00
10
                              74.60
      2 Runoff 9
                                           .00
                                                     .00
                                                               .00
11
        Runoff 10
                              35.00
                                           .00
                                                     .00
                                                               .00
12
      2 Runoff 11
                             207.40
                                           .00
                                                     .00
                                                               .00
13
      2 Runoff 12
                              28.00
                                           .00
                                                     .00
                                                               .00
14
      2 Runoff 13
                              42.00
                                           .00
                                                     .00
                                                               -00
15
      2 Runoff 14
                              93.20
                                           .00
                                                     .00
                                                               .00
16
      2 Runoff 15
                             815.80
                                           .00
                                                     .00
                                                               .00
17
      2 Runoff 16
                                                               .00
                              23.20
                                           .00
                                                     .00
18
                              32.60
      2 Runoff 17
                                           .00
                                                     .00
                                                               .00
19
      2 Runoff 18
                              32.60
                                           .00
                                                     .00
                                                               .00
20
      2 Runoff 19
                              67.60
                                           .00
                                                     .00
                                                               .00
21
      2 Runoff 20
                                           .00
                             102.60
                                                     .00
                                                               .00
22
     2 Runoff 21
                               7.00
                                           .00
                                                     .00
                                                               .00
INPUT GROUP 12 - NON-POINT EXPORT CONCENTRATIONS
IC LAND USE
                       RUNOFF CONSERV TOTAL P TOTAL N ORTHO P INORG N
                         M/YR
                                    PPB
                                            PPB
                                                     PPB
                                                              PPB
                                                                       PPB
 1 landuse1
                           .32
                                     -0
                                           52.0
                                                   850.0
                                                                .0
                                                                        .0
                 CV:
                           .00
                                    .00
                                             .00
                                                      .00
                                                                       .00
                                                                .00
 2 landuse2
                           .00
                                     -0
                                              -0
                                                       .0
                                                                .0
                                                                         .0
                 CV:
                           .00
                                    .00
                                             .00
                                                      .00
                                                               .00
                                                                       .00
 3 landuse3
                           .00
                                     .0
                                              .0
                                                       ٠0
                                                                .0
                                                                        ٠0
                 CV:
                           .00
                                    .00
                                             .00
                                                      .00
                                                               .00
                                                                       .00
 4 landuse4
                           .00
                                     .0
                                                                .0
                                                                        .0
                 CV:
                           .00
                                    .00
                                             .00
                                                      .00
                                                              .00
                                                                       .00
INPUT GROUP 13 - MODEL COEFFICIENTS
IC COEFFICIENT
   P DECAY RATE
                           1.000
                                      .45
                           1.000
                                      .55
  N DECAY RATE
 3 CHL-A MODEL
                           1.000
                                      .26
   SECCHI MODEL
                           1.000
                                      .10
   ORGANIC N MODEL
                          1.000
                                      .12
 6 TP-OP MODEL
                          1.000
                                      . 15
   HODV MODEL
                           1.000
                                      .15
  MODV MODEL
                           1.000
                                      .22
  BETA M2/MG
                            .020
                                      .00
10 MINIMUM QS
                            .100
                                      .00
11 FLUSHING EFFECT
                           1.000
                                      .00
12 CHLOROPHYLL-A CV
                            .620
                                      .00
INPUT GROUP 14 - CASE NOTES
```

# Appendix D Model Input Files for West Point Lake

```
West Point 1991 (P Uncalibated)
INPUT GROUP 2 - PRINT OPTIONS
 1 LIST INPUTS
                                      O NO
 2 HYDRAULICS & DISPERSION
                                      1 YES
 3 GROSS WATER & MASS BALANCES
                                      2 ESTIMATED CONCS
 4 DETAILED BALANCES BY SEGMENT
 5 SUMMARIZE BALANCES BY SEGMENT
 6 COMPARE OBS & PREDICTED CONCS
                                      O NO
 7 DIAGNOSTICS
                                      1 ALL SEGMENTS
 8 PROFILES
                                      1 ESTIMATED CONCENTRATIONS
 9 PLOTS
                                      2 GEOMETRIC SCALE
10 SENSITIVITY ANALYSIS
INPUT GROUP 3 - MODEL OPTIONS
 1 CONSERVATIVE SUBSTANCE
                                      0 NOT COMPUTED
 2 PHOSPHORUS BALANCE
                                      1 2ND ORDER, AVAIL P
 3 NITROGEN BALANCE
                                      O NOT COMPUTED
 4 CHLOROPHYLL-A
                                      2 P, LIGHT, T
1 VS. CHLA & TURBIDITY
 5 SECCHI DEPTH
 6 DISPERSION
                                      1 FISCHER-NUMERIC
 7 PHOSPHORUS CALIBRATION
                                      1 DECAY RATES
 8 NITROGEN CALIBRATION
                                      1 DECAY RATES
 9 ERROR ANALYSIS
                                      1 MODEL & DATA
10 AVAILABILITY FACTORS
                                      0 MODEL 1 ONLY
INPUT GROUP 4 - VARIABLES
            ATMOSPHERIC LOADINGS AVAILABILITY
             KG/KM2-YR
VARIABLE
                             CV
                                     FACTOR
                            .00
 1 CONSERV
                   -00
                                        -00
                 30.00
 2 TOTAL P
                            .50
                                       1.00
                            -50
 3 TOTAL N
                1000-00
                                       1.00
                            .50
 4 ORTHO P
                 15.00
                                        .00
 5 INORG N
                500.00
                            .50
                                        -00
INPUT GROUP 5 - GLOBAL PARAMETERS
PARAMETER
 1 PERIOD LENGTH
                                    .583
                                           .000
 2 PRECIPITATION M
                                    .790
                                           .200
 3 EVAPORATION
                                   1.000
                                           .300
 4 INCREASE IN STORAGE M
                                  -1.580
                                           .000
 5 FLOW FACTOR
                                   1.000
                                           .000
 6 DISPERSION FACTOR
                                   1.000
                                           .700
 7 TOTAL AREA
                                    .000
 8 TOTAL VOLUME
INPUT GROUP 6 - TRIBUTARY DRAINAGE AREAS AND FLOWS
ID TYPE SEG NAME
                             DRAINAGE AREA
                                              MEAN FLOW CV OF MEAN FLOW
                                       KH2
                                                 HM3/YR
                                  6941.000
         10 CHAT AT FRANK
                                               5070.940
                                                                .000
                                    69.070
                                                  16.133
          1 BRUSH
                                                                -000
2
 3
     2
                                   119,400
          2 NEW RIVER
                                                  28.298
                                                                .000
          3 POTATO
                                   235.000
                                                                .000
                                                  55.695
                                                                .000
          4 WOLF
                                    50.200
                                                  11.897
```

```
5 YELLOWJACKET
                                         50.200
                                                       99.739
                                                                        .000
   7
             5 YC
                                          7.390
                                                         1.751
                                                                        .000
             5 SHOAL
                                         22.500
                                                        12.000
                                                                        .000
             5 BEECH
                                         29.430
                                                       16,000
                                                                        .000
  10
             5 B3A
                                          7.780
                                                         1.844
                                                                       .000
  11
             5 B3B
                                          7.780
                                                         1.844
                                                                       .000
       2
  12
             5 DIXIE
                                          5.830
                                                        1.382
                                                                       .000
  13
       2
             5 JACKSON
                                         48.620
                                                       11.523
                                                                       .000
  14
                                          8.750
                                                        2.074
                                                                       .000
  15
       2
             5 Y1A
                                          5.830
                                                        1.382
                                                                       .000
  16
       2
             5 WILLOW/SHERWOOD
                                        38.890
                                                        9.217
                                                                       .000
  17
             6 WHITEWATER
                                        86.550
                                                        5.000
                                                                       .000
  18
       2
             6 THOMPSON
                                         64.180
                                                       15.211
                                                                       .000
  19
             7 WILSON
                                        38.900
                                                        9.219
                                                                       .000
 20
             8 WEHADKEE
                                        81.350
                                                       19.280
                                                                       .000
  21
             8 GUSS
                                       180.890
                                                       42.871
                                                                       -000
 22
23
       2
             8 CANEY
                                        97.250
                                                       23.048
                                                                       -000
       2
             8 L.WEHADKEE
                                       132.260
                                                       31.346
                                                                       .000
 24
25
            8 WE2
                                        31.120
                                                        7.375
                                                                       .000
       2
            8 UF3
                                         9.720
                                                        2.304
                                                                       .000
 26
       2
            8 STROUD
                                        40.840
                                                        9.679
                                                                      .000
 27
       2
            8 VEASEY
                                        33.060
                                                        7.835
                                                                      .000
 28
      2
            9 MAPLE
                                        64.180
                                                       15.211
                                                                       .000
 29
      2
           10 TALLEY
                                        35.010
                                                        8.297
                                                                      .000
 30
      2
           10 ZACHARY
                                        35.010
                                                        8.297
                                                                      .000
 31
      2
           10 Z1-Z2
                                        44.720
                                                       10.599
                                                                      -000
 32
      2
           11 R2
                                        52.510
                                                       12.445
                                                                      .000
 33
      2
           12 P5-P6
                                        31.110
                                                       7.373
                                                                      .000
 34
      2
           13 P7
                                        19.450
                                                        4.610
                                                                      -000
 35
      2
           14 P8
                                         5.830
                                                       1.382
                                                                      .000
 36
      2
           15 P9
                                        33.060
                                                       7.835
                                                                      .000
 37
           16 J2A
                                        18.080
                                                       4.285
                                                                      .000
      2
 38
           17 J2B
                                         8.360
                                                       1.981
                                                                      .000
 39
           18 ⊌2
                                         7.780
                                                       1.844
                                                                      .000
 40
      2
           19 W3
                                        18.080
                                                       4.285
                                                                      .000
 41
      2
           20 WI1/W12
                                        44.730
                                                      10.601
                                                                      -000
 42
      2
           21 WI3/V2A
                                        22.360
                                                       5.299
                                                                      .000
 43
      2
           22 V2B
                                        14.580
                                                       3.455
                                                                      .000
           22 CHAT AT WP
                                     9194.000
                                                    5885.000
                                                                      .000
INPUT GROUP 7 - TRIBUTARY CONCENTRATIONS (PPB): MEAN/CV
ID
          CONSERV
                         TOTAL P
                                       TOTAL N
                                                      ORTHO P
                                                                    INORG N ECORG P
          .0/ .00
                     198.8/ .10
                                       .0/ .00
                                                     .0/ .00
                                                                   .0/ .00
                                                                                  .0
                     34.5/ .15
34.5/ .15
 2
          .0/ .00
                                      .0/ .00
                                                     .0/ .00
                                                                   .0/ .00
                                                                                  .0
 3
         .0/ .00
                                       .0/ .00
                                                     .0/ .00
                                                                   .0/ .00
                                                                                  .0
          .0/ .00
                     34.5/ .15
                                      .0/ .00
                                                     .0/ .00
                                                                   .0/ .00
                                                                                  .0
 5
         .0/ .00
                     34.5/ .15
                                      .0/ .00
                                                     .0/ .00
                                                                   .0/ .00
                                                                                  .0
                     48.0/ .15
 6
         .0/ .00
                                                  25.5/ .35
.0/ .00
                                   964.0/ .11
                                                                242.4/ .09
                                                                                  .0
 7
         .0/ .00
                     34.5/ .15
                                      .0/ .00
                                                                   .0/ .00
                                                                                  .0
                     32.0/ .10
39.0/ .06
 8
         .0/ .00
                                   702.0/ .02
751.0/ .05
                                                   5.4/ .13
                                                                242.4/ .09
                                                                                  .0
 9
         .0/ .00
                                                   9.5/ .16
                                                                206.8/ .08
                                                                                  .0
10
         .0/ .00
                     34.5/ .15
34.5/ .15
                                      .0/ .00
                                                    .0/ .00
                                                                   .0/ .00
                                                                                  .0
11
         .0/ .00
                                      .0/ .00
                                                     .0/ .00
                                                                   .0/ .00
                                                                                 .0
12
         .0/ .00
                     34.5/ .15
                                                    .0/ .00
                                                                   .0/ .00
                                                                                  .0
13
         .0/ .00
                     34.5/ .15
                                      .0/ .00
                                                    .0/ .00
                                                                   .0/ .00
                                                                                 .0
14
         .0/ .00
                     34.5/ .15
                                      .0/ .00
                                                    .0/ .00
                                                                   .0/ .00
                                                                                 .0
15
         .0/ .00
                     34.5/ .15
                                      .0/ .00
                                                    .0/ .00
                                                                   .0/ .00
                                                                                 ٠0
16
         .0/ .00
                     34.5/ .15
                                      .0/ .00
                                                    .0/ .00
                                                                   .0/ .00
                                                                                 .0
17
         .0/ .00
                     19.0/ .02
                                  725.0/ .03
                                                   3.8/ .11
                                                               160.2/ .10
                                                                                 .0
                     34.5/ .15
18
         .0/ .00
                                      .0/ .00
                                                    .0/ .00
                                                                   .0/ .00
                                                                                 ٠0
19
         .0/ .00
                     34.5/ .15
                                      .0/ .00
                                                    .0/ .00
                                                                   .0/ .00
                                                                                 .0
20
         .0/ .00
                     34.5/ .15
                                      -0/ :00
                                                    .0/ .00
                                                                   .0/ .00
                                                                                 .0
21
                     34.5/ .15
         .0/ .00
                                      .0/ .00
                                                    .0/ .00
                                                                   .0/ .00
                                                                                 .0
22
23
                    34.5/ .15
34.5/ .15
         .0/ .00
                                      .0/ .00
                                                    .0/ .00
                                                                   .0/ .00
                                                                                 .0
         .0/ .00
                                      .0/ .00
                                                    .0/ .00
                                                                   .0/ .00
                                                                                 .0
24
         .0/ .00
                     34.5/ .15
                                      .0/ .00
                                                    .0/ .00
                                                                   .0/ .00
                                                                                 .0
25
                    34.5/ .15
34.5/ .15
         .0/ .00
                                      .0/ .00
                                                    .0/ .00
                                                                   .0/ .00
                                                                                 .0
         .0/ .00
                                      .0/ .00
                                                    .0/ .00
                                                                   .0/ .00
                                                                                 .0
```

27	.0/	.00	34.5/	.15 .	0/ .00	.0	/ .00	.0/	.00	.0
28		.00	34.5/	.15 .	0/ .00	.0	/ .00		.00	.0
29		.00	34.5/	.15 .	00. \0		.00		.00	.0
30		.00	34.5/		0/ .00		.00		.00	.0
31 72		.00	34.5/		0/ .00		/ .00		.00 .00	.0 .0
32 33	-	.00 .00	34.5/ 34.5/		0/ .00		/ .00		.00	.0
34		.00	34.5/		0/ .00		/ .00		.00	.0
35		.00	34.5/		0/ .00		/ .00	.0/	.00	.0
36		.00	34.5/	.15 .	0/ .00	.0	/ .00		.00	.0
37		.00	34.5/	.15 .	0/ .00		/ .00		.00	.0
38 39		.00	34.5/ 34.5/		0/ .00		/ .00 / .00		.00	.0 .0
40		.00 .00	34.5/		0/ .00		/ .00		.00	.0
41		.00	34.5/		0/ .00		/ .00		.00	.0
42		.00	34.5/		0/ .00		/ .00		.00	.0
43		.00	34.5/		0/ .00		/ .00		.00	.0
44	.0/	.00	.0/	.00 .	0/ .00	.0	/ .00	.0/	.00	.0
INPUT	GROUP	8 - M	ODEL SEG	MENTS		_				
SEG OL	JTFLOW	GROUP	SEGMENT	NAME	P SED	N SED		TION FAC	HOD	DIS
1	10	8	BR		1.00	1.00	1.00	1.00	1.00	1.00
2	10	8	NR		1.00	1.00	1.00	1.00	1.00	1.00
3 4	10 14	8 8	PO WO		1.00 1.00	1.00 1.00	1.00	1.00 1.00	1.00 1.00	1.00 1.00
5	16	2	YE		1.00	1.00	1.00	1.00	1.00	1.00
6	17		WH		1.00	1.00	1.00	1.00	1.00	1.00
7	19	1	WI		1.00	1.00	1.00	1.00	1.00	1.00
8	20	4	WE		1.00	1.00	1.00	1.00	1.00	1.00
9	22	7	MA		1.00	1.00	1.00	1.00	1.00	1.00
10 11	11 12	5 5	CH1 CH2		1.00	1.00	1.00	1.00 1.00	1.00	1.00 1.00
12	13	5	CH2		1.00	1.00	1.00	1.00	1.00	1.00
13	14	5	CH4		1.00	1.00	1.00	1.00	1.00	1.00
14	15	5	CH5		1.00	1.00	1.00	1.00	1.00	1.00
15	16	5	CH6		1.00	1.00	1.00	1.00	1.00	1.00
16 17	17 18	5 6	CH7		1.00	1.00	1.00	1.00	1.00	1.00
18	19	6	CH8 CH9		1.00 1.00	1.00 1.00	1.00	1.00 1.00	1.00	1.00 1.00
19	20	6	CH10		1.00	1.00	1.00	1.00	1.00	1.00
20	21	6	CH11		1.00	1.00	1.00	1.00	1.00	1.00
21	22	6	CH12		1.00	1.00	1.00	1.00	1.00	1.00
22	0	6	CH13		1.00	1.00	1.00	1.00	1.00	1.00
INPUT	GROUP	9 - SI		ORPHOMETRY			*****	31111		
ID LAE	RFI .		LENGT K			N . M	ZMIX M	ZHYI	1 IAKU	SET P PPB
1 BR			2.5				1/ .12	.00/	-	.0
2 NR			4.6	0 1.350			9/ .12	.00/		.0
3 PO			1.7				1/ .12	.00/		.0
4 WO			1.7				4/ .12	.00/		.0
5 YE 6 WH			19.7 5.4				6/ .12 3/ .12	.00/ .00/		.0 .0
7 WI			2.5				5/ .12	.00/		.0
8 WE			19.6				1/ .12	.00/		.0
9 MA			5.0				9/ .12	.00/		.0
10 CH1			8.3				2/ .12	.00/		.0
11 CH2			2.5				2/ .12	.00/		.0
12 CH3			2.50 2.50				3/ .12 4/ .12	.00/ .00/		.0 .0
14 CH5			3.9				2/ .12	.00/		.0
15 CH6			2.5			6 5.9	6/ .12	.00/		.0
16 CH7	,		1.3	.650	0 7.4	2 5.8	6/ .12	.00/	.00	.0
			2.5				1/ .12	.00/		.0
17 CH8	,		1.79 2.59				8/ .12	.00/		.0
17 CH8				. 3-0113	0 8.9	0.4	4/ .12	.00/	.00	.0
17 CH8 18 CH9 19 CH1	10					2 6.7	1/ .12	.007	.00	۵,
17 CH8	10 11		2.50 2.50 2.50	11.270	0 9.8		1/ .12 8/ .12	.00/ .00/		.0 .0

```
22 CH13
                             1.70
                                       4.2800 14.46
                                                        7.68/ .12
                                                                         .00/ .00
                                                                                         .0
   INPUT GROUP 10 - OBSERVED WATER QUALITY
            TURBID CONSER TOTALP TOTALN
   SEG
                                             CHL-A SECCHI
                                                              ORG-N
                                                                      TP-OP
                                                                                HODV
                                                                                        MODV
               1/H
                       ?
                             MG/M3
                                     MG/M3
                                             MG/M3
                                                              MG/M3
                                                          М
                                                                      MG/M3
                                                                             MG/M3-D
                                                                                       MG/M3-D
     1 MN:
              1.62
                         .0
                                 .0
                                         .0
                                                 .0
                                                          .0
                                                                  .0
                                                                          .0
                                                                                  .0
                                                                                           .0
      CV:
               .00
                       .00
                                .00
                                         .00
                                                .00
                                                        .00
                                                                 .00
                                                                         .00
                                                                                 .00
                                                                                          .00
    2 MN:
              1.22
                      63.8
                              51.5
                                     652.0
                                               19.4
                                                         -6
                                                                  ٠.
                                                                          .0
                                                                                  .0
                                                                                          .0
       CV:
               .03
                       .18
                               .06
                                        .17
                                                .09
                                                        .00
                                                                 .00
                                                                         .00
                                                                                 .00
                                                                                         -00
    3 MN:
              1.62
                        .0
                                .0
                                         _0
                                                 .0
                                                         .0
                                                                 .0
                                                                          .0
                                                                                  .0
                                                                                          .0
      CV:
              .00
                       .00
                               .00
                                        .00
                                                .00
                                                        .00
                                                                 .00
                                                                         .00
                                                                                 .00
                                                                                         .00
    4 MN:
              1.62
                        .0
                                .0
                                        .0
                                                 .0
                                                         .0
                                                                 .0
                                                                         .0
                                                                                  .0
                                                                                          -0
      CV:
               .00
                       .00
                               .00
                                        .00
                                                .00
                                                        .00
                                                                        .00
                                                                .00
                                                                                 .00
                                                                                         .00
    5 MN:
               .49
                      72.6
                              27.5
                                     595.0
                                               15.5
                                                        1.3
                                                                 .0
                                                                          .0
                                                                                  .0
                                                                                          .0
      cv:
               .18
                       .10
                               .12
                                       .14
                                                .11
                                                        .10
                                                                .00
                                                                        .00
                                                                                 .00
                                                                                         .00
    6 MN:
               .50
                        .0
                                .0
                                        -0
                                              19.2
                                                        1.1
                                                                 .0
                                                                         .0
                                                                                  .0
                                                                                          .0
      CV:
               .14
                       .00
                               .00
                                        .00
                                               .09
                                                        .07
                                                                .00
                                                                        .00
                                                                                .00
                                                                                         .00
    7 MN:
               .37
                     80.7
                              38.6
                                     926.0
                                              17.5
                                                        1.4
                                                                 .0
                                                                         .0
                                                                                 .0
                                                                                          .0
      CV:
               . 10
                       .03
                               .07
                                       -02
                                               .08
                                                        .03
                                                                .00
                                                                        .00
                                                                                .00
                                                                                         .00
    8 MN:
              .48
                     65.5
                              20.6
                                     471.0
                                              12.3
                                                       1.4
                                                                 -0
                                                                         .0
                                                                                 .0
                                                                                         .0
      CV:
              .12
                       .03
                               .04
                                       .24
                                               .12
                                                        .07
                                                                .00
                                                                        .00
                                                                                         .00
                                                                                .00
   9 MN:
              .39
                     78.3
                              22.3
                                    605.0
                                              12.4
                                                       1.6
                                                                 .0
                                                                         .0
                                                                                 .0
                                                                                          .0
      CV:
              .19
                      .02
                               .10
                                       .07
                                               .16
                                                       .10
                                                                .00
                                                                        .00
                                                                                .00
                                                                                         .00
  10 MN:
             1.86
                     86.0
                                .0
                                        .0
                                               3.3
                                                        .5
                                                                 .0
                                                                         .0
                                                                                 .0
                                                                                         .0
     CV:
              .20
                      .00
                                       .00
                               .00
                                               .37
                                                       .19
                                                                .00
                                                                        .00
                                                                                .00
                                                                                        .00
  11 MN:
             2.10
                       .0
                               .0
                                        .0
                                               6.0
                                                        .4
                                                                 _0
                                                                         .0
                                                                                         .0.
     CV:
              .19
                      .00
                               .00
                                       .00
                                               .29
                                                       .18
                                                                .00
                                                                        .00
                                                                                .00
                                                                                        .00
  12 MN:
             1.97
                     82.4
                             91.8 1085.0
                                               8.0
                                                        .5
                                                                .0
                                                                         -0
                                                                                 -0
                                                                                         .0
     CV:
              .13
                      .01
                              .08
                                       .09
                                               .24
                                                       .12
                                                               .00
                                                                        .00
                                                                                .00
                                                                                        .00
  13 MN:
             1.30
                       -0
                               .0
                                              16.8
                                                        .6
                                                                .0
                                                                        .0
                                                                                 .0
     CV:
                                                                                         .0
              .19
                      .00
                               .00
                                       .00
                                               .30
                                                       .14
                                                               .00
                                                                        .00
              .90
                                                                                .00
                                                                                        .00
  14 MN:
                    77.2
                             74.5
                                  1087.0
                                             17.5
                                                        .8
                                                                .0
                                                                        .0
                                                                                 .0
                                                                                         .0
     CV:
              .20
                      .07
                              .12
                                       .05
                                               .20
                                                       . 13
                                                               .00
                                                                        .00
                                                                               .00
                                                                                        .00
  15 MN:
              .62
                    79.7
                             66.0
                                    856.0
                                             20.1
                                                       1.0
                                                                .0
                                                                        .0
                                                                                .0
                                                                                         ٠.0
     CV:
              .18
                      .03
                              .17
                                      .22
                                               .10
                                                       .10
                                                               .00
                                                                       .00
                                                                               .00
                                                                                        .00
  16 MN:
              .38
                       .0
                               .0
                                       .0
                                             21.9
                                                       1.2
                                                                .0
                                                                        .0
                                                                                .0
                                                                                         .0
     CV:
              .23
                      .00
                              -00
                                       .00
                                               .08
                                                      .10
                                                               .00
                                                                       .00
                                                                               .00
                                                                                        .00
 17 MN:
              .44
                    79.3
                            47.5
                                   965.0
                                             22.0
                                                                .0
                                                                        .0
                                                                                .0
                                                                                         ٠0
     CV:
              . 15
                      .00
                              .10
                                      .07
                                              .10
                                                       .06
                                                               .00
                                                                       .00
                                                                               .00
 18 MN:
                                                                                       .00
              .34
                    80.8
                            41.4
                                   932.0
                                             20.0
                                                      1.4
                                                                .0
                                                                        .0
                                                                                .0
                                                                                        .0
     CV:
             .17
                     .02
                              .08
                                      .05
                                              .11
                                                       .05
                                                               .00
                                                                       .00
                                                                               .00
                                                                                       .00
 19 MN:
             .30
                      .0
                               .0
                                       .0
                                             19.7
                                                      1.4
                                                                .0
                                                                        .0
                                                                                -0
                                                                                        .0
     CV:
             .18
                      .00
                              .00
                                      -00
                                              .11
                                                       .05
                                                              .00
                                                                       .00
                                                                               .00
                                                                                       .00
 20 MN:
             .35
                    79.1
                                   797.0
                            33.5
                                             16.4
                                                      1.5
                                                                .0
                                                                        .0
                                                                                .0
                                                                                        .0
    CV:
             .19
                     .03
                             .12
                                              .12
                                      .10
                                                      .08
                                                               .00
                                                                       .00
                                                                               .00
                                                                                       .00
 21 MN:
             .35
                    77.2
                            25.8
                                   722.0
                                             13.6
                                                      1.6
                                                               .0
                                                                        .0
                                                                                -0
                                                                                        .0
    CV:
             .20
                     .03
                             .06
                                      .06
                                             .12
                                                      .10
                                                              .00
                                                                       .00
                                                                               .00
                                                                                       .00
 22 MN:
             .33
                    79.3
                            23.0
                                   675.0
                                            14.9
                                                      1.6
                                                               .0
                                                                       .0
                                                                               .0
                                                                                        .0
    CV:
             .22
                     .00
                             .03
                                      .07
                                              .13
                                                      .10
                                                              .00
                                                                       .00
                                                                               .00
                                                                                       .00
 INPUT GROUP 11 - NON-POINT WATERSHED AREAS (KM2)
 ID COD NAME
                             Averaged landuse2 landuse3 landuse4
      2 BRUSH
                                68.07
                                             .00
                                                        .00
                                                                  .00
      2 NEW RIVER
                               119.40
                                              -00
                                                        .00
                                                                  .00
      2 POTATO
                               235.00
                                             .00
                                                        .00
                                                                  .00
      2 WOLF
                                50.20
                                             .00
                                                        .00
                                                                  .00
      2 YC
                                 7.39
                                             -00
                                                        .00
                                                                  .00
 8
      1 SHOAL
                                22.50
                                             .00
                                                        .00
                                                                  -00
10
      2 B3A
                                 7.78
                                             .00
                                                        .00
                                                                  .00
11
      2 B3B
                                 7.78
                                             .00
                                                        -00
                                                                  .00
12
      2 DIXIE
                                 5.83
                                             .00
                                                        .00
                                                                  .00
13
      2 JACKSON
                                48.62
                                             .00
                                                        .00
                                                                  .00
14
        J1
                                 8.75
                                             .00
                                                       -00
                                                                  .00
15
     2 Y1A
                                 5.83
                                             .00
                                                        .00
                                                                  -00
16
     2 WILLOW/SHERWOOD
                               38.89
                                             .00
                                                       .00
                                                                  .00
18
     2 THOMPSON
                                64.18
                                             .00
                                                       .00
                                                                  .00
19
     2 WILSON
                               38.90
                                             .00
                                                       .00
                                                                  .00
20
     2 WEHADKEE
                               81.35
                                             .00
                                                       .00
                                                                  .00
```

21	2 GUSS	180.89	.00	.00	.00
22	2 CANEY	97.25	.00	.00	.00
23	2 L.WEHADKEE	132.26	.00	.00	.00
24	2 WE2	31.12	.00	.00	.00
25	2 WE3	9.72	.00	.00	.00
26	2 STROUD	40.84	.00	.00	.00
27	2 VEASEY	33.06	.00	.00	.00
28	2 MAPLE	64.18	.00	.00	.00
29	2 TALLEY	35.01	.00	.00	.00
30	2 ZACHARY	35.01	.00	.00	.00
31	2 Z1-Z2	44.72	.00	-00	.00
32	2 B2	52.51	.00	.00	.00
33	2 P5-P6	31.11	.00	.00	.00
34	2 P7	19.45	.00	.00	.00
35	2 P8	5.83	.00	.00	.00
36	2 P9	33.06	.00	.00	.00
37	2 J2A	18.08	.00	.00	.00
38	2 J2B	8.36	.00	.00	.00
39	2 W2	7.78	.00	.00	.00
40	2 W3	18.08	.00	.00	.00
41	2 WI1/W12	44.73	.00	.00	.00
42	2 WI3/V2A	22.36	.00	.00	.00
43	2 V2B	14.58	.00	.00	.00

#### INPUT GROUP 12 - NON-POINT EXPORT CONCENTRATIONS

IC LAND USE		RUNOFF M/YR	CONSERV	TOTAL P	TOTAL N	ORTHO P	INORG N
		m/ IK	775	278	PPB	PPB	PPB
1 Averaged	Use	.24	.0	34.5	.0	.0	.0
	CV:	.00	.00	.15	.00	.00	.00
2 landuse2		.00	.0	.0	.0	.0	.0
	CV:	.00	.00	.00	.00	.00	.00
3 landuse3		.00	.0	.0	.0	.0	.0
	CV:	.00	.00	.00	.00	.00	.00
4 landuse4		.00	.0	.0	.0	.0	.0
	CV:	.00	.00	.00	.00	.00	.00

#### INPUT GROUP 13 - MODEL COEFFICIENTS

IC COEFFICIENT	MEAN	CV
1 P DECAY RATE	1.000	.45
2 N DECAY RATE	1.000	.55
3 CHL-A MODEL	1.000	.26
4 SECCHI MODEL	1.000	.10
5 ORGANIC N MODEL	1.000	.12
6 TP-OP MODEL	1.000	.15
7 HODY MODEL	1.000	. 15
8 MODV MODEL -	1.000	.22
9 BETA M2/MG	.020	.00
10 MINIMUM QS	-100	.00
11 FLUSHING EFFECT	1.000	.00
12 CHLOROPHYLL-A CV	.620	-00

#### INPUT GROUP 14 - CASE NOTES

Water quality data for 1991 WES Landsat study WES tributary data from 1991 for YC, BC, SC and WC Landuse is tributary average P, Light, Flushing Model (Uncalibrated)

```
West Point 1991 (P Calibated)
  INPUT GROUP 2 - PRINT OPTIONS
   1 LIST INPUTS
                                        0 NO
   2 HYDRAULICS & DISPERSION
                                        1 YES
   3 GROSS WATER & MASS BALANCES
                                        2 ESTIMATED CONCS
   4 DETAILED BALANCES BY SEGMENT
                                        0 NO
   5 SUMMARIZE BALANCES BY SEGMENT
                                        O NO
   6 COMPARE OBS & PREDICTED CONCS
                                        O NO
   7 DIAGNOSTICS
                                        1 ALL SEGMENTS
   8 PROFILES
                                        1 ESTIMATED CONCENTRATIONS
   9 PLOTS
                                        2 GEOMETRIC SCALE
  10 SENSITIVITY ANALYSIS
                                        O NO
  INPUT GROUP 3 - MODEL OPTIONS
   1 CONSERVATIVE SUBSTANCE
                                        0 NOT COMPUTED
   2 PHOSPHORUS BALANCE
                                        1 2ND ORDER, AVAIL P
   3 NITROGEN BALANCE
                                        O NOT COMPUTED
   4 CHLOROPHYLL-A
                                        2 P, LIGHT, T
   5 SECCHI DEPTH
                                        1 VS. CHLA & TURBIDITY
   6 DISPERSION
                                        1 FISCHER-NUMERIC
  7 PHOSPHORUS CALIBRATION
                                        1 DECAY RATES
  8 NITROGEN CALIBRATION
                                       1 DECAY RATES
  9 ERROR ANALYSIS
                                        1 MODEL & DATA
  10 AVAILABILITY FACTORS
                                       0 MODEL 1 ONLY
 INPUT GROUP 4 - VARIABLES
              ATMOSPHERIC LOADINGS AVAILABILITY
 VARIABLE
               KG/KM2-YR
                             CV
  1 CONSERV
                    .00
                             .00
                                         .00
  2 TOTAL P
                  30.00
                             .50
                                        1.00
  3 TOTAL N
                 1000.00
                             .50
                                        1.00
  4 ORTHO P
                  15.00
                             .50
                                         .00
  5 INORG N
                 500.00
                             .50
                                         .00
 INPUT GROUP 5 - GLOBAL PARAMETERS
 PARAMETER
                                     MEAN
  1 PERIOD LENGTH
                      YRS
                                     .583
                                            .000
  2 PRECIPITATION M
                                     .790
                                            .200
  3 EVAPORATION M
                                    1.000
                                            .300
  4 INCREASE IN STORAGE M
                                   -1.580
                                            .000
  5 FLOW FACTOR
                                    1.000
                                            .000
  6 DISPERSION FACTOR
                                    1.000
                                            .700
  7 TOTAL AREA
                      KM2
                                     .000
                                            .000
  8 TOTAL VOLUME
                      HM3
                                     .000
                                            .000
INPUT GROUP 6 - TRIBUTARY DRAINAGE AREAS AND FLOWS
ID TYPE SEG NAME
                             DRAINAGE AREA
                                              MEAN FLOW CV OF MEAN FLOW
                                       KM2
                                                  HM3/YR
 1
          10 CHAT AT FRANK
                                  6941.000
                                                5070.940
                                                                .000
           1 BRUSH
                                    69.070
                                                  16.133
                                                                .000
 3
     2
           2 NEW RIVER
                                   119.400
                                                  28.298
                                                                .000
     2
          3 POTATO
                                   235.000
                                                  55.695
                                                                .000
 5
          4 WOLF
                                    50.200
                                                  11.897
                                                                .000
 6
     1
          5 YELLOWJACKET
                                    50.200
                                                  99.739
                                                                .000
     2
          5 YC
                                     7.390
                                                  1.751
                                                                .000
 8
          5 SHOAL
                                    22.500
                                                  12.000
                                                                .000
 9
     1
          5 BEECH
                                    29.430
                                                  16.000
                                                                .000
10
     2
          5 B3A
                                     7.780
                                                  1.844
                                                                -000
11
          5 B3B
                                     7.780
                                                  1.844
                                                                .000
     2
12
          5 DIXIE
                                     5.830
                                                  1.382
                                                                .000
13
          5 JACKSON
                                    48.620
                                                 11.523
                                                                .000
14
          5 J1
                                     8.750
                                                  2.074
                                                                .000
15
          5 Y1A
                                     5.830
                                                  1.382
                                                                .000
16
     2
          5 WILLOW/SHERWOOD
                                    38.890
                                                  9.217
                                                                .000
17
     1
          6 WHITEWATER
                                    86,550
                                                  5.000
                                                                .000
18
          6 THOMPSON
                                    64.180
                                                 15.211
                                                                .000
19
          7 WILSON
                                    38.900
                                                  9.219
                                                                .000
20
          8 WEHADKEE
                                    81.350
                                                 19.280
                                                                .000
```

21	_	GUSS		180.890			
22			Υ	97.250	23.048		
23			HADKEE	132.260 31.120	31.346 7.375	.000 .000	
24 25		WE2 WE3				.000	
26		STRO	(au	9.720 40.840	9.679	.000	
27	2 8	VEAS	EY	33.060	7.835	.000	
28	2 9	MAPL	E'	33.060 64.180	15.211		
29	2 10		EY	35.010 35.010	8.297	.000	
30			ARY	35.010	8.297	.000	
31	2 10	Z1-Z	2	44.720 52.510	10.599		
32	2 11	B2		52.510	12.445		
33	2 12	P5-P	6	31.110 19.450	7.373		
34	2 13	P7					
35		P8		5.830	1.382		
36	2 15	P9		33.060			
37 38	2 16 2 17	J2A J2B		18.080	4.285 1.981		
39		W2		8.360 7.780	1.844		
40	2 19	WZ W3		18,080	4.285		
41			w12	18.080 44.730	10.601		
42	2 21	WI3/	V2A	22.360	5.299		
43	2 22	V2B		22.360 14.580	3.455	.000	
44	4 22	CHAT	AT WP		5885.000	.000	
INP	JT GROUP	7 -	TRIBUTARY CON	CENTRATIONS (P	PB): MEAN/CV		
ID	CON	SERV	TOTAL P	TOTAL N	ORTHO P	INORG N	ECORG 1
1	.0/	.00	198.8/ .10	.0/ .00	.0/ .00	.0/ .00	.0
2		.00	34.5/ .15	.0/ .00 .0/ .00	0/ 00	0/00	.0
3		.00	34.5/ .15	.0/ .00 .0/ .00 .0/ .00 .0/ .00 964.0/ .11	.0/ .00	.0/ .00 .0/ .00 .0/ .00	.0
4	.0/	.00	34.5/ .15	.0/ .00	.0/ .00	.0/ .00	.0
5		-00	34.5/ .15	.0/ .00	.0/ .00	.0/ .00	
6 7	.0/	.00	40.U/ .13	904.0/ .11	.0/ .00	242.4/ .09	
8	.0/						
9	-0/	.00	39.0/ .06	702.0/ .02 751.0/ .05	9.5/ .16	206.8/ .08	
10		.00	34.5/ .15	.0/ .00	.0/ .00	.0/ .00	.0
11	.0/	.00	34.5/ .15	.0/ .00 .0/ .00 .0/ .00	.0/ .00	.0/ .00	.0
12		.00	34.5/ .15	.0/ .00	.0/ .00	.0/ .00	.0
13		.00	34.5/ .15	.0/ .00	.0/ .00	.0/ .00	.0
14		.00	34.5/ .15	.0/ .00 .0/ .00 .0/ .00 725.0/ .03 .0/ .00	.0/ .00	.0/ .00	.0
15 16		.00	34.3/ .13 7/ E/ 1E	.0/ .00	.0/ .00	.0/ .00	.0
17		.00	10 0/ 02	725 07 .00	3 8/ 11	160 2/ 10	.0 .0
18	.0/	.00	34.5/ .15	-0/ -00	-0/ -00	-0/ -00	.0
		.00	34.5/ .15 34.5/ .15	.0/ .00	.0/ .00	.0/ .00	.0
19	.0/		34.5/ .15	.0/ .00	.0/ .00	.0/ .00	.0
19 20		.00	34.5/ .15	.0/ .00	.0/ .00	.0/ .00	.0
	.0/		34.5/ .15	.0/ .00	.0/ .00	.0/ .00	.0
20 21 22	.0/ .0/	.00					.0
20 21 22 23	.0/ .0/	.00	34.5/ .15	.0/ .00	.0/ .00	.0/ .00	^
20 21 22 23 24	.0/ .0/ .0/	.00	34.5/ .15 34.5/ .15	.0/ .00	.0/ .00 .0/ .00	.0/ .00	.0
20 21 22 23 24 25	.0/ .0/ .0/	.00 .00	34.5/ .15 34.5/ .15 34.5/ .15	.0/ .00 .0/ .00	.0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00	.0
20 21 22 23 24 25 26	.0/ .0/ .0/ .0/	.00 .00 .00	34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15	.0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00 .0/ .00	.0 .0
20 21 22 23 24 25 26 27	.0/ .0/ .0/ .0/	.00 .00 .00	34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15	.0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00 .0/ .00 .0/ .00	.0 .0 .0
20 21 22 23 24 25 26 27 28	.0/ .0/ .0/ .0/ .0/	.00 .00 .00 .00	34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00 .0/ .00 .0/ .00	.0 .0 .0
20 21 22 23 24 25 26 27 28 29	.0/ .0/ .0/ .0/ .0/ .0/	.00 .00 .00 .00 .00	34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0 .0 .0 .0
20 21 22 23 24 25 26 27 28 29 30	.0/ .0/ .0/ .0/ .0/ .0/ .0/	.00 .00 .00 .00 .00	34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0 .0 .0
20 21 22 23 24 25 26 27 28 29 30 31	.0/ .0/ .0/ .0/ .0/ .0/ .0/	.00 .00 .00 .00 .00 .00	34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0 .0 .0 .0
20 21 22 23 24 25 26 27 28 29 30	.0/ .0/ .0/ .0/ .0/ .0/ .0/ .0/	.00 .00 .00 .00 .00	34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0 .0 .0
20 21 22 23 24 25 26 27 28 29 30 31 32	.0/ .0/ .0/ .0/ .0/ .0/ .0/ .0/ .0/	.00 .00 .00 .00 .00 .00	34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0 .0 .0 .0 .0
20 21 22 23 24 25 26 27 28 29 30 31 32 33	.0/ .0/ .0/ .0/ .0/ .0/ .0/ .0/ .0/	.00 .00 .00 .00 .00 .00	34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15 34.5/ .15	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0 .0 .0 .0 .0 .0
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36	.0/ .0/ .0/ .0/ .0/ .0/ .0/ .0/ .0/ .0/	.00 .00 .00 .00 .00 .00 .00 .00 .00	34.5/ .15 34.5/ .15	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37	.0/ .0/ .0/ .0/ .0/ .0/ .0/ .0/ .0/ .0/	.00 .00 .00 .00 .00 .00 .00 .00 .00	34.5/ .15 34.5/ .15	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38	.0/ .0/ .0/ .0/ .0/ .0/ .0/ .0/ .0/ .0/	.00 .00 .00 .00 .00 .00 .00 .00 .00 .00	34.5/ .15 34.5/ .15	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00	.0/ .00 .0/ .00	.0
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38	.0/ .0/ .0/ .0/ .0/ .0/ .0/ .0/ .0/ .0/	.00 .00 .00 .00 .00 .00 .00 .00 .00 .00	34.5/ .15 34.5/ .15	.0/ .00 .0/ .00	.0/ .00 .0/ .00	.0/ .00 .0/ .00	.0
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38	.0/ .0/ .0/ .0/ .0/ .0/ .0/ .0/ .0/ .0/	.00 .00 .00 .00 .00 .00 .00 .00 .00 .00	34.5/ .15 34.5/ .15	.0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00 .0/ .00	.0/ .00 .0/ .00	.0/ .00 .0/ .00	.0

```
.0/ .00
.0/ .00
 42
          .0/ .00
                     34.5/ .15
                                                    .0/ .00
                                                                  .0/ .00
                                                                                .0
 43
         .0/ .00
                     34.5/ .15
                                                    .0/ .00
                                                                  .0/ .00
                                                                                .0
          .0/ .00
                        .0/ .00
                                      .0/ .00
                                                    .0/ .00
                                                                  .0/ .00
 INPUT GROUP 8 - MODEL SEGMENTS
                                        ---- CALIBRATION FACTORS ---
SEG OUTFLOW GROUP SEGMENT NAME
                                        P SED N SED
                                                       CHL-A SECCHI
                                                                        HOD
                                                                                  DISP
         10
                 8 BR
                                         1.73
                                                1.00
                                                        1.02
                                                               1.00
                                                                       1.00
                                                                                 1.000
  2
         10
                 8
                    NR
                                                                       1.00
                                         1.73
                                                1.00
                                                        1.02
                                                                1.00
                                                                                 1.000
 3
         10
                 8
                    PO
                                         1.73
                                                                                 1.000
                                                1.00
                                                        1.02
                                                               1.00
                                                                       1.00
                    WO
                                         1.73
                                                1.00
                                                        1.02
                                                               1.00
                                                                       1.00
                                                                                 1.000
 5
         16
                 2
                    YF
                                         1.11
                                                1.00
                                                        1.49
                                                               1.00
                                                                       1.00
                                                                                 1.000
 6
         17
                 3
                    WH
                                                        1.76
                                                               1.00
                                         1.00
                                               1.00
                                                                                 1.000
                                                                       1.00
         19
                                          .29
                                                1.00
                                                        1.37
                                                               1.00
                                                                       1.00
                                                                                 1.000
 8
         20
                   UE
                                         1.05
                                                1.00
                                                        1.81
                                                               1.00
                                                                                 1.000
                                                                       1.00
 9
         22
                    MA
                                                               1.00
                                        3.28
                                                1.00
                                                        1.69
                                                                       1.00
                                                                                 1.000
10
         11
                    CH1
                                        2.24
                                                1.00
                                                         .27
                                                               1.00
                                                                       1.00
                                                                                 1.000
11
         12
                5
                    CH2
                                        2.24
                                                1.00
                                                         .85
                                                               1.00
                                                                       1.00
                                                                                 1.000
12
         13
                5
                    CH3
                                        2.24
                                                1.00
                                                        1.46
                                                               1.00
                                                                       1.00
                                                                                 1,000
13
         14
                5
                    CH4
                                        2.24
                                                1.00
                                                       2.82
                                                               1.00
                                                                       1.00
                                                                                 1.000
14
         15
                5
                    CH5
                                        2.24
                                                1.00
                                                       3.02
                                                               1.00
                                                                       1.00
                                                                                 1.000
15
                5
         16
                   CH6
                                        2.24
                                                1.00
                                                        3.10
                                                               1.00
                                                                       1.00
                                                                                 1.000
                5
16
         17
                   CH7
                                        2.24
                                                1.00
                                                       2.61
                                                               1.00
                                                                       1.00
                                                                                 1.000
17
         18
                   CH8
                                        9.25
                                                1.00
                                                       2.07
                                                               1.00
                                                                       1.00
                                                                                 1.000
18
         19
                   CH9
                6
                                        9.25
                                                1.00
                                                        2.07
                                                               1.00
                                                                                 1.000
                                                                       1.00
19
         20
                6
                   CH10
                                        9.25
                                                1.00
                                                       2.07
                                                               1.00
                                                                       1.00
                                                                                 1,000
20
         21
                6
                   CH11
                                        9.25
                                                       2.07
                                                               1.00
                                                1.00
                                                                                 1.000
                                                                       1.00
21
         22
                6 CH12
                                        9.25
                                                1.00
                                                       2.07
                                                               1.00
                                                                       1.00
                                                                                 1.000
                6 CH13
                                                1.00
                                                        2.07
                                                               1.00
                                                                      1.00
                                                                                 1.000
INPUT GROUP 9 - SEGMENT MORPHOMETRY: MEAN/CV
                     LENGTH
                                   AREA ZMEAN
                                                     ZMIX
                                                                 ZHYP TARGET P
ID LABEL
                          YM
                                    KM2
                                                                             PPB
                                                  2.21/ .12
 1 BR
                        2.50
                                  .6900
                                          2.21
                                                                .00/ .00
                                                                               .0
 2 NR
                        4.60
                                 1.3500
                                          1.89
                                                  1.89/ .12
                                                                .00/ .00
 3 PO
                        1.70
                                  .6900
                                          2.21
                                                  2.21/ .12
                                                                .00/ .00
                                                                               .0
 4 MO
                        1.70
                                  .2400
                                           .34
                                                                .00/ .00
                                                   .34/ .12
                                                                               .0
 5 YE
                       19.70
                                12.8000
                                          4.25
                                                  4.06/ .12
                                                                .00/ .00
                                                                              .0
                        5.40
                                6.0900
                                          5.40
                                                  4.83/ .12
                                                                .00/ .00
                                                                              .0
 7 WI
                        2.50
                                1.0800
                                          4.80
                                                  4.45/ .12
                                                                .00/ .00
                                                                              .0
 8 WE
                                                 5.31/ .12
6.19/ .12
                       19.60
                                16.7600
                                          6.26
                                                                .00/ .00
                                                                              .0
 9 MA
                        5.00
                                9.2100
                                          8.26
                                                                .00/ .00
                                                                              .0
10 CH1
                        8.30
                                3.0800
                                          2.82
                                                  2.82/ .12
                                                                .00/ .00
                                                                              .0
11 CH2
                        2.50
                                1.8200
                                          3.56
                                                  3.52/ .12
                                                                .00/ .00
                                                                              .0
12 CH3
                        2.50
                                1.8900
                                          4.48
                                                  4.23/ .12
                                                                .00/ .00
                                                                              .0
13 CH4
                       2.50
                                3.9300
                                          5.26
                                                  4.74/ .12
                                                                .00/ .00
                                                                              .0
14 CH5
                       3.90
                                3.9700
                                                  5.72/ .12
                                          7.11
                                                                .00/ .00
                                                                               .0
15 CH6
                                4.6700
                        2.50
                                          7.66
                                                  5.96/ .12
                                                                .00/ .00
                                                                              .0
16 CH7
                                 .6500
                        1.30
                                          7.42
                                                  5.86/ .12
                                                                .00/ .00
                                                                              .0
17 CH8
                       2.50
                                4.6500
                                                 6.11/ .12
                                          8.03
                                                                .00/ .00
                                                                              .0
18 CH9
                        1.70
                                5.2000
                                                 5.68/ .12
                                          7.03
                                                                .00/
                                                                     .00
                                                                              .0
19 CH10
                       2.50
                                3.6100
                                          8.96
                                                  6.44/ .12
                                                                .00/ .00
                                                                              .0
20 CH11
                        2.50
                               11.2700
                                          9.82
                                                  6.71/ .12
                                                                .00/ .00
                                                                              ٠.
21 CH12
                       2.50
                                6.8900
                                                 6.98/ .12
                                         10.83
                                                                .00/ .00
                                                                              ٠.
22 CH13
                       1.70
                                4.2800
                                        14.46
                                                 7.68/ .12
                                                                .00/ .00
                                                                              .0
INPUT GROUP 10 - OBSERVED WATER QUALITY
       TURBID CONSER TOTALP TOTALN
                                      CHL-A SECCHI ORG-N
                                                             TP-OP
                                                                      HODV
                                                                              MODV
          1/H
                       MG/M3
                  ?
                              MG/H3
                                      MG/M3
                                                      MG/M3
                                                             MG/M3 MG/M3-D
                                                                             MG/M3-D
                                                  M
1 MN:
         1.62
                   _0
                         .0
                                 .0
                                          -0
                                                  .0
                                                         .0
                                                                 -0
                                                                        . 0
                                                                                ٠0
  CV:
          .00
                  .00
                          .00
                                 .00
                                         -00
                                                .00
                                                        -00
                                                                .00
                                                                               .00
2 MN:
         1.22
                 63.8
                        51.5
                               652.0
                                        19.4
                                                 .6
                                                         .0
                                                                .0
                                                                        .0
                                                                                .0
          .03
  CV:
                  .18
                         .06
                                 .17
                                                                .00
                                        .09
                                                 .00
                                                        .00
                                                                       .00
                                                                               .00
3 MN:
         1.62
                   .0
                          .0
                                  .0
                                          .0
                                                 .0
                                                         .0
                                                                .0
                                                                        .0
                                                                                .0
  CV:
          -00
                  .00
                          .00
                                 .00
                                         .00
                                                 .00
                                                        .00
                                                                .00
                                                                       .00
                                                                               -00
         1.62
4 MN:
                   .0
                          .0
                                 .0
                                         .0
                                                 .0
                                                         .0
                                                                .0
                                                                        .0
                                                                                -0
  CV:
          .00
                  .00
                          .00
                                 .00
                                         .00
                                                 -00
                                                        .00
                                                                .00
                                                                       .00
                                                                               .00
5 MN:
          .49
                 72.6
                               595.0
                        27.5
                                       15.5
                                                1.3
                                                         .0
                                                                .0
                                                                        .0
                                                                                -0
  CV:
                         .12
          .18
                 .10
                                        .11
                                                .10
                                                        .00
                                                               .00
                                                                       .00
                                                                               -00
```

```
6 MN:
             .50
                       ٥.
                                       .0
                                             19.2
                                                      1.1
     CV:
             . 14
                     .00
                              .00
                                      .00
                                              .09
                                                                               .00
                                                                                       .00
                                                       .07
                                                               .00
                                                                       .00
                                             17.5
  7 MN:
             .37
                    80.7
                            38.6
                                   926.0
                                                      1.4
                                                                .0
                                                                        _0
                                                                                . 0
                                                                                         . 0
             .10
                                      .02
    CV:
                     .03
                              .07
                                              .08
                                                       .03
                                                               .00
                                                                       .00
                                                                               .00
                                                                                        .00
  8 MN:
             .48
                    65.5
                            20.6
                                   471.0
                                                                                .0
                                             12.3
                                                      1.4
                                                                .0
                                                                        .0
                                                                                        .0
    CV:
             .12
                     .03
                             .04
                                      .24
                                                       .07
                                                                               .00
                                                                                       .00
                                              .12
                                                               .00
                                                                       .00
  9 MN:
             .39
                    78.3
                            22.3
                                   605.0
                                             12.4
                                                                .0
                                                                        .0
                                                                                .0
                                                                                         .0
             .19
    CV:
                     .02
                             .10
                                      .07
                                              .16
                                                      .10
                                                               .00
                                                                       .00
                                                                               .00
                                                                                       .00
 10 MN:
            1.86
                    86.0
                              .0
                                       .0
                                              3.3
                                                       .5
                                                               .0
                                                                                .0
                                                                                        .0
                                                                        .0
                     .00
    CV:
             .20
                             .00
                                      .00
                                              .37
                                                      .19
                                                               .00
                                                                       .00
                                                                               .00
                                                                                       .00
           2.10
 11 MN:
                      .0
                               .0
                                       .0
                                              6.0
                                                       .4
                                                               .0
                                                                        .0
                                                                                .0
                                                                                        .0
    CV:
            .19
                     .00
                              .00
                                      .00
                                              .29
                                                      .18
                                                               .00
                                                                       .00
                                                                               .00
                                                                                       .00
           1.97
 12 MN:
                   82.4
                            91.8 1085.0
                                              8.0
                                                       .5
                                                                .0
                                                                        . 0
                                                                                .0
                                                                                        ٠0
    CV:
                     .01
                             .08
             . 13
                                      .09
                                              .24
                                                      .12
                                                               .00
                                                                       .00
                                                                               .00
                                                                                       .00
 13 MN:
            1.30
                      .0
                              .0
                                             16.8
                                       .0
                                                       .6
                                                               .0
                                                                        .0
                                                                                .0
                                                                                        .0
                                              .30
             .19
                             .00
                                                              .00
    CV:
                     .00
                                                      .14
                                     .00
                                                                       .00
                                                                               .00
                                                                                       .00
             .90
                   77.2
                                  1087.0
 14 MN:
                            74.5
                                             17.5
                                                       .8
                                                               .0
                                                                        .0
                                                                                .0
                                                                                        .0
    CV:
             .20
                     -07
                             .12
                                     .05
                                             .20
                                                      . 13
                                                              .00
                                                                       .00
                                                                               .00
                                                                                       .00
 15 MN:
             .62
                   79.7
                            66.0
                                   856.0
                                            20.1
                                                      1.0
                                                               .0
                                                                        ٠0
                                                                                .0
                                                                                        .0
    CV:
             .18
                     .03
                             .17
                                     .22
                                              .10
                                                      .10
                                                              .00
                                                                       .00
                                                                               .00
                                                                                       .00
 16 MN:
             .38
                      .0
                              .0
                                      .0
                                            21.9
                                                      1.2
                                                                        .0
                                                               .0
                                                                                .0
                                                                                        .0
    CV:
            .23
                     .00
                             .00
                                     .00
                                              .08
                                                      .10
                                                              .00
                                                                       .00
                                                                               .00
                                                                                       .00
            .44
 17 MN:
                   79.3
                            47.5
                                   965.0
                                            22.0
                                                      1.1
                                                               .0
                                                                        .0
                                                                                .0
                                                                                        .0
                     .00
    CV:
                             .10
                                     .07
                                              .10
                                                      .06
                                                              .00
                                                                       .00
                                                                               .00
                                                                                       .00
 18 MN:
            .34
                   80.8
                            41.4
                                   932.0
                                            20.0
                                                      1.4
                                                               .0
                                                                        .0
                                                                                .0
                                                                                        .0
                    .02
    CV:
            .17
                             .08
                                     .05
                                             .11
                                                      .05
                                                              .00
                                                                      .00
                                                                               .00
                                                                                       .00
 19 MN:
            .30
                      .0
                              .0
                                      .0
                                            19.7
                                                      1.4
                                                               .0
                                                                        .0
                                                                                .0
                                                                                        .0
            . 18
    CV:
                     .00
                             .00
                                      .00
                                              .11
                                                      .05
                                                              .00
                                                                      .00
                                                                               .00
                                                                                       .00
20 MN:
            .35
                   79.1
                           33.5
                                   797.0
                                                      1.5
                                            16.4
                                                               .0
                                                                        .0
                                                                                .0
                                                                                        -0
    CV:
            .19
                     .03
                             .12
                                     .10
                                             .12
                                                              .00
                                                                               .00
                                                      .08
                                                                      .00
                                                                                       .00
21 MN:
            .35
                   77.2
                            25.8
                                  722.0
                                            13.6
                                                      1.6
                                                               .0
                                                                        .0
                                                                                .0
                                                                                        .0
    CV:
                    .03
            .20
                             .06
                                     .06
                                             .12
                                                      .10
                                                              .00
                                                                      .00
                                                                               .00
                                                                                       .00
22 MN:
            .33
                   79.3
                            23.0
                                  675.0
                                            14.9
                                                      1.6
                                                               .0
                                                                       .0
                                                                               .0
                                                                                       -0
                                     .07
            .22
                     .00
                             .03
                                                              .00
                                             .13
                                                                       .00
                                                      .10
                                                                               .00
                                                                                       -00
INPUT GROUP 11 - NON-POINT WATERSHED AREAS (KM2)
ID COD NAME
                             Averaged landuse2 landuse3
                                                            landuse4
                                68.07
                                             -00
                                                                   -00
                                                        -00
        NEW RIVER
                               119.40
                                             .00
                                                        .00
                                                                   -00
      2 POTATO
                               235.00
                                             .00
                                                        .00
                                                                   .00
 5
      2 WOLF
                                50.20
                                             .00
                                                        .00
                                                                   .00
                                 7.39
                                             .00
                                                        .00
                                                                   -00
 8
        SHOAL
                                22.50
                                             .00
                                                        .00
                                                                   .00
10
      2 B3A
                                 7.78
                                             .00
                                                        .00
                                                                   .00
11
      2 B3B
                                                        .00
                                 7.78
                                             .00
                                                                   -00
                                                        .00
12
      2 DIXIE
                                 5.83
                                             .00
                                                                   -00
13
      2 JACKSON
                                48.62
                                             .00
                                                        .00
                                                                   .00
14
      2 J1
                                 8.75
                                             .00
                                                        .00
                                                                   .00
15
      2 Y1A
                                 5.83
                                             .00
                                                        .00
                                                                   .00
                                38.89
16
      2 WILLOW/SHERWOOD
                                             .00
                                                        .00
                                                                   .00
18
      2 THOMPSON
                                64.18
                                             .00
                                                        .00
                                                                   .00
19
      2 WILSON
                                38.90
                                             .00
                                                        .00
                                                                   .00
20
21
22
23
      2 WEHADKEE
                                81.35
                                             .00
                                                        .00
                                                                  .00
     2 GUSS
                               180.89
                                             .00
                                                        .00
                                                                   .00
      2 CANEY
                                97.25
                                             .00
                                                        .00
                                                                  .00
     2 L.WEHADKEE
                               132.26
                                             .00
                                                        .00
                                                                  .00
24
25
     2 WE2
                                             .00
                                                        .00
                                                                   .00
                                31.12
     2 WE3
                                 9.72
                                             .00
                                                        .00
                                                                   .00
26
27
     2 STROUD
                                40.84
                                             .00
                                                        .00
                                                                  .00
        VEASEY
                                33.06
                                             .00
                                                        .00
                                                                  .00
28
29
     2 MAPLE
                                64.18
                                             -00
                                                        .00
                                                                   .00
     2 TALLEY
                                35.01
                                             .00
                                                        .00
                                                                  .00
30
        ZACHARY
                                35.01
                                             .00
                                                        .00
                                                                  .00
31
     2 Z1-Z2
                                44.72
                                                        .00
                                             .00
                                                                  .00
32
     2 B2
                                52.51
                                             -00
                                                        .00
                                                                  .00
33
     2 P5-P6
                                31.11
                                             .00
                                                        .00
                                                                  .00
34
     2 P7
                                19.45
                                             .00
                                                        -00
                                                                  .00
35
     2 P8
                                 5.83
                                             .00
                                                        .00
                                                                  .00
36
     2 P9
                                33.06
                                             .00
                                                        .00
                                                                  .00
```

37	2 J2A	18.08	.00	-00	.00
38	2 J2B	8.36	.00	.00	.00
39	2 W2	7.78	.00	.00	.00
40	2 W3	18.08	.00	.00	.00
41	2 WI 1/W12	44.73	.00	.00	.00
42	2 WI3/V2A	22.36	.00	.00	.00
43	2 V2B	14.58	-00	-00	00

## INPUT GROUP 12 - NON-POINT EXPORT CONCENTRATIONS

IC	LAND USE		RUNOFF M/YR	CONSERV PPB	TOTAL P PPB	TOTAL N	ORTHO P	INORG N
1	Averaged	Use	.24	.0	34.5	.0	.0	.0
		CV:	-00	.00	.15	.00	.00	
2	landuse2		.00					.00
_	tul Muser			.0	.0	.0	.0	.0
_		CV:	.00	.00	.00	.00	-00	.00
3	landuse3		.00	.0	.0	.0	.0	.0
		CV:	.00	.00	.00	.00	.00	.00
4	landuse4		.00	.0	.0	.0	.00	.00
		CV:	.00	.00	.00	.00	.00	00

### INPUT GROUP 13 - MODEL COEFFICIENTS

IC COEFFICIENT	MEAN	CV
1 P DECAY RATE	1.000	.45
2 N DECAY RATE	1.000	.55
3 CHL-A MODEL	1.000	.26
4 SECCHI MODEL	1.000	.10
5 ORGANIC N MODEL	1.000	.12
6 TP-OP MODEL	1.000	.15
7 HODY MODEL	1.000	.15
8 MODV MODEL	1.000	.22
9 BETA M2/MG	.020	.00
10 MINIMUM QS	.100	.00
11 FLUSHING EFFECT	1.000	.00
12 CHLOROPHYLL-A CV	-620	.00

INPUT GROUP 14 - CASE NOTES Water quality data for 1991 WES Landsat study WES tributary data from 1991 for YC, BC, SC and WC Landuse is tributary average P, Light, Flushing Model (Calibrated)

Regional and local calibration

```
WEST POINT 90 (P Verification)
 INPUT GROUP 2 - PRINT OPTIONS
  1 LIST INPUTS
                                       O NO
  2 HYDRAULICS & DISPERSION
                                       1 YES
  3 GROSS WATER & MASS BALANCES
                                       2 ESTIMATED CONCS
  4 DETAILED BALANCES BY SEGMENT
                                       O NO
  5 SUMMARIZE BALANCES BY SEGMENT
                                       0 NO
  6 COMPARE OBS & PREDICTED CONCS
                                       0 NO
  7 DIAGNOSTICS
                                       O NO
  8 PROFILES
                                       1 ESTIMATED CONCENTRATIONS
  9 PLOTS
                                      2 GEOMETRIC SCALE
 10 SENSITIVITY ANALYSIS
                                      O NO
 INPUT GROUP 3 - MODEL OPTIONS
  1 CONSERVATIVE SUBSTANCE
                                      0 NOT COMPUTED
  2 PHOSPHORUS BALANCE
                                      1 2ND ORDER, AVAIL P
 3 NITROGEN BALANCE
                                      O NOT COMPUTED
  4 CHLOROPHYLL-A
                                      2 P, LIGHT, T
 5 SECCHI DEPTH
                                      1 VS. CHLA & TURBIDITY
 6 DISPERSION
                                      1 FISCHER-NUMERIC
 7 PHOSPHORUS CALIBRATION
                                      1 DECAY RATES
 8 NITROGEN CALIBRATION
                                      1 DECAY RATES
 9 ERROR ANALYSIS
                                      1 MODEL & DATA
10 AVAILABILITY FACTORS
                                      1 ALL MODELS EXCEPT 2
INPUT GROUP 4 - VARIABLES
            ATMOSPHERIC LOADINGS AVAILABILITY
VARIABLE
              KG/KM2-YR
                            CV
 1 CONSERV
                   .00
                                        .00
 2 TOTAL P
                  30.00
                            .50
                                       1.00
 3 TOTAL N
                1000.00
                            .50
                                       1.00
                 15.00
 4 ORTHO P
                            .50
                                       .00
 5 INORG N
                500.00
                            .50
                                        .00
INPUT GROUP 5 - GLOBAL PARAMETERS
PARAMETER
                                    MEAN
 1 PERIOD LENGTH
                                    .583
                                           .000
 2 PRECIPITATION M
                                    .501
                                           .200
 3 EVAPORATION M
                                   1.222
                                            .300
 4 INCREASE IN STORAGE M
                                  -1.250
 5 FLOW FACTOR
                                   1.000
                                           .000
 6 DISPERSION FACTOR
                                   1.000
                                           .700
 7 TOTAL AREA
                     KM2
                                    .000
                                           .000
 8 TOTAL VOLUME
                     HM3
                                    .000
                                           .000
INPUT GROUP 6 - TRIBUTARY DRAINAGE AREAS AND FLOWS
ID TYPE SEG NAME
                            DRAINAGE AREA
                                            MEAN FLOW CV OF MEAN FLOW
                                      KM2
                                                 HM3/YR
                                  6941.000
         10 CHAT AT FRANK
                                                                .000
                                               3926.000
 2
          1 Brush
                                    68.070
                                                 10.211
                                                                .000
 3
          2 Newriver
                                   119.400
                                                 17.910
                                                               .000
          3 Potato
                                   235.300
                                                 35.295
                                                                .000
     2
          4 Wolf
                                    29.170
                                                  4.376
                                                                .000
 6
          5 Yellowjacket
                                   50.200
                                                  7.530
                                                               .000
     2
          5 Yc
                                    7.390
                                                  1.109
                                                                .000
          5 shoat
                                   22.500
                                                                .000
                                                  3.375
     2
          5 beech
                                    29.430
                                                  4.415
                                                                .000
10
          5 b3a
    2
                                    7.780
                                                  1.167
                                                                .000
11
          5 b3b
                                    7.780
                                                  1.167
                                                                -000
12
    2
          5 dixie
                                    5.830
                                                   .875
                                                                .000
13
    2
          5 jackson
                                   48.620
                                                  7.293
                                                                .000
14
          5 j1
                                    8.750
                                                  1.313
                                                                .000
15
          5 yla
                                    5.830
                                                   .875
                                                                .000
    2
          5 Willow/Sherwood
16
                                   38.890
                                                  5.833
                                                                .000
17
          6 whitewater
                                   86.550
                                                 12.983
                                                               .000
18
          6 thompson
                                   64.180
                                                  9.627
                                                                .000
19
          7 wilson
                                   38.900
                                                  5.835
                                                                .000
20
          8 wehadkee
                                   81.350
                                                 12.203
                                                               .000
```

```
21
              8 guss
                                          180.890
                                                          27.134
                                                                         .000
   22
               8 caney
                                          97.250
                                                          14.588
                                                                         .000
   23
         2
               8 L.wehadkee
                                          132.260
                                                         19.839
                                                                         .000
   24
              8 we2
                                          31.120
                                                          4.668
                                                                         .000
   25
         2
              8 we3
                                            9.720
                                                          1.458
                                                                         .000
   26
         2
              8 stroud
                                          40.840
                                                          6.126
                                                                         .000
   27
              8 veasey
                                          33.060
                                                          4.959
                                                                         .000
   28
29
30
        2
              9 maple
                                          64.180
                                                          9.627
                                                                         .000
        2
             10 talley
                                          27.230
                                                          4.085
                                                                         .000
       10 zachary
                                          35.010
                                                          5.252
                                                                         .000
   31
             10 z1-z2
                                          44.720
                                                          6.708
   32
33
                                                                         .000
             11 b2
                                          52.510
                                                          7.877
                                                                         .000
             12 p5-p6
                                          31.110
                                                          4.667
                                                                         .000
   34
             13 p7
                                          19.450
                                                          2.918
                                                                         .000
   35
             14 p8
                                           5.830
                                                           .875
                                                                         -000
   36
            15 p9
                                          33.060
                                                          4.959
                                                                         .000
  37
             16 j2a
                                          18.080
                                                          2.712
                                                                         .000
  38
            17 j2b
                                           8.360
                                                          1.254
                                                                         .000
  39
            18 w2
                                           7.780
                                                          1.167
                                                                         .000
  40
            19 N3
                                          18.080
                                                          2.712
                                                                         .000
  41
        2
            20 wi1/wi2
                                          44.730
                                                          6.710
                                                                        .000
  42
            21 wi3/v2a
                                          22.360
                                                         3.354
                                                                        -000
  43
        2
            22 v2b
                                          14.580
                                                         2.187
                                                                        .000
            22 dis.chat.wp
                                       9194.000
                                                      4209.520
                                                                        .000
  INPUT GROUP 7 - TRIBUTARY CONCENTRATIONS (PPB): MEAN/CV
  ID
            CONSERV
                          TOTAL P
                                         TOTAL N
                                                        ORTHO P
                                                                       INORG N
                                                                                 ECORG P
         97.9/ .02
   1
                      178.8/ .10
                                   1385.8/ .08
                                                     62.6/ .08 1105.4/ .07
                                                                                     . 0
   2
           .0/ .00
                       34.5/ .15
34.5/ .15
                                        .0/ .00
                                                       .0/ .00
                                                                      .0/ .00
                                                                                     .0
   3
           .0/ .00
                                        .0/ .00
                                                       .0/ .00
                                                                     .0/ .00
           .0/ .00
                                                                                     .0
   4
                       34.5/ .15
                                        .0/ .00
                                                       .0/ .00
                                                                     .0/ .00
   5
                                                                                     .0
                       34.5/ .15
34.5/ .15
                                        .0/ .00
                                                       .0/ .00
                                                                     .0/ .00
                                                                                    .0
   6
           .0/ .00
                                        .0/ .00
                                                       .0/ .00
                                                                     .0/ .00
           .0/ .00
.0/ .00
                                                                                    .0
   7
                       34.5/ .15
                                        .0/ .00
                                                       .0/ .00
                                                                     .0/ .00
                                                                                    .0
   8
                       34.5/ .15
34.5/ .15
                                        .0/ .00
                                                      .0/ .00
                                                                     .0/ .00
                                                                                    .0
  9
           .0/ .00
                                        .0/ .00
                                                       .0/ .00
                                                                     .0/ .00
                                                                                    .0
  10
           .0/ .00
                       34.5/ .15
                                        .0/ .00
                                                                     .0/ .00
                                                       .0/ .00
           .0/ .00
                                                                                    .0
 11
                       34.5/ .15
                                        .0/ .00
                                                      .0/ .00
 12
                                                                                    ٠0
                       34.5/ .15
           .0/ .00
                                        .0/ .00
                                                      .0/ .00
 13
                                                                     .0/ .00
                      34.5/ .15
34.5/ .15
                                                                                    .0
          .0/ .00
                                        .0/ .00
                                                      .0/ .00
                                                                     .0/ .00
                                                                                    .0
 14
          .0/ .00
                                        .0/ .00
                                                       .0/ .00
                                                                     .0/ .00
 15
                                                                                    .0
          .0/ .00
                       34.5/ .15
                                        .0/ .00
                                                      .0/ .00
                                                                     .0/ .00
                                                                                    .0
 16
                      34.5/ .15
34.5/ .15
          .0/ .00
                                        .0/ .00
                                                      .0/ .00
                                                                     .0/ .00
                                                                                    .0
 17
          .0/ .00
                                       .0/ .00
                                                      .0/ .00
                                                                     .0/ .00
                                                                                    .0
          .0/ .00
 18
                      34.5/ .15
                                       .0/ .00
                                                      .0/ .00
                                                                     .0/ .00
                                                                                    .0
 19
                      34.5/ .15
                                       .0/ .00
                                                      .0/ .00
                                                                     .0/ .00
                                                                                   .0
 20
          .0/ .00
                      34.5/ .15
                                       .0/ .00
                                                      .0/ .00
                                                                     .0/ .00
                                                                                   -0
 21
          .0/ .00
                      34.5/ .15
                                       .0/ .00
                                                                     .0/ .00
 22
          .0/ .00
                                                                                   .0
                      34.5/ .15
                                       .0/ .00
                                                      .0/ .00
23
24
25
                                                                     .0/ .00
                      34.5/ .15
                                                                                   .0
          .0/ .00
                                       .0/ .00
                                                      .0/ .00
                                                                     .0/ .00
                                                                                   .0
          .0/ .00
                      34.5/ .15
                                       .0/ .00
                                                      .0/ .00
                                                                    .0/ .00
                                                                                   .0
                      34.5/ .15
                                       .0/ .00
                                                      .0/ .00
                                                                    .0/ .00
26
27
                                                                                   .0
          .0/ .00
                      34.5/ .15
                                       .0/ .00
                                                      .0/ .00
                                                                     .0/ .00
                                                                                   .0
          .0/ .00
                      34.5/ .15
                                       .0/ .00
                                                      .0/ .00
                                                                    .0/ .00
                                                                                   .0
28
29
30
          .0/ .00
                      34.5/ .15
                                       .0/ .00
                                                      .0/ .00
                                                                    .0/ .00
                                                                                   .0
          .0/ .00
                      34.5/ .15
                                       .0/ .00
                                                     .0/ .00
                                                                    .0/ .00
                                                                                   .0
         .0/ .00
                      34.5/ .15
                                       .0/ .00
                                                     .0/ .00
                                                                    .0/ .00
                                                                                   .0
31
         .0/ .00
                      34.5/ .15
                                       .0/ .00
                                                     .0/ .00
                                                                    .0/ .00
32
33
                                                                                   .0
         .0/ .00
                      34.5/ .15
                                       .0/ .00
                                                     .0/ .00
                                                                    .0/ .00
                                                                                   .0
         .0/ .00
                     34.5/ .15
                                      .0/ .00
                                                     .0/ .00
                                                                    .0/ .00
34
35
                                                                                   .0
         .0/ .00
                     34.5/ .15
                                      .0/ .00
                                                     .0/ .00
                                                                    .0/ .00
                                                                                   .0
                     34.5/ .15
         .0/ .00
                                      .0/ .00
                                                     .0/ .00
                                                                    .0/ .00
                                                                                   .0
36
         .0/ .00
                     34.5/ .15
34.5/ .15
                                      .0/ .00
                                                     .0/ .00
                                                                    .0/ .00
                                                                                   .0
37
         .0/ .00
                                      .0/ .00
                                                     .0/ .00
                                                                    .0/ .00
                                                                                   .0
38
                     34.5/ .15
         .0/ .00
                                                     .0/ .00
                                                                    .0/ .00
                                                                                   .0
39
         .0/ .00
                     34.5/ .15
                                                     .0/ .00
                                      .0/ .00
                                                                    .0/ .00
                                                                                   .0
40
         .0/ .00
                     34.5/ .15
                                      .0/ .00
                                                     .0/ .00
                                                                   .0/ .00
41
                                                                                   .0
                     34.5/ .15
         .0/ .00
                                                     .0/ .00
                                                                    .0/ .00
                                                                                  .0
         .0/ .00
                     34.5/ .15
                                      .0/ .00
                                                     .0/ .00
                                                                    .0/ .00
                                                                                   .0
```

				<del></del>				
43 .0/	00 345/	15 .0	) nn	0.	, 20	0	, 00	.0
44 .0/			/ .00		.00		/ .00	.0
TABLET COOLD (	8 - MODEL SEGM	FNTC						
				CA	LIBRA	TION FAC	CTORS	
	GROUP SEGMENT	NAME	P SED	N SED	CHL-A	SECCHI	HOD	DISP
1 10 2 10	8 BR 8 NR		1.73 1.73	1.00 1.00	1.02		1.00	1.000 1.000
3 10	8 PO		1.73	1.00	1.02		1.00 1.00	1.000
4 14	8 WO		1.73	1.00	1.02	1.00	1.00	1.000
3 10 4 14 5 16 6 17	2 YE 3 WH		1.11 1.00	1.00 1.00	1.49 1.76		1.00 1.00	1.000 1.000
7 19	1 WI		.29	1.00	1.37	1.00	1.00	1.000
8 20 9 22	4 WE 7 MA		1.05	1.00	1.81	1.00	1.00	1.000
10 11	5 CH1		3.28 2.24	1.00 1.00	1.69 .27	1.00 1.00	1.00	1.000 1.000
11 12	5 CH2		2.24	1.00	.85	1.00	1.00	1.000
12 13 13 14	5 CH3 5 CH4		.24 2.24	1.00 1.00	1.46	1.00	1.00	1.000
14 15	5 CH5		2.24	1.00	3.02	1.00 1.00	1.00 1.00	1.000 1.000
15 16	5 CH6		2.24	1.00	3.10	1.00	1.00	1.000
16 17 17 18	5 CH7 6 CH8		2.24 9.25	1.00	2.61	1.00	1.00 1.00	1.000 1.000
18 19	6 CH9		9.25	1.00	2.07	1.00	1.00	1.000
19 20 20 21	6 CH10		9.25	1.00	2.07	1.00	1.00	1.000
21 22	6 CH11 6 CH12		9.25 9.25	1.00 1.00	2.07	1.00 1.00	1.00 1.00	1.000 1.000
22 0,	6 CH13		9.25	1.00		1.00	1.00	1.000
INPUT GROUP 9	- SEGMENT MOR	PHOMETRY:	MEAN/C	v				
	LENGTH	AREA			MIX	ZHY	P TARG	ET P
ID LABEL 1 BR	KM 2.50	KM2			M		M	PPB
2 NR	4.60	.6900 1.3500	2.21 1.89	1.89	/ .12	.00/ .00/		.0 .0
3 PO	1.70	4000	2.21	2.21	/ .12	.00/	.00	.0
4 WO :	1.70 19.70	.2400 12.8000	.34	.34, 4.06,	/ .12	.00/		.0
6 WH	5.40	6.0900	5.40	4.83	/ .12	.00/ .00/		.0 .0
7 WI 8 WE	2.50 19.60	1.0800	4.81	4.46		.00/	.00	.0
9 MA	5.00	16.7600 9.2100	8.26	6.19	/ .12	.00/	.00	.0 .0
10 CH1	5.00 8.30	3.0800	2.82	2.82	.12	.00/	.00	.0
11 CH2 12 CH3	2.50 2.50	1.8200 1.8900	3.56	3.52/	.12	.00/		.0
13 CH4	2.50	3.9300	5.26	4.74/	.12	.00/ .00/		.0 .0
14 CH5 15 CH6	3.90	3.9700	7.11	5.72/	.12	.00/	.00	.0
16 CH7	2.50 1.30	4.6700 .6500	7.66 7.42		/ .12 / .12	.00/	.00	.0 .0
17 CH8	2.50	4.6500	8.03	6.11/	.12	.00/	.00	.0
18 CH9 19 CH10	1.70 2.50	5.2000 3.6100	7.03 8.96	5.68/ 6.44/		.00/ .00/		.0 .0
20 CH11	2.50	11.2700	9.82	6.71/		.00/		.0
21 CH12 22 CH13	2.50	6.8900		6.98/		.00/	.00	.0
	1.70	4.2800		7.68/	. 12	.00/	.00	.0
INPUT GROUP 10	- OBSERVED W	ATER QUALI						
SEG TURBID	CONSER TOTALP 9 MG/M3	_	HL-A SE IG/M3		RG-N IG/M3	TP-OP	VOOH	MODV MG/M3-D
1 MN: 1.62	.0 .0	.0	.0	.0	.0	.0	.0	.0
CV: .00 2 MN: 1.22	.00 .00	.00	.00	.00	.00	.00	.00	.00
CV: .00	.00 .00	.0 .00	.0 .00	.0 .00	.0 .00	.0 .00	.0 .00	.0 .00
3 MN: 1.62	.0 .0	.0	.0	.0	.0	.0	.0	.0
CV: .00 4 MN: 1.62	.00 .00	.00 .0	.00 .0	.00 .0	.00 .0	.00	.00	.00
CV: .00	.00 .00	.00	.00	.00	.00	.0 .00	.0 .00	.0 .00
5 MN: .49	.0 .0	.0	.0	.0	.0	.0	.0	.0
CV: .18 6 MN: .50	.00 .00	.00	.00	.00	.00	.00	.00	.00
	•U -*!	-17		(ا)	. n	. n	п	n
	.0 .0	.0	.0	.0	.0	.0	.0	.0

```
CV:
                . 14
                        .00
                                .00
                                        .00
                                                 .00
                                                         .00
                                                                 .00
                                                                         .00
                                                                                  .00
                                                                                          .00
     7 MN:
               .37
                         .0
                                 -0
                                         .0
                                                 .0
                                                          .0
                                                                  .0
                                                                          .0
                                                                                   .0
                                                                                           .0
       CV:
               .10
                        .00
                                .00
                                        .00
                                                .00
                                                         .00
                                                                 .00
                                                                         .00
                                                                                  .00
                                                                                          .00
     8 MN:
               .48
                         .0
                                 .0
                                         -0
                                                  .0
                                                          .0
                                                                  .0
                                                                          .0
                                                                                   .0
                                                                                           .0
       CV:
               .12
                        .00
                                .00
                                        .00
                                                .00
                                                         .00
                                                                 .00
                                                                         .00
                                                                                 .00
                                                                                          .00
    9 MN:
               .39
                         ٠0
                                 .0
                                         .0
                                                 .0
                                                          -0
                                                                  .0
                                                                          .0
                                                                                  .0
                                                                                           .0
      CV:
               . 19
                        .00
                                .00
                                        .00
                                                .00
                                                         .00
                                                                 .00
                                                                         .00
                                                                                  .00
                                                                                          .00
   10 MN:
              1.86
                     103.0
                             132.0 1526.0
                                                 .0
                                                         .0
                                                                  .0
                                                                          .0
                                                                                  .0
                                                                                          .0
      CV:
                       .00
               .20
                               .21
                                        .17
                                                .00
                                                         .00
                                                                 .00
                                                                         .00
                                                                                 .00
                                                                                         .00
   11 MN:
             2.10
                        .0
                                .0
                                         .0
                                                 .0
                                                         .0
                                                                  .0
                                                                          .0
                                                                                  .0
                                                                                           .0
      CV:
               .19
                       .00
                               .00
                                        .00
                                                .00
                                                        .00
                                                                .00
                                                                         .00
                                                                                 .00
                                                                                         .00
   12 MN:
              1.97
                        .0
                                -0
                                         .0
                                                 .0
                                                         .0
                                                                 .0
                                                                          .0
                                                                                  .0
                                                                                          .0
      CV:
               . 13
                       .00
                                .00
                                        .00
                                                .00
                                                        .00
                                                                .00
                                                                         .00
                                                                                 .00
                                                                                         .00
   13 MN:
             1.05
                      87.2
                              74.0 1060.0
                                              23.2
                                                         .7
                                                                 .0
                                                                         .0
                                                                                  .0
                                                                                          .0
                      .15
      CV:
              .11
                               .11
                                       .11
                                                .25
                                                        .00
                                                                .00
                                                                         .00
                                                                                 .00
                                                                                         .00
   14
      MN:
               .90
                        .0
                                .0
                                        ٠.0
                                                 .0
                                                         .0
                                                                 .0
                                                                          .0
                                                                                  .0
                                                                                          .0
      CV:
               .20
                       .00
                               .00
                                       .00
                                                .00
                                                        .00
                                                                .00
                                                                        .00
                                                                                 .00
                                                                                         .00
  15 MN:
              .65
                     89.6
                              62.0
                                     716.0
                                              24.2
                                                         .9
                                                                 .0
                                                                         .0
                                                                                  .0
                                                                                          .0
      CV:
               .24
                      .10
                               .06
                                       .25
                                               .23
                                                        .10
                                                                .00
                                                                         .00
                                                                                 .00
                                                                                         .00
  16 MN:
              .38
                        .0
                                .0
                                        .0
                                                 .0
                                                         .0
                                                                 .0
                                                                         .0
                                                                                 -0
                                                                                          .0
      CV:
              .23
                       .00
                               .00
                                       -00
                                               .00
                                                        .00
                                                                .00
                                                                         .00
                                                                                 .00
                                                                                         .00
  17
     MN:
              .44
                        .0
                                .0
                                        .0
                                                .0
                                                         .0
                                                                 .0
                                                                         .0
                                                                                 .0
                                                                                          .0
      CV:
              - 15
                       .00
                               .00
                                       .00
                                               .00
                                                        .00
                                                                .00
                                                                        .00
                                                                                 .00
  18 MN:
                                                                                         .00
              -50
                     88.2
                             42.0
                                    752.0
                                              19.8
                                                       1.1
                                                                 .0
                                                                         .0
                                                                                 .0
                                                                                         .0
      CV:
              .18
                      .08
                               .09
                                       .08
                                               .14
                                                       .08
                                                                .00
                                                                        .00
                                                                                .00
                                                                                         .00
  19
     MN:
              .30
                       .0
                               .0
                                        .0
                                                .0
                                                         .0
                                                                 .0
                                                                         .0
                                                                                 .0
                                                                                         .0
      cv:
              .18
                      .00
                               .00
                                       .00
                                               .00
                                                       .00
                                                                .00
                                                                        .00
                                                                                .00
                                                                                         .00
  20
     MN:
              .49
                     85.0
                             26.0
                                    630.0
                                                       1.3
                                                                 .0
                                                                         .0
                                                                                 .0
                                                                                         .0
              .16
                      .09
                              .09
                                      .15
                                               .05
                                                       .10
                                                                .00
                                                                        .00
                                                                                .00
                                                                                         .00
     MN:
              .35
                       .0
                               .0
                                        .0
                                                .0
                                                        .0
                                                                .0
                                                                         .0
                                                                                 .0
                                                                                         .0
     CV:
              .20
                      .00
                               .00
                                       .00
                                               .00
                                                       .00
                                                               .00
                                                                        .00
                                                                                .00
                                                                                        .00
  22 MN:
              .40
                     82.0
                             17.5
                                    517.0
                                              11.2
                                                       1.6
                                                                .0
                                                                         .0
                                                                                 .0
                                                                                         .0
     CV:
              .04
                      .06
                                      .17
                                              .08
                                                       .00
                                                               .00
                                                                        .00
                                                                                .00
                                                                                        .00
 INPUT GROUP 11 - NON-POINT WATERSHED AREAS (KM2)
 ID COD NAME
                              landuse1 landuse2 landuse3 landuse4
  2
       2 Brush
                                 68.07
                                              -00
                                                         .00
                                                                    -00
  3
       2 Newriver
                                119.40
                                              .00
                                                         .00
                                                                    .00
       2 Potato
                                235.30
                                              -00
                                                         .00
                                                                    .00
  5
       2 Wolf
                                 29.17
                                              .00
                                                         .00
                                                                    .00
  6
       2 Yellowjacket
                                 50.20
                                              .00
                                                         .00
                                                                    .00
       2 Yc
                                  7.39
                                              .00
                                                         .00
                                                                   .00
  8
       2 shoal
                                 22.50
                                              .00
                                                         .00
                                                                   .00
       2 beech
                                 29.43
                                              .00
                                                         .00
                                                                   .00
 10
       2 b3a
                                  7.78
                                              -00
                                                         -00
                                                                   .00
 11
       2 b3b
                                  7.78
                                              .00
                                                         .00
                                                                   .00
      2 dixie
 12
                                  5.83
                                              .00
                                                         .00
                                                                   .00
 13
      2 jackson
                                 48.62
                                              .00
                                                         .00
                                                                   .00
 14
      2 j1
                                  8.75
                                              .00
                                                        .00
                                                                   .00
 15
      2 y1a
                                  5.83
                                              .00
                                                        .00
                                                                   .00
 16
      2 Willow/Sherwood
                                38.89
                                              .00
                                                        .00
                                                                   .00
17
      2 whitewater
                                86.55
                                              .00
                                                        .00
                                                                   .00
18
      2 thompson
                                64.18
                                              .00
                                                        .00
                                                                   .00
19
      2 wilson
                                38.90
                                              .00
                                                                   .00
                                                        .00
      2 wehadkee
20
                                81.35
                                             .00
                                                        .00
                                                                   .00
21
      2 guss
                               180.89
                                              .00
                                                        .00
                                                                   .00
22
      2 caney
                                97.25
                                             .00
                                                        .00
                                                                   .00
23
24
      2 l.wehadkee
                               132.26
                                             .00
                                                        .00
                                                                   .00
      2 we2
                                31.12
                                             .00
                                                        .00
                                                                   .00
25
      2 we3
                                 9.72
                                             .00
                                                        .00
                                                                   .00
26
        stroud
                                40.84
                                             .00
                                                        .00
                                                                   .00
27
        veasey
                                33.06
                                             .00
                                                        .00
                                                                  .00
28
29
      2 maple
                                64.18
                                             .00
                                                        .00
                                                                  .00
      2 talley
                               27.23
                                             .00
                                                       .00
                                                                  .00
30
     2 zachary
                                35.01
                                             .00
                                                       .00
                                                                  .00
31
     2 z1-z2
                                44.72
                                             .00
                                                       .00
                                                                  .00
32
     2 ь2
                               52.51
                                             .00
                                                       .00
                                                                  .00
     2 p5-p6
                               31.11
                                             .00
                                                       .00
                                                                  .00
```

```
2 p7
2 p8
2 p9
2 j2a
34
35
                                                            .00
                                  19.45
                                                                        .00
                                                .00
                                   5.83
                                                .00
                                                            .00
                                                                        .00
                                  33.06
36
37
38
39
40
41
                                                 .00
                                                            .00
                                                                        .00
                                                                        .00
                                  18.08
                                                 .00
                                                            .00
     2 j2b
2 w2
                                   8.36
7.78
                                                 .00
                                                            .00
                                                                        .00
                                                 .00
                                                            .00
                                                                        .00
      2 w3
                                  18.08
                                                 .00
                                                                        .00
                                                            .00
      2 wi1/wi2
                                  44.73
                                                 .00
                                                            .00
                                                                        .00
42
43
      2 wi3/v2a
                                  22.36
                                                 .00
                                                                        .00
                                                            .00
                                                                        .00
      2 v2b
                                  14.58
                                                 .00
                                                            .00
```

INPUT GROUP 12 - NON-POINT EXPORT CONCENTRATIONS

IC	LAND USE		RUNOFF M/YR	CONSERV PPB	TOTAL P	TOTAL N	ORTHO P	INORG N
1	landuse1		.15	.0	34.5	.0	.0	.0
		CV:	.00	.00	.15	.00	.00	.00
2	landuse2		.00	.0	.0	.0	.0	.0
		CV:	.00	.00	.00	.00	.00	.00
3	landuse3		.00	.0	.0	.0	.0	.0
		CV:	.00	.00	.00	.00	.00	.00
4	landuse4		.00	.0	.0	.0	.0	.0
		CV:	.00	.00	.00	.00	.00	.00

INPUT GROUP 13 - MODEL COEFFICIENTS IC COEFFICIENT MEAN CV 1 P DECAY RATE 2 N DECAY RATE .45 .55 1.000 1.000 3 CHL-A MODEL 1.000 4 SECCHI MODEL 1.000 .10 5 ORGANIC N MODEL 1.000 .12 6 TP-OP MODEL 1.000 .15 7 HODY MODEL 1.000 .15 8 MODY MODEL 1.000 .22 9 BETA M2/MG .020 .00 10 MINIMUM QS .100 .00 11 FLUSHING EFFECT 1.000 .00 12 CHLOROPHYLL-A CV .620 .00

INPUT GROUP 14 - CASE NOTES West Point Lake 1990 Verification of calibration Data from GaEPD P, Light, Flushing Model Regional and local calibration from 1991

## REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington, Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the

	E ONLY (Leave blank)	2. REPORT DATE April 1995	3. REPORT TYPE A Final report	RT TYPE AND DATES COVERED report		
4. TITLE AND S Application of	UBTITLE of the BATHTUB Mo	odel to Selected Southeaste	ern Reservoirs	5. FUNDING NUMBERS		
6. AUTHOR(S) Robert H. Ke	ennedy					
U.S. Army E	G ORGANIZATION NAM Engineer Waterways Ex Ferry Road, Vicksburg,	8. PERFORMING ORGANIZATION REPORT NUMBER Technical Report EL-95-14				
U.S. Army E	G/MONITORING AGENC Engineer District, Mobi 36628-0001	10. SPONSORING/MONITORING AGENCY REPORT NUMBER				
11. SUPPLEMEN Available fr		al Information Service, 52	285 Port Royal Road, Spr	ringfield, VA 22161.		
	TON/AVAILABILITY STA for public release; dist	12b. DISTRIBUTION CODE				
Eutrophic BATHTUB. Sidney Lanie evaluated ba	Reservoirs included i er. BATHTUB model	in the study were Allatoor ls were calibrated using hi	na Lake, Walter F. Georg istoric water quality data	voirs were evaluated using the model ge Lake, West Point Lake, and Lake is for each lake. Lake responses were els provide one means for evaluating		

14. SUBJECT TERMS 15. NUMBER OF PAGES **Nutrients** Chlorophyll 129 Eutrophication Reservoirs 16. PRICE CODE Loading Water quality Modeling SECURITY CLASSIFICATION 20. LIMITATION OF ABSTRACT 17. SECURITY CLASSIFICATION 18. SECURITY CLASSIFICATION 19. **OF ABSTRACT OF REPORT** OF THIS PAGE **UNCLASSIFIED UNCLASSIFIED**